

Air Cocks

Air cocks are rated for service to 100 p.s.i. at moderate temperatures. Not recommended for use with steam or liquid. Individually tested for higher pressures if needed.

Essex air cocks and shut-off cocks are spring-key type cocks of all brass construction with stainless steel springs.


Machine finish is standard on all air cocks, with polished or plated finish available at extra cost.

*These sizes have hexagon shoulders, others are as illustrated.




Tee Handle - Plain

Number	6	7	8*	9*
Pipe Size	1/8"	1/4"	3/8"	1/2"




Lever Handle - Plain

Number	12	13	14*	15*	16*
Pipe Size	1/8"	1/4"	3/8"	1/2"	3/4"




Tee Handle - Double Male

Number	18	19	20	21
Pipe Size	1/8"	1/4"	3/8"	1/2"




Lever Handle - Double Male

Number	22	23	24	25
Pipe Size	1/8"	1/4"	3/8"	1/2"




Tee Handle - with Bibb

Number	26	27	28	33
Pipe Size	1/8"	1/4"	3/8"	1/2"




Lever Handle - with Bibb

Number	29	30	31	32
Pipe Size	1/8"	1/4"	3/8"	1/2"




Tee Handle - Double Female

Number	37	38	39
Pipe Size	1/8"	1/4"	3/8"




Tee Handle - Male and Female

Number	40	41	42
Pipe Size	1/8"	1/4"	3/8"




Lever Handle - Double Female

Number	43	44	45	45A
Pipe Size	1/8"	1/4"	3/8"	1/2"




Lever Handle - Male and Female

Number	46	47	48	48A
Pipe Size	1/8"	1/4"	3/8"	1/2"




Tee Handle - Male and Female Hexagon Shoulder

Number	49	50	51
Pipe Size	1/8"	1/4"	3/8"




Lever Handle - Male and Female Hexagon Shoulder

Number	52	53	54	54A
Pipe Size	1/8"	1/4"	3/8"	1/2"




Tee Handle - Double Female Hexagon Shoulder

Number	55	56	57
Pipe Size	1/8"	1/4"	3/8"




Lever Handle - Double Female Hexagon Shoulder

Number	58	59	60	60A
Pipe Size	1/8"	1/4"	3/8"	1/2"




Tee Handle - Female with Male Union

Number	81-T
Pipe Size	1/4"




Tee Handle - Hexagon Shoulder

Number	63-T	64-T
Pipe Size	1/8"	1/4"



Lever Handle - Hexagon Shoulder

Number	63-L	64-L
Pipe Size	1/8"	1/4"



Lever Handle - Female with Male Union


Number	81-L
Pipe Size	1/4"

Solid Bottom Cocks

Solid Bottom Cocks are rated to 125 s.p. Individually tested for higher pressures if needed.


Machine finish is standard on all **Solid Bottom** cocks, with polished or plated finish available at extra cost.

Other Solid Bottom Cocks are available upon request.




Tee Handle - with Bibb

Number	SC	27
Pipe Size		1/4"




Lever Handle - with Bibb

Number	SC	30
Pipe Size		1/4"




Tee Handle - Male and Female Hexagon Shoulder

Number	SC	49	50	51
Pipe Size		1/8"	1/4"	3/8"




Lever Handle - Male and Female Hexagon Shoulder

Number	SC	52	53	54
Pipe Size		1/8"	1/4"	3/8"




Tee Handle - Double Female Hexagon Shoulder

Number	SC	55	56	57
Pipe Size		1/8"	1/4"	3/8"



Lever Handle - Double Female Hexagon Shoulder

Number	SC	58	59	60
Pipe Size		1/8"	1/4"	3/8"



Tee Handle - Hexagon Shoulder

Number	SC	63-T	64-T
Pipe Size		1/8"	1/4"



Lever Handle - Hexagon Shoulder


Number	SC	63-L	64-L
Pipe Size		1/8"	1/4"

Shut-off Cocks


Air cocks or shut-off cocks are rated for service to 100 p.s.i. at moderate temperatures. Not recommended for use with steam or liquid. Individually tested for higher pressures if needed. Flared tube connections are SAE 45° type. Compression connections are "ball sleeve" type. All cocks with tube connections are furnished without nuts or sleeves, unless otherwise specified on order.

Essex air cocks and shut-off cocks are spring-key type cocks of all brass construction with stainless steel springs.


Machine finish is standard on all air cocks, with polished or plated finish available at extra cost.



#119 Male Hose Cock for 3/8" Hose. Available with 1/8", 1/4", 3/8", 1/2" Male Pipe Thread.




#125 Underwriters Cock with Umbrella Hood. 1/2" Male Pipe Thread only.




Male Pipe Thread Both Ends

Number	110	111	112	113
Pipe Size	1/8"	1/4"	3/8"	1/2"




Female Pipe Thread Both Ends

Number	120	121	122	123
Pipe Size	1/8"	1/4"	3/8"	1/2"




Male and Female Pipe Thread

Number	130	131	132	133
Pipe Size	1/8"	1/4"	3/8"	1/2"




Flared Tube and Male Pipe Thread

Number	140	141	142	143	144	145
Tube O.D.	1/4"	1/4"	5/16"	5/16"	3/8"	1/2"
Pipe Size	1/8"	1/4"	1/8"	1/4"	1/4"	3/8"




Flared Tube Both Ends

Number	150	151	152	153
Tube O.D.	1/4"	5/16"	3/8"	1/2"




Compression Tube and Male Pipe Thread

Number	160	161	162	163	164	164A	165
Tube O.D.	1/4"	1/4"	5/16"	5/16"	3/8"	3/8"	1/2"
Pipe Size	1/8"	1/4"	1/8"	1/4"	1/4"	3/8"	3/8"



Compression Tube Both Ends

Number	170	171	172	173
Tube O.D.	1/4"	5/16"	3/8"	1/2"



Number	503	507
Pipe Size	1/8"	1/4"

Priming Cups. Long Shank Type with Male Pipe Thread.

Drain Cocks



#DC-100 Forged Handle Type, Sizes 1/8" and 1/4" pipe.



#DC-101 Side Outlet Type, Sizes 1/8" and 1/4" pipe.



#DC-102 Back Seating Type, Sizes 1/8" and 1/4" pipe.



Lever Handle Drain Cock

No.	180	181	182	183
Pipe Size	1/8"	1/4"	3/8"	1/2"