







ChlorFIT® Schedule 80 CPVC Pressure Fittings

Tee (S x S x S) Schedule 80 CORZAN® CPVC




Size (inch)	P/L	Part No.	Pack Qty	H (inch)	G (inch)	Design
½	625	9801-005	25	1.41	0.51	SL
¾	625	9801-007	15	1.60	0.58	SL
1	625	9801-010	20	1.85	0.71	SL
1 ¼	625	9801-012	5	2.17	0.91	SL
1 ½	625	9801-015	5	2.43	1.04	SL
2	625	9801-020	5	2.81	1.30	SL
2 ½	625	9801-025	5	3.31	1.55	SL
3	625	9801-030	5	3.71	1.81	SL
4	625	9801-040	5	4.60	2.33	SL
6	625	9801-060	2	6.53	3.51	SL
8	625	9801-080	1	8.66	4.58	SL
10	B10	9801-100	1	10.79	5.78	SL
12	B10	9801-120	1	12.96	6.94	SL
14	A34	9801-140N	1	19.50	10.88	FAB
16	A34	9801-160N	1	22.75	12.13	FAB
18	A34	9801-180N	1	26.00	13.38	FAB
20	A34	9801-200N	1	28.25	14.63	FAB
24	A34	9801-240N	1	34.50	17.13	FAB

Reducing Tee (S x S x S) Schedule 80 CORZAN® CPVC




Size (inch)	P/L	Part No.	Pack Qty	HJ (inch)	HN (inch)	G (inch)	G1 (inch)	Design
¾ x ½	625	9801-101	25	1.62	1.62	0.60	0.72	SL
1 x ½	625	9801-130	25	1.87	1.64	0.72	0.74	SL
1 x ¾	625	9801-131	25	1.86	1.89	0.72	0.75	SL
1 ¼ x ½	625	9801-166FB	20	1.99	2.35	0.73	1.47	BUSH
1 ¼ x ¾	625	9801-167FB	20	1.99	2.35	0.73	1.33	BUSH
1 ¼ x 1	625	9801-168	20	2.01	2.05	0.73	0.91	SL
1 ½ x ½	625	9801-209	5	1.92	1.91	0.53	1.03	SL
1 ½ x ¾	625	9801-210	5	1.99	2.07	0.60	1.05	SL
1 ½ x 1	625	9801-211	5	2.12	2.17	0.72	1.03	SL
1 ½ x 1 ¼	625	9801-212FB	5	2.44	2.74	1.04	1.47	BUSH
2 x ½	625	9801-247	5	1.99	2.16	0.54	1.28	SL
2 x ¾	625	9801-248	5	2.22	2.31	0.60	1.30	SL
2 x 1	625	9801-249	5	2.24	2.42	0.72	1.27	SL
2 x 1 ¼	625	9801-250FB	5	2.81	3.11	1.30	1.84	BUSH
2 x 1 ½	625	9801-251	5	2.54	2.66	1.03	1.27	SL
2 ½ x ½	625	9801-287FB	5	3.05	3.35	1.28	2.44	BUSH
2 ½ x ¾	625	9801-288FB	5	3.05	3.35	1.28	2.33	BUSH
2 ½ x 1	625	9801-289FB	5	3.05	3.36	1.28	2.22	BUSH
2 ½ x 1 ¼	625	9801-290FB	5	3.05	3.34	1.28	2.07	BUSH
2 ½ x 1 ½	625	9801-291FB	5	3.05	3.35	1.28	1.94	BUSH
2 ½ x 2	625	9801-292	5	3.05	3.05	1.28	1.54	SL
3 x ½	625	9801-333FB	5	3.20	3.68	1.30	2.77	BUSH
3 x ¾	625	9801-334FB	5	3.20	3.68	1.30	2.66	BUSH
3 x 1	625	9801-335FB	5	3.20	3.69	1.30	2.55	BUSH
3 x 1 ¼	625	9801-336FB	5	3.20	3.67	1.30	2.40	BUSH
3 x 1 ½	625	9801-337FB	5	3.20	3.68	1.30	2.27	BUSH
3 x 2	625	9801-338	5	3.20	3.39	1.30	1.87	SL
3 x 2 ½	625	9801-339FB	5	3.73	4.07	1.81	2.17	BUSH
4 x ½	625	9801-415FB	5	3.52	4.19	1.27	3.28	BUSH
4 x ¾	625	9801-416FB	5	3.52	4.19	1.27	3.17	BUSH

table continued on the next page




Size (inch)	P/L	Part No.	Pack Qty	HJ (inch)	HN (inch)	G (inch)	G1 (inch)	Design
4 x 1	625	9801-417FB	5	3.53	4.12	1.26	3.00	BUSH
4 x 1 ¼	625	9801-418FB	5	3.52	4.18	1.27	2.91	BUSH
4 x 1 ½	625	9801-419FB	5	3.52	4.19	1.27	2.78	BUSH
4 x 2	625	9801-420	5	3.54	3.87	1.27	2.37	SL
4 x 2 ½	625	9801-421FB	5	4.14	4.62	1.85	2.73	BUSH
4 x 3	625	9801-422	5	4.13	4.26	1.85	2.35	SL
6 x ½	625	9801-523FB	1	6.56	7.42	3.56	6.52	BUSH
6 x ¾	625	9801-524FB	1	6.56	7.43	3.49	6.41	BUSH
6 x 1	625	9801-525FB	2	6.56	7.44	3.49	6.29	BUSH
6 x 1 ¼	625	9801-526FB	2	6.56	7.42	3.49	6.15	BUSH
6 x 1 ½	625	9801-527FB	1	6.56	7.42	3.49	6.02	BUSH
6 x 2	625	9801-528	2	4.45	5.25	1.43	3.74	SL
6 x 2 ½	625	9801-529FB	2	6.56	7.52	3.49	5.62	BUSH
6 x 3	625	9801-530FB	2	6.56	7.21	3.49	5.25	BUSH
6 x 4	625	9801-532	2	6.57	6.80	3.49	4.47	HS
8 x 4	625	9801-582FB	1	7.63	8.09	3.59	5.84	BUSH
8 x 5	625	9801-583FB	1	7.58	8.01	3.49	5.37	FAB
8 x 6	625	9801-585	1	7.65	7.54	3.55	4.63	SL
10 x 2	A34	9801-619N	1	10.75	11.50	5.75	9.50	FAB
10 x 3	A34	9801-621N	1	10.75	11.50	5.75	9.50	FAB
10 x 4	A34	9801-623N	1	10.75	11.50	5.75	9.50	FAB
10 x 6	B10	9801-626FB	1	10.83	11.43	5.78	8.33	BUSH
10 x 6	A34	9801-626N	1	11.88	12.50	6.88	9.50	FAB
10 x 8	B10	9801-628FB	1	10.83	11.46	5.78	7.36	BUSH
10 x 8	A34	9801-628N	1	13.00	13.50	8.00	9.50	FAB
12 x 2	A34	9801-659N	1	12.00	12.75	6.00	10.75	FAB
12 x 3	A34	9801-661N	1	12.00	12.75	6.00	10.75	FAB
12 x 4	A34	9801-663N	1	12.00	12.75	6.00	10.75	FAB
12 x 6	A34	9801-666N	1	13.13	13.75	7.13	10.75	FAB
12 x 8	B10	9801-668FB	1	12.99	13.67	6.94	9.58	BUSH
12 x 8	A34	9801-668N	1	14.13	14.75	8.13	10.75	FAB
12 x 10	B10	9801-670FB	1	12.99	13.68	6.94	8.57	BUSH
12 x 10	A34	9801-670N	1	15.13	15.75	9.13	10.75	FAB
14 x 2	A34	9801-692N	1	13.13	13.50	6.13	11.50	FAB
14 x 3	A34	9801-694N	1	13.13	13.50	6.13	11.50	FAB
14 x 4	A34	9801-696N	1	13.13	13.50	6.13	11.50	FAB
14 x 6	A34	9801-698N	1	14.25	14.50	7.25	11.50	FAB
14 x 8	A34	9801-700N	1	15.25	15.50	8.25	11.50	FAB
14 x 10	A34	9801-702N	1	16.25	16.50	9.25	11.50	FAB
14 x 12	A34	9801-704N	1	17.25	18.50	10.25	12.50	FAB
16 x 2	A34	9801-726N	1	14.38	14.75	6.38	12.75	FAB
16 x 3	A34	9801-728N	1	14.38	14.75	6.38	12.75	FAB
16 x 4	A34	9801-730N	1	14.38	14.75	6.38	12.75	FAB
16 x 6	A34	9801-732N	1	15.50	15.75	7.50	12.75	FAB
16 x 8	A34	9801-734N	1	16.50	16.75	8.50	12.75	FAB
16 x 10	A34	9801-736N	1	17.50	17.75	9.50	12.75	FAB
16 x 12	A34	9801-738N	1	18.50	19.75	10.50	13.75	FAB
16 x 14	A34	9801-740N	1	19.13	20.75	11.13	13.75	FAB
18 x 4	A34	9801-784N	1	15.63	16.00	6.63	14.00	FAB
18 x 6	A34	9801-786N	1	16.75	17.00	7.75	14.00	FAB
18 x 8	A34	9801-788N	1	17.75	18.00	8.75	14.00	FAB
18 x 10	A34	9801-790N	1	18.75	19.00	9.75	14.00	FAB
18 x 12	A34	9801-792N	1	19.75	21.00	10.75	15.00	FAB
18 x 14	A34	9801-794N	1	20.38	22.00	11.38	15.00	FAB
18 x 16	A34	9801-796N	1	21.38	24.00	12.38	16.00	FAB
20 x 4	A34	9801-814N	1	16.88	17.25	6.88	15.25	FAB
20 x 6	A34	9801-816N	1	18.00	18.25	8.00	15.25	FAB
20 x 8	A34	9801-818N	1	19.00	19.25	9.00	15.25	FAB
20 x 10	A34	9801-820N	1	20.00	20.25	10.00	15.25	FAB
20 x 12	A34	9801-822N	1	21.00	22.25	11.00	16.25	FAB
20 x 14	A34	9801-824N	1	21.63	23.25	11.63	16.25	FAB
20 x 16	A34	9801-826N	1	22.63	25.25	12.63	17.25	FAB
20 x 18	A34	9801-828N	1	23.63	27.25	13.63	18.25	FAB

table continued on the next page




Size (inch)	P/L	Part No.	Pack Qty	HJ (inch)	HN (inch)	G (inch)	G1 (inch)	Design
24 x 4	A34	9801-904N	1	19.38	19.50	7.38	17.50	FAB
24 x 6	A34	9801-906N	1	20.50	20.50	8.50	17.50	FAB
24 x 8	A34	9801-908N	1	21.50	21.50	9.50	17.50	FAB
24 x 10	A34	9801-910N	1	22.50	22.50	10.50	17.50	FAB
24 x 12	A34	9801-912N	1	23.50	24.50	11.50	18.50	FAB
24 x 14	A34	9801-914N	1	24.13	25.50	12.13	18.50	FAB
24 x 16	A34	9801-916N	1	25.13	27.50	13.13	19.50	FAB
24 x 18	A34	9801-918N	1	26.13	30.50	14.13	20.50	FAB
24 x 20	A34	9801-920N	1	27.13	32.50	15.13	20.50	FAB

Tee (FPT x FPT x FPT) Schedule 80 CORZAN® CPVC





Size (inch)	P/L	Part No.	Pack Qty	H (inch)	T (inch)	Design
¼	625	9805-002	50	0.94	0.59	HS
⅜	625	9805-003	50	1.01	0.60	HS
½	625	9805-005	25	1.26	0.76	HS
¾	625	9805-007	15	1.36	0.72	HS
1	625	9805-010	15	1.79	0.99	HS
1 ¼	625	9805-012	10	1.93	1.01	HS
1 ½	625	9805-015	10	2.08	1.03	HS
2	625	9805-020	5	2.39	1.06	HS
2 ½	625	9805-025	5	2.87	1.35	HS
3	625	9805-030	5	3.52	1.65	HS
4	625	9805-040	5	4.07	1.72	HS

90° Ell (S x S) Schedule 80 CORZAN® CPVC





Size (inch)	P/L	Part No.	Pack Qty	H (inch)	G (inch)	Design
¼	625	9806-002	50	0.96	0.35	HS
½	625	9806-005	25	1.41	0.51	SL
¾	625	9806-007	25	1.60	0.57	SL
1	625	9806-010	10	1.83	0.68	SL
1 ¼	625	9806-012	10	2.18	0.90	SL
1 ½	625	9806-015	10	2.43	1.04	SL
2	625	9806-020	20	2.80	1.27	SL
2 ½	625	9806-025	5	3.33	1.53	SL
3	625	9806-030	5	3.73	1.81	SL
4	625	9806-040	5	4.63	2.32	SL
6	625	9806-060	2	6.56	3.53	SL
8	625	9806-080	1	8.68	4.55	SL
10	B10	9806-100	1	10.79	5.77	SL
12	B10	9806-120	1	12.92	6.87	SL
14	A34	9806-140N	1	26.00	19.00	FAB
16	A34	9806-160N	1	29.00	21.00	FAB
18	A34	9806-180N	1	33.50	24.50	FAB
20	A34	9806-200N	1	35.75	25.75	FAB
24	A34	9806-240N	1	43.00	31.00	FAB

90° ELL (S x FPT) Schedule 80 CORZAN® CPVC






Size (inch)	P/L	Part No.	Pack Qty	HJ (inch)	HN (inch)	G (inch)	T (inch)	Design
½	625	9807-005	25	1.40	1.31	0.50	0.81	HS
¾	625	9807-007	25	1.59	1.36	0.58	0.72	HS
1	625	9807-010	10	1.81	1.70	0.67	1.00	HS
1 ¼	625	9807-012	10	2.15	1.92	0.89	1.03	HS
1 ½	625	9807-015	10	2.39	2.05	1.01	1.05	HS
2	625	9807-020	5	2.77	2.36	1.24	1.09	HS
3	625	9807-030	5	3.73	3.47	1.83	1.66	HS

90° ELL (FPT x FPT) Schedule 80 CORZAN® CPVC





Size (inch)	P/L	Part No.	Pack Qty	H (inch)	T (inch)	Design
¼	625	9808-002	50	0.94	0.61	HS
¾	625	9808-003	50	1.00	0.63	HS
½	625	9808-005	25	1.27	0.78	HS
¾	625	9808-007	20	1.36	0.72	HS
1	625	9808-010	10	1.71	1.00	HS
1 ¼	625	9808-012	10	1.92	1.01	HS
1 ½	625	9808-015	10	2.08	1.06	HS
2	625	9808-020	5	2.36	1.08	HS
2 ½	625	9808-025	5	3.36	1.51	HS
3	625	9808-030	5	3.53	1.63	HS
4	625	9808-040	5	4.17	1.75	HS

45° Ell (S x S) Schedule 80 CORZAN® CPVC




Size (inch)	P/L	Part No.	Pack Qty	H (inch)	J (inch)	Design
1/2	625	9817-005	25	1.22	0.30	SL
3/4	625	9817-007	20	1.29	0.28	SL
1	625	9817-010	25	1.48	0.32	SL
1 1/4	625	9817-012	15	1.78	0.47	SL
1 1/2	625	9817-015	10	1.88	0.45	SL
2	625	9817-020	5	2.16	0.60	SL
2 1/2	625	9817-025	5	2.56	0.79	SL
3	625	9817-030	5	2.67	0.77	SL
4	625	9817-040	5	3.31	1.04	SL
6	625	9817-060	2	4.86	1.77	SL
8	625	9817-080	2	6.15	2.07	SL
10	B10	9817-100	1	7.51	2.46	SL
12	B10	9817-120	1	9.00	2.96	SL
14	A34	9817-140N	1	10.25	3.50	FAB
16	A34	9817-160N	1	11.75	3.75	FAB
18	A34	9817-180N	1	13.25	4.25	FAB
20	A34	9817-200N	1	14.75	4.75	FAB
24	A34	9817-240N	1	17.75	5.75	FAB

45° Ell (FPT x FPT) Schedule 80 CORZAN® CPVC





Size (inch)	P/L	Part No.	Pack Qty	H (inch)	T (inch)	Design
1/4	625	9819-002	50	0.69	0.59	HS
1/2	625	9819-005	25	1.02	0.76	SL
3/4	625	9819-007	20	1.14	0.81	SL
1	625	9819-010	25	1.33	0.97	SL
1 1/4	625	9819-012	15	1.42	1.01	SL
1 1/2	625	9819-015	10	1.47	1.07	SL
2	625	9819-020	5	1.74	2.37	SL
3	625	9819-030	5	2.43	1.66	SL
4	625	9819-040	5	2.78	1.76	SL

Coupling (S x S) Schedule 80 CORZAN® CPVC



Size (inch)	P/L	Part No.	Pack Qty	L (inch)	N (inch)	Design
½	625	9829-005	25	1.93	0.12	SL
¾	625	9829-007	20	2.18	0.12	SL
1	625	9829-010	25	2.41	0.12	SL
1 ¼	625	9829-012	25	2.67	0.13	SL
1 ½	625	9829-015	10	2.94	0.15	SL
2	625	9829-020	5	3.18	0.13	SL
2 ½	625	9829-025	5	3.77	0.19	SL
3	625	9829-030	5	4.04	0.26	SL
4	625	9829-040	5	4.80	0.26	SL
6	625	9829-060	2	6.40	0.36	SL
8	625	9829-080	2	8.40	0.35	SL
10	B10	9829-100	1	10.77	0.75	SL
12	B10	9829-120	1	12.82	0.75	SL
14	A34	9829-140N	1	17.75	3.75	FAB
16	A34	9829-160N	1	20.25	4.25	FAB
18	A34	9829-180N	1	22.75	4.75	FAB
20	A34	9829-200N	1	25.25	5.25	FAB
24	A34	9829-240N	1	30.25	6.25	FAB


Reducing Coupling (S x S) Schedule 80 CORZAN® CPVC



Images for 14"-24"
Fabricated


Size (inch)	P/L	Part No.	Pack Qty	L (inch)	N (inch)	Design
¾ x ½	625	9829-101	25	2.13	0.13	HS
1 x ½	625	9829-130	25	2.17	0.12	HS
1 x ¾	625	9829-131	25	2.26	0.11	HS
1 ¼ x ¾	625	9829-167FB	15	2.94	0.66	BUSH
1 ¼ x 1	625	9829-168FB	15	2.52	0.10	BUSH
1 ½ x ½	625	9829-209FB	15	2.94	0.64	BUSH
1 ½ x ¾	625	9829-210FB	15	2.50	0.54	BUSH
1 ½ x 1	625	9829-211	15	2.65	0.11	HS
1 ½ x 1 ¼	625	9829-212	20	2.82	0.09	HS
2 x ½	625	9829-247FB	5	3.44	0.87	BUSH
2 x ¾	625	9829-248FB	5	3.39	0.77	BUSH
2 x 1	625	9829-249	5	3.15	0.32	HS
2 x 1 ¼	625	9829-250	5	3.05	0.14	HS
2 x 1 ½	625	9829-251	5	3.06	0.07	HS
2 ½ x 1 ½	625	9829-291	5	3.36	0.14	HS
2 ½ x 2	625	9829-292FB	5	4.08	0.66	BUSH
3 x 1	625	9829-335FB	5	4.56	1.53	BUSH
3 x 1 ½	625	9829-337FB	5	4.58	1.15	BUSH
3 x 2	625	9829-338	5	3.61	0.17	HS
3 x 2 ½	625	9829-339FB	5	4.42	0.63	BUSH
4 x 2	625	9829-420FB	5	4.94	1.08	BUSH
4 x 2 ½	625	9829-421FB	5	4.92	0.65	BUSH
4 x 3	625	9829-422	5	4.38	0.22	HS
6 x 4	625	9829-532	2	10.17	3.46	HS
8 x 4	625	9829-582FB	2	9.81	3.53	BUSH
8 x 6	625	9829-585	2	9.18	2.11	HS
10 x 4	A34	9829-623N	1	17.00	10.00	FAB
10 x 6	B10	9829-626FB	1	11.42	3.29	BUSH
10 x 6	A34	9829-626N	1	13.00	5.00	FAB
10 x 8	B10	9829-628FB	1	11.45	2.32	BUSH
10 x 8	A34	9829-628N	1	12.75	3.75	FAB
12 x 4	A34	9829-663N	1	26.25	18.25	FAB
12 x 6	A34	9829-666N	1	20.50	11.50	FAB
12 x 8	B10	9829-668FB	1	13.54	3.41	BUSH
12 x 8	A34	9829-668N	1	15.50	5.50	FAB
12 x 10	B10	9829-670FB	1	13.24	2.13	BUSH
12 x 10	A34	9829-670N	1	15.00	4.00	FAB
14 x 4	A34	9829-696N	1	13.00	3.00	FAB
14 x 6	A34	9829-698N	1	31.00	21.00	FAB
14 x 8	A34	9829-700N	1	21.00	10.00	FAB
14 x 10	A34	9829-702N	1	17.00	5.00	FAB
14 x 12	A34	9829-704N	1	16.50	3.50	FAB
16 x 4	A34	9829-730N	1	16.50	3.50	FAB
16 x 6	A34	9829-732N	1	16.50	4.50	FAB
16 x 8	A34	9829-734N	1	18.05	5.00	FAB
16 x 10	A34	9829-736N	1	19.00	5.10	FAB
16 x 12	A34	9829-738N	1	19.25	5.25	FAB
16 x 14	A34	9829-740N	1	19.50	4.50	FAB
18 x 4	A34	9829-784N	1	48.50	37.50	FAB
18 x 6	A34	9829-786N	1	36.00	24.00	FAB
18 x 8	A34	9829-788N	1	42.50	29.50	FAB
18 x 10	A34	9829-790N	1	33.50	19.50	FAB
18 x 12	A34	9829-792N	1	22.00	7.00	FAB
18 x 14	A34	9829-794N	1	22.25	6.25	FAB
18 x 16	A34	9829-796N	1	21.75	4.75	FAB
20 x 4	A34	9829-814N	1	60.50	48.50	FAB
20 x 6	A34	9829-816N	1	55.50	42.50	FAB
20 x 8	A34	9829-818N	1	56.25	42.25	FAB
20 x 10	A34	9829-820N	1	47.25	32.25	FAB
20 x 12	A34	9829-822N	1	37.00	21.00	FAB
20 x 14	A34	9829-824N	1	37.25	20.25	FAB

table continued on the next page




Size (inch)	P/L	Part No.	Pack Qty	L (inch)	N (inch)	Design
20 x 16	A34	9829-826N	1	24.50	6.50	FAB
20 x 18	A34	9829-828N	1	24.00	5.00	FAB
24 x 4	A34	9829-904N	1	66.00	52.00	FAB
24 x 6	A34	9829-906N	1	61.00	46.00	FAB
24 x 8	A34	9829-908N	1	52.00	36.00	FAB
24 x 10	A34	9829-910N	1	52.75	35.75	FAB
24 x 12	A34	9829-912N	1	42.50	24.50	FAB
24 x 14	A34	9829-914N	1	42.75	23.75	FAB
24 x 16	A34	9829-916N	1	42.25	22.25	FAB
24 x 18	A34	9829-918N	1	29.50	8.50	FAB
24 x 20	A34	9829-920N	1	29.25	7.25	FAB

Coupling (FPT x FPT) Schedule 80 CORZAN® CPVC




Size (inch)	P/L	Part No.	Pack Qty	L (inch)	T (inch)	Design
¼	625	9830-002	50	1.29	0.61	HS
¾	625	9830-003	50	1.35	0.62	HS
½	625	9830-005	25	1.68	0.77	SL
¾	625	9830-007	25	1.75	0.80	SL
1	625	9830-010	25	2.13	0.99	SL
1 ¼	625	9830-012	25	2.19	1.03	SL
1 ½	625	9830-015	10	2.22	1.03	SL
2	625	9830-020	5	2.29	1.08	SL
2 ½	625	9830-025	5	3.33	1.51	SL
3	625	9830-030	5	3.53	1.65	SL
4	625	9830-040	5	3.76	1.75	SL

Reducing Coupling (FPT x FPT) Schedule 80 CORZAN® CPVC





Size (inch)	P/L	Part No.	Pack Qty	L (inch)	T (inch)	T1 (inch)	Design
3/8 x 1/4	625	9830-052	50	1.29	0.60	0.59	HS
1/2 x 1/4	625	9830-072	50	1.45	0.75	0.59	HS
1/2 x 3/8	625	9830-073	50	1.46	0.74	0.60	HS
3/4 x 1/2	625	9830-101	25	1.69	0.78	0.78	HS
1 x 1/2	625	9830-130	25	1.84	0.98	0.77	HS
1 x 3/4	625	9830-131	25	1.88	0.98	0.80	HS
1 1/4 x 3/4	625	9830-167	25	1.90	1.00	0.79	HS
1 1/2 x 1	625	9830-211	20	2.06	1.02	0.95	HS
2 x 1 1/2	625	9830-251	20	2.18	1.05	1.02	HS

Female Adapter (S x FPT) Schedule 80 CORZAN® CPVC





Size (inch)	P/L	Part No.	Pack Qty	HL (inch)	L (inch)	T (inch)	Design
1/4	625	9835-002	50	0.75	1.43	0.58	HS
1/2	625	9835-005	25	0.91	1.80	0.75	HS
3/4	625	9835-007	20	0.95	1.96	0.79	HS
1	625	9835-010	25	1.11	2.27	0.98	HS
1 1/4	625	9835-012	10	1.18	2.44	1.02	HS
1 1/2	625	9835-015	10	1.19	2.59	1.03	HS
2	625	9835-020	5	1.25	2.76	1.06	HS
3	625	9835-030	5	1.91	3.80	1.65	HS
4	625	9835-040	5	2.02	4.29	1.74	HS
6	A34	9835-060N	1	4.50	7.50	1.51	FAB
8	A34	9835-080N	1	4.25	8.50	1.71	FAB
10	A34	9835-100N	1	5.00	10.00	2.00	FAB
12	A34	9835-120N	1	6.00	11.13	2.13	FAB

Male Adapter (S x MPT) Schedule 80 CORZAN® CPVC




Size (inch)	P/L	Part No.	Pack Qty	HL (inch)	L (inch)	Design
1/2	625	9836-005	50	0.94	1.85	SL
3/4	625	9836-007	25	1.05	2.03	HS
1	625	9836-010	25	1.22	2.38	HS
1 1/4	625	9836-012	15	1.28	2.56	HS
1 1/2	625	9836-015	15	1.30	2.69	HS
2	625	9836-020	5	1.32	2.83	HS
3	625	9836-030	5	1.99	3.90	HS
4	625	9836-040	5	2.15	4.40	HS
6	A34	9836-060N	1	3.25	6.25	FAB
8	A34	9836-080N	1	3.50	7.50	FAB
10	A34	9836-100N	1	4.18	9.18	FAB
12	A34	9836-120N	1	4.63	10.63	FAB

Flush Style Reducer Bushing (SPG x S) Schedule 80 CORZAN® CPVC




Size (inch)	P/L	Part No.	Pack Qty	HL (inch)	L (inch)	Design
½ x ¼	625	9837-072	50	0.47	1.15	FLUSH
½ x ⅜	625	9837-073	50	0.33	1.09	FLUSH
¾ x ½	625	9837-101	50	0.42	1.30	FLUSH
1 x ½	625	9837-130	50	0.55	1.44	FLUSH
1 x ¾	625	9837-131	50	0.41	1.43	FLUSH
1 ¼ x ½	625	9837-166	25	0.66	1.55	FLUSH
1 ¼ x ¾	625	9837-167	25	0.56	1.57	FLUSH
1 ¼ x 1	625	9837-168	25	0.44	1.59	FLUSH
1 ½ x ½	625	9837-209	25	0.78	1.69	FLUSH
1 ½ x ¾	625	9837-210	25	0.67	1.68	FLUSH
1 ½ x 1	625	9837-211	25	0.55	1.69	FLUSH
1 ½ x 1 ¼	625	9837-212	25	0.44	1.72	FLUSH
2 x ½	625	9837-247	10	0.91	1.81	FLUSH
2 x ¾	625	9837-248	10	0.79	1.82	FLUSH
2 x 1	625	9837-249	10	0.68	1.83	FLUSH
2 x 1 ¼	625	9837-250	10	0.54	1.81	FLUSH
2 x 1 ½	625	9837-251	10	0.40	1.81	FLUSH
2 ½ x 1 ½	625	9837-291	5	0.79	2.31	FLUSH
2 ½ x 2	625	9837-292	5	0.47	2.10	FLUSH
3 x 1	625	9837-335	5	1.27	2.42	FLUSH
3 x 1 ¼	A34	9837-336FB	5	1.43	2.71	FAB
3 x 1 ½	625	9837-337	5	0.89	2.43	FLUSH
3 x 2	625	9837-338	5	0.86	2.42	FLUSH
3 x 2 ½	625	9837-339	5	0.38	2.27	FLUSH
4 x 2	625	9837-420	5	1.14	2.70	FLUSH
4 x 2 ½	625	9837-421FB	5	1.40	2.96	BUSH
4 x 3	625	9837-422	5	0.77	2.74	FLUSH
6 x ¾	625	9837-524FB	2	1.79	4.38	BUSH
6 x 1	625	9837-525FB	2	1.79	4.10	BUSH
6 x 1 ½	625	9837-527FB	2	1.79	4.10	BUSH
6 x 2	625	9837-528FB	2	1.13	4.03	BUSH
6 x 2 ½	625	9837-529FB	2	1.79	3.95	BUSH
6 x 3	625	9837-530	2	1.74	3.65	FLUSH
6 x 4	625	9837-532	2	1.42	3.67	FLUSH
8 x 1 ½	625	9837-577FB	1	1.56	5.66	BUSH
8 x 2	625	9837-578FB	1	1.56	5.59	BUSH
8 x 3	625	9837-580FB	1	1.56	5.15	BUSH
8 x 4	625	9837-582FB	1	1.56	5.15	BUSH
8 x 5	625	9837-583FB	1	2.44	5.09	FAB
8 x 6	625	9837-585	1	1.69	4.66	FLUSH
10 x 2	B10	9837-619FB	1	2.57	6.66	BUSH
10 x 3	B10	9837-621FB	1	2.57	6.15	BUSH
10 x 4	B10	9837-623FB	1	4.01	6.26	BUSH
10 x 6	B10	9837-626	1	2.59	5.69	FLUSH
10 x 8	B10	9837-628	1	1.62	5.72	FLUSH
12 x 3	B10	9837-662FB	1	1.63	7.78	BUSH
12 x 4	B10	9837-663FB	1	1.63	7.78	BUSH
12 x 6	B10	9837-666FB	1	4.26	7.35	BUSH
12 x 8	02	9837-668	1	2.66	6.76	FLUSH
12 x 10	B10	9837-670	1	1.66	6.77	FLUSH
14 x 4	A34	9837-696N	1	5.50	7.50	FAB
14 x 6	A34	9837-698N	1	4.50	7.50	FAB
14 x 8	A34	9837-700N	1	3.50	7.50	FAB
14 x 10	A34	9837-702N	1	2.50	7.50	FAB
14 x 12	A34	9837-704N	1	1.50	7.50	FAB
16 x 4	A34	9837-730N	1	6.50	8.50	FAB
16 x 6	A34	9837-732N	1	5.50	8.50	FAB
16 x 8	A34	9837-734N	1	4.50	8.50	FAB
16 x 10	A34	9837-736N	1	3.50	8.50	FAB
16 x 12	A34	9837-738N	1	2.50	8.50	FAB
16 x 14	A34	9837-740N	1	1.50	8.50	FAB

table continued on the next page





Size (inch)	P/L	Part No.	Pack Qty	HL (inch)	L (inch)	Design
18 x 4	A34	9837-784N	1	7.50	9.50	FAB
18 x 6	A34	9837-786N	1	6.50	9.50	FAB
18 x 8	A34	9837-788N	1	5.50	9.50	FAB
18 x 10	A34	9837-790N	1	4.50	9.50	FAB
18 x 12	A34	9837-792N	1	3.50	9.50	FAB
18 x 14	A34	9837-794N	1	2.50	9.50	FAB
18 x 16	A34	9837-796N	1	1.50	9.50	FAB
20 x 4	A34	9837-814N	1	8.50	10.50	FAB
20 x 6	A34	9837-816N	1	7.50	10.50	FAB
20 x 8	A34	9837-818N	1	6.50	10.50	FAB
20 x 10	A34	9837-820N	1	5.50	10.50	FAB
20 x 12	A34	9837-822N	1	4.50	10.50	FAB
20 x 14	A34	9837-824N	1	3.50	10.50	FAB
20 x 16	A34	9837-826N	1	2.50	10.50	FAB
20 x 18	A34	9837-828N	1	1.50	10.50	FAB
24 x 4	A34	9837-904N	1	10.50	12.50	FAB
24 x 6	A34	9837-906N	1	9.50	12.50	FAB
24 x 8	A34	9837-908N	1	8.50	12.50	FAB
24 x 10	A34	9837-910N	1	7.50	12.50	FAB
24 x 12	A34	9837-912N	1	6.50	12.50	FAB
24 x 14	A34	9837-914N	1	5.50	12.50	FAB
24 x 16	A34	9837-916N	1	4.50	12.50	FAB
24 x 18	A34	9837-918N	1	3.50	12.50	FAB
24 x 20	A34	9837-920N	1	2.50	12.50	FAB

Flush Style Reducer Bushing (SPG x FPT) Schedule 80 CORZAN® CPVC




Size (inch)	P/L	Part No.	Pack Qty	L (inch)	T (inch)	Design
½ x ¼	625	9838-072	50	1.14	0.61	FLUSH
½ x ⅜	625	9838-073	50	1.13	0.61	FLUSH
¾ x ¼	625	9838-098	50	1.21	0.60	FLUSH
¾ x ½	625	9838-101	50	1.28	0.77	FLUSH
1 x ½	625	9838-130	50	1.42	0.76	FLUSH
1 x ¾	625	9838-131	50	1.41	0.81	FLUSH
1 ¼ x ½	625	9838-166	15	1.56	0.75	FLUSH
1 ¼ x ¾	625	9838-167	15	1.56	0.79	FLUSH
1 ¼ x 1	625	9838-168	15	1.56	0.99	FLUSH
1 ½ x ½	625	9838-209	15	1.68	0.76	FLUSH
1 ½ x ¾	625	9838-210	15	1.69	0.79	FLUSH
1 ½ x 1	625	9838-211	15	1.68	0.99	FLUSH
1 ½ x 1 ¼	625	9838-212	15	1.69	1.02	FLUSH
2 x ½	625	9838-247	10	1.80	0.77	FLUSH
2 x ¾	625	9838-248	10	1.80	0.80	FLUSH
2 x 1	625	9838-249	10	1.80	0.99	FLUSH
2 x 1 ¼	625	9838-250	10	1.81	1.02	FLUSH
2 x 1 ½	625	9838-251	10	1.88	1.04	FLUSH
2 ½ x 1 ½	625	9838-291	5	2.24	1.07	FLUSH
2 ½ x 2	625	9838-292	5	2.12	1.10	FLUSH
3 x 2	625	9838-338	5	2.42	1.07	FLUSH
4 x 2	625	9838-420	5	2.71	1.10	FLUSH
4 x 3	625	9838-422	5	2.75	1.62	FLUSH

Flush Style Reducer Bushing (MPT x FPT) Schedule 80 CORZAN® CPVC





Size (inch)	P/L	Part No.	Pack Qty	L (inch)	T (inch)	Style
3/8 x 1/4	625	9839-052	50	0.80	0.60	FLUSH
1/2 x 1/4	625	9839-072	50	0.95	0.60	FLUSH
1/2 x 3/8	625	9839-073	50	0.96	0.61	FLUSH
3/4 x 3/8	625	9839-099	50	1.02	0.61	FLUSH
3/4 x 1/2	625	9839-101	50	1.08	0.75	FLUSH
1 x 1/2	625	9839-130	25	1.24	0.76	FLUSH
1 x 3/4	625	9839-131	25	1.28	0.80	FLUSH
1 1/4 x 1	625	9839-168	25	1.30	1.00	FLUSH
1 1/2 x 3/4	625	9839-210	25	1.33	0.78	FLUSH
1 1/2 x 1	625	9839-211	25	1.34	0.98	FLUSH
1 1/2 x 1 1/4	625	9839-212	25	1.33	1.02	FLUSH
2 x 1	625	9839-249	10	1.42	0.97	FLUSH
2 x 1 1/4	625	9839-250	10	1.43	1.01	FLUSH
2 x 1 1/2	625	9839-251	10	1.35	1.02	FLUSH

Cap (S) Schedule 80 CORZAN® CPVC





Size (inch)	P/L	Part No.	Pack Qty	W (inch)	Design
1/2	625	9847-005	50	1.30	HS
3/4	625	9847-007	25	1.46	HS
1	625	9847-010	25	1.66	HS
1 1/4	625	9847-012	15	1.89	HS
1 1/2	625	9847-015	10	2.08	HS
2	625	9847-020	5	2.32	HS
2 1/2	625	9847-025	5	2.61	HS
3	625	9847-030	5	3.06	HS
4	625	9847-040	5	3.69	HS
6	625	9847-060	2	4.86	HS
8	625	9847-080	2	6.25	SL
10	B10	9847-100	1	7.92	SL
12	B10	9847-120	1	9.37	SL
14	A34	9847-140N	1	5.75	FAB
16	A34	9847-160N	1	7.00	FAB
18	A34	9847-180N	1	8.25	FAB
20	A34	9847-200N	1	8.75	FAB
24	A34	9847-240N	1	10.25	FAB

Cap (FPT) Schedule 80 CORZAN® CPVC



Size (inch)	P/L	Part No.	Pack Qty	W (inch)	T (inch)	Design
¼	625	9848-002	50	0.93	0.54	HS
⅜	625	9848-003	50	0.94	0.62	HS
½	625	9848-005	50	1.14	0.74	HS
¾	625	9848-007	25	1.25	0.80	HS
1	625	9848-010	25	1.51	0.97	HS
1 ¼	625	9848-012	15	1.59	1.00	HS
1 ½	625	9848-015	10	1.70	1.01	HS
2	625	9848-020	5	1.82	1.06	HS
2 ½	625	9848-025	5	2.61	1.45	HS

Plug (MPT) Schedule 80 CORZAN® CPVC




Size (inch)	P/L	Part No.	Pack Qty	L (inch)	R (inch)	Design
¼	625	9850-002	50	0.81	0.22	HS
⅜	625	9850-003	50	0.83	0.22	HS
½	625	9850-005	50	0.98	0.22	HS
¾	625	9850-007	50	1.06	0.25	HS
1	625	9850-010	25	1.24	0.27	HS
1 ¼	625	9850-012	25	1.33	0.31	HS
1 ½	625	9850-015	20	1.38	0.34	HS
2	625	9850-020	10	1.47	0.39	HS
3	625	9850-030	5	1.98	0.38	HS
4	625	9850-040	5	2.16	0.39	HS
6	A34	9850-060N	1	2.00	0.75	FAB
8	A34	9850-080N	1	2.00	0.75	FAB
10	A34	9850-100N	1	2.00	0.75	FAB
12	A34	9850-120N	1	2.00	0.75	FAB

Flange - One Piece (S) Schedule 80 CORZAN® CPVC

- ANSI 150 Class according to ANSI B16.5
- 150 psi @ 73°F (10.3 bar @ 22.7°C)
- HC = Honeycomb (Face)


Size (inch)	P/L	Part No.	Pack Qty	# holes	Bolt Dia. (inch)	bolt cir. dia. (inch)	D (inch)	L (inch)	N1 (inch)	R (inch)	Design
½	625	9851-005	5	4	½	2.38	3.50	1.03	0.13	0.39	HC
¾	625	9851-007	5	4	½	2.75	3.89	1.14	0.13	0.45	HC
1	625	9851-010	5	4	½	3.13	4.28	1.29	0.16	0.52	HC
1 ¼	625	9851-012	5	4	½	3.50	4.64	1.45	0.14	0.59	HC
1 ½	625	9851-015	5	4	½	3.88	5.01	1.54	0.16	0.68	HC
2	625	9851-020	5	4	¾	4.75	6.01	1.73	0.16	0.69	HC
2 ½	625	9851-025	5	4	¾	5.50	7.00	1.99	0.17	0.75	HC
3	625	9851-030	5	4	¾	6.00	7.51	2.46	0.57	1.10	HC
4	625	9851-040	5	8	¾	7.50	9.04	2.79	0.52	1.19	HC
6	625	9851-060	2	8	¾	9.50	11.13	3.86	0.36	1.38	HC




Flange - One Piece (FPT) Schedule 80 CORZAN® CPVC

- ANSI 150 Class according to ANSI B16.5
- 150 psi @ 73°F (10.3 bar @ 22.7°C)
- HC = Honeycomb (Face)


Size (inch)	P/L	Part No.	Pack Qty	# holes	Bolt Dia. (inch)	bolt cir. dia. (inch)	D (inch)	L (inch)	T (inch)	R (inch)	Design
½	625	9852-005	5	4	½	2.38	3.51	0.89	0.77	0.39	HC
¾	625	9852-007	5	4	½	2.75	3.89	0.91	0.79	0.45	HC
1	625	9852-010	5	4	½	3.13	4.28	1.13	1.00	0.53	HC
1 ¼	625	9852-012	5	4	½	3.50	4.62	1.20	1.06	0.58	HC
1 ½	625	9852-015	5	4	½	3.88	4.99	1.19	1.03	0.68	HC
2	625	9852-020	5	4	¾	4.75	6.02	1.22	1.06	0.70	HC
2 ½	625	9852-025	5	4	¾	5.50	7.00	1.72	1.53	0.75	HC
3	625	9852-030	5	4	¾	6.00	7.50	2.15	1.63	1.15	HC
4	625	9852-040	5	8	¾	7.50	9.00	2.30	1.77	1.23	HC



Flange - Van Stone (S) Schedule 80 CORZAN® CPVC




- ANSI 150 Class according to ANSI B16.5
- 1/2" - 12" pressure rating is 150 psi @ 73°F (10.3 bar @ 22.7°C)
- 14" - 24" pressure rating is 100 psi @ 73°F (6.9 bar @ 22.7°C) - Steel Ring
- HC = Honeycomb (Face)




Size (inch)	P/L	Part No.	Pack Qty	# holes	Bolt Dia. (inch)	bolt cir. dia. (inch)	D (inch)	L (inch)	N1 (inch)	R (inch)	ID (inch)	Design
1/2	625	9854-005	5	4	1/2	2.38	3.53	1.10	0.18	0.57	0.60	HC
3/4	625	9854-007	5	4	1/2	2.75	3.87	1.23	0.18	0.59	0.82	HC
1	625	9854-010	5	4	1/2	3.13	4.25	1.38	0.20	0.66	1.03	HC
1 1/4	625	9854-012	5	4	1/2	3.50	4.62	1.52	0.21	0.69	1.36	HC
1 1/2	625	9854-015	5	4	1/2	3.88	5.01	1.68	0.25	0.75	1.60	HC
2	625	9854-020	5	4	3/4	4.75	6.02	1.84	0.29	0.82	2.06	HC
2 1/2	625	9854-025	5	4	3/4	5.50	7.01	2.15	0.33	0.98	2.49	HC
3	625	9854-030	5	4	3/4	6.00	7.50	2.33	0.39	1.02	3.09	HC
4	625	9854-040	5	8	3/4	7.50	8.99	2.75	0.24	1.10	4.06	HC
6	625	9854-060	2	8	3/4	9.50	10.98	3.55	0.48	1.25	6.11	HC
8	625	9854-080	2	8	3/4	11.75	13.51	4.60	0.51	1.71	8.00	HC
10	B10	9854-100	2	12	7/8	14.25	15.97	5.66	0.53	1.73	10.10	HC
12	B10	9854-120	2	12	7/8	17.00	18.95	6.71	0.57	1.72	11.96	HC
14	A34	9854-140N	1	12	7/8	18.75	21.00	11.75	4.75	0.50	12.50	FAB
16	A34	9854-160N	1	16	1	21.25	23.50	13.50	5.50	0.50	14.31	FAB
18	A34	9854-180N	1	16	1 1/4	22.75	25.00	14.50	5.50	0.50	16.13	FAB
20	A34	9854-200N	1	20	1 1/4	25.00	27.50	17.25	7.25	0.50	18.00	FAB
24	A34	9854-240N	1	20	1 1/4	29.50	32.00	19.50	7.50	0.50	21.56	FAB

Flange - Van Stone (FPT) Schedule 80 CORZAN® CPVC




- ANSI 150 Class according to ANSI B16.5
- 150 psi @ 73°F (10.3 bar @ 22.7°C)
- HC = Honeycomb (Face)




Size (inch)	P/L	Part No.	Pack Qty	# holes	Bolt Dia. (inch)	bolt cir. dia. (inch)	D (inch)	L (inch)	T (inch)	R (inch)	ID (inch)	Design
1	625	9855-010	5	4	1/2	3.13	4.25	1.39	1.01	0.66	1.06	HC
1 1/4	625	9855-012	5	4	1/2	3.50	4.62	1.50	1.02	0.69	1.38	HC
1 1/2	625	9855-015	5	4	1/2	3.88	5.01	1.67	1.06	0.75	1.61	HC
2	625	9855-020	5	4	3/4	4.75	6.02	1.82	1.09	0.82	2.08	HC

Flange - Van Stone (SPG) Schedule 80 CORZAN® CPVC




- ANSI 150 Class according to ANSI B16.5
- 1/2" - 12" pressure rating is 150 psi @ 73°F (10.3 bar @ 22.7°C)
- 14" - 24" pressure rating is 100 psi @ 73°F (6.9 bar @ 22.7°C) - Steel Ring
- HC = Honeycomb (Face)




Size (inch)	P/L	Part No.	Pack Qty	# holes	Bolt Dia. (inch)	bolt cir. dia. (inch)	D (inch)	L (inch)	R (inch)	ID (inch)	Design
1/2	625	9856-005	5	4	1/2	2.38	3.53	1.72	0.57	0.84	HC
3/4	625	9856-007	5	4	1/2	2.75	3.87	1.85	0.59	1.05	HC
1	625	9856-010	5	4	1/2	3.13	4.25	2.10	0.66	1.32	HC
1 1/4	625	9856-012	5	4	1/2	3.50	4.62	2.28	0.69	1.66	HC
1 1/2	625	9856-015	5	4	1/2	3.88	5.01	2.48	0.75	1.90	HC
2	625	9856-020	5	4	5/8	4.75	6.02	2.80	0.82	2.38	HC
2 1/2	625	9856-025	5	4	5/8	5.50	7.01	3.27	0.98	2.86	HC
3	625	9856-030	5	4	5/8	6.00	7.50	3.60	1.02	3.49	HC
4	625	9856-040	5	8	5/8	7.50	8.99	4.10	1.10	4.49	HC
6	625	9856-060	2	8	3/4	9.50	10.98	5.10	1.25	6.60	HC
8	625	9856-080	1	8	3/4	11.75	13.51	6.88	1.71	8.62	HC
10	B10	9856-100	1	12	7/8	14.25	15.97	8.30	1.73	10.70	HC
12	B10	9856-120	1	12	7/8	17.00	18.95	9.55	1.72	12.69	HC
14	A34	9856-140N	1	12	1	18.75	21.00	13.00	0.50	11.41	FAB
16	A34	9856-160N	1	16	1	21.25	23.50	14.00	0.50	13.08	FAB
18	A34	9856-180N	1	16	1 1/8	22.75	25.00	16.00	0.50	14.76	FAB
20	A34	9856-200N	1	20	1 1/8	25.00	27.50	18.00	0.50	16.43	FAB
24	A34	9856-240N	1	20	1 1/4	29.50	32.00	20.00	0.50	19.79	FAB

Flange (Blind) Schedule 80 CORZAN® CPVC




- ANSI 150 Class according to ANSI B16.5
- 1/2" - 8" 150 psi @ 73°F (10.3 bar @ 22.7°C)
- 10" - 24" 50 psi @ 73°F (3.5 bar @ 22.7°C)
- HC = Honeycomb (Face)




Size (inch)	P/L	Part No.	Pack Qty	# holes	Bolt Dia. (inch)	bolt cir. dia. (inch)	D (inch)	L (inch)	R (inch)	Design
1/2	625	9853-005	5	4	1/2	2.38	3.51	0.48	0.39	HC
3/4	625	9853-007	5	4	1/2	2.75	3.90	0.55	0.45	HC
1	625	9853-010	5	4	1/2	3.13	4.29	0.66	0.53	HC
1 1/4	625	9853-012	5	4	1/2	3.50	4.62	0.73	0.59	HC
1 1/2	625	9853-015	5	4	1/2	3.88	5.01	0.81	0.68	HC
2	625	9853-020	5	4	5/8	4.75	6.02	0.90	0.70	HC
2 1/2	625	9853-025	5	4	5/8	5.50	7.00	0.97	0.76	HC
3	625	9853-030	5	4	5/8	6.00	7.47	0.96	1.03	HC
4	625	9853-040	5	8	5/8	7.50	8.87	1.05	1.00	HC
6	625	9853-060	2	8	3/4	9.50	10.89	1.42	1.17	HC
8	625	9853-080	2	8	3/4	11.75	13.51	1.51	1.31	HC
10	A34	9853-100N	1	12	7/8	14.25	16.00	1.00	1.00	SOLID
12	A34	9853-120N	1	12	7/8	17.00	19.00	1.00	1.00	SOLID
14	A34	9853-140N	1	12	1	18.75	21.00	1.00	1.00	SOLID
16	A34	9853-160N	1	16	1	21.25	23.50	1.00	1.00	SOLID
18	A34	9853-180N	1	16	1 1/8	22.75	25.00	1.00	1.00	SOLID
20	A34	9853-200N	1	20	1 1/8	25.00	27.50	1.00	1.00	SOLID
24	A34	9853-240N	1	20	1 1/4	29.50	32.00	1.00	1.00	SOLID

Flange - Van Stone 300 (S) Schedule 80 CORZAN® CPVC




- ANSI 300 Class according to ANSI B16.5
- 150 psi @ 73°F (10.3 bar @ 22.7°C)
- HC = Honeycomb (Face)



Size (inch)	P/L	Part No.	Pack Qty	# holes	Bolt Dia. (inch)	bolt cir. dia. (inch)	D (inch)	L (inch)	N1 (inch)	R (inch)	Design
½	25	9854-005-300	1	4	½	2.63	3.75	1.03	0.11	0.57	FAB
¾	25	9854-007-300	1	4	⅝	3.25	4.63	1.15	0.13	0.59	FAB
1	25	9854-010-300	1	4	⅝	3.50	4.88	1.38	0.11	0.66	FAB
1 ¼	25	9854-012-300	1	4	⅝	3.88	5.25	1.45	0.14	0.69	FAB
1 ½	25	9854-015-300	1	4	¾	4.50	6.13	1.59	0.15	0.75	FAB
2	25	9854-020-300	1	8	⅝	5.00	6.50	1.76	0.20	0.82	FAB
2 ½	25	9854-025-300	1	8	¾	5.88	7.50	2.05	0.22	0.98	FAB
3	25	9854-030-300	1	8	¾	6.63	8.25	2.25	0.30	1.02	FAB
4	25	9854-040-300	1	8	¾	7.88	10.00	2.65	0.34	1.10	FAB
6	25	9854-060-300	1	12	¾	10.63	12.50	3.45	0.35	1.25	FAB
8	25	9854-080-300	1	12	⅞	13.00	15.00	4.50	0.40	1.71	FAB
10	02	9854-100-300	1	16	1	15.25	17.50	5.63	0.50	1.73	FAB
12	02	9854-120-300	1	16	1 ⅛	17.75	20.50	6.69	0.56	1.72	FAB

Union Type 375 (S x S) Schedule 80 CORZAN® CPVC

235 psi @ 73°F (16.2 bar @ 22.7°C)




Size (inch)	P/L	EPDM Part No.	FKM Part No.	Pack Qty	L (inch)	N (inch)
½	625	9897-375-005	9857-375-005	5	2.56	0.78
¾	625	9897-375-007	9857-375-007	5	2.80	0.76
1	625	9897-375-010	9857-375-010	5	3.22	0.89
1 ¼	625	9897-375-012	9857-375-012	5	3.56	0.99
1 ½	625	9897-375-015	9857-375-015	5	3.76	0.92
2	625	9897-375-020	9857-375-020	2	4.18	1.11



Union (S x S) Schedule 80 CORZAN® CPVC

150 psi @ 73°F (10.3 bar @ 22.7°C)



Size (inch)	P/L	EPDM Part No.	FKM Part No.	Pack Qty	L (inch)	N (inch)
3	625	9897-030	9857-030	1	4.74	0.96
4	625	9897-040	9857-040	1	5.62	1.11




Union Type 375 (FPT X FPT) Schedule 80 CORZAN® CPVC

• 235 psi @ 73°F (16.2 bar @ 22.7°C)

Size (inch)	P/L	EPDM Part No.	FKM Part No.	Pack Qty	L (inch)	T (inch)
½	625	9898-375-005	9858-375-005	5	2.06	0.75
¾	625	9898-375-007	9858-375-007	5	2.11	0.79
1	625	9898-375-010	9858-375-010	5	2.60	1.01
1 ¼	625	9898-375-012	9858-375-012	5	2.80	1.06
1 ½	625	9898-375-015	9858-375-015	5	2.76	1.06
2	625	9898-375-020	9858-375-020	2	2.93	1.09







Union (FPT X FPT) Schedule 80 CORZAN® CPVC

- 150 psi @ 73°F (10.3 bar @ 22.7°C)

Size (inch)	P/L	EPDM Part No.	FKM Part No.	Pack Qty	L (inch)	T (inch)
3	625	9898-030	9858-030	1	4.75	1.33
4	625	9898-040	9858-040	1	5.71	1.78


Nipple (MPT x MPT) Schedule 80 CORZAN® CPVC

- Nipples fabricated from pipe



Size (inch)	P/L	Part No.	Pack Qty	L (inch)
1/2 x CL	625	9861-077	25	1.13
1/2 x 2	625	9861-079	25	2.00
1/2 x 3	625	9861-081	25	3.00
1/2 x 4	625	9861-082	25	4.00
1/2 x 5	625	9861-083	25	5.00
1/2 x 6	625	9861-084	25	6.00
1/2 x 8	625	9861-086	25	8.00
3/4 x CL	625	9861-104	25	1.38
3/4 x 2	625	9861-020	25	2.00
3/4 x 3	625	9861-106	25	3.00
3/4 x 4	625	9861-107	25	4.00
3/4 x 5	625	9861-108	25	5.00
3/4 x 6	625	9861-109	25	6.00
3/4 x 8	625	9861-112	25	8.00
1 x CL	625	9861-133	25	1.50
1 x 2	625	9861-134	25	2.00
1 x 3	625	9861-135	25	3.00
1 x 4	625	9861-136	25	4.00
1 x 5	625	9861-137	25	5.00
1 x 6	625	9861-138	25	6.00
1 1/4 x CL	625	9861-170	25	1.63
1 1/4 x 2	625	9861-171	25	2.00
1 1/4 x 3	625	9861-172	25	3.00
1 1/4 x 4	625	9861-173	25	4.00
1 1/4 x 5	625	9861-174	25	5.00
1 1/4 x 6	625	9861-175	25	6.00
1 1/2 x CL	625	9861-213	25	1.75
1 1/2 x 2	625	9861-214	25	2.00
1 1/2 x 3	625	9861-215	25	3.00
1 1/2 x 4	625	9861-216	25	4.00
1 1/2 x 5	625	9861-217	25	5.00
1 1/2 x 6	625	9861-218	25	6.00
1-1/2 x 12	625	9861-221	25	12.00
2 x CL	625	9861-251	25	2.00

table continued on the next page



Size (inch)	P/L	Part No.	Pack Qty	L (inch)
2 x 2 1/2	625	9861-252	25	2.50
2 x 3	625	9861-253	25	3.00
2 x 4	625	9861-254	25	4.00
2 x 5	625	9861-255	25	5.00
2 x 6	625	9861-256	25	6.00
2 x 12	625	9861-259	25	12.00
2 1/2 x CL	625	9861-291	10	2.50
2 1/2 x 3	625	9861-292	10	3.00
2 1/2 x 4	625	9861-295	10	4.00
2 1/2 x 5	625	9861-296	10	5.00
2 1/2 x 6	625	9861-297	10	6.00
3 x CL	625	9861-338	10	2.63
3 x 3	625	9861-340	10	3.00
3 x 4	625	9861-341	10	4.00
3 x 5	625	9861-342	10	5.00
3 x 6	625	9861-343	10	6.00
4 x CL	625	9861-422	10	2.88
4 x 4	625	9861-423	10	4.00
4 x 5	625	9861-425	10	5.00
4 x 6	625	9861-426	10	6.00