







Schedule 80 PVC Pressure Fittings

Tee (S x S x S) Schedule 80 Harvel® PVC




Size (inch)	P/L	Part No.	Pack Qty	H (inch)	G (inch)	Design
1/4	608	801-002	50	0.95	0.27	HS
3/8	608	801-003	50	1.16	0.38	HS
1/2	608	801-005	25	1.41	0.51	SL
3/4	608	801-007	25	1.60	0.58	SL
1	608	801-010	20	1.85	0.71	SL
1 1/4	608	801-012	10	2.17	0.91	SL
1 1/2	608	801-015	10	2.43	1.04	SL
2	608	801-020	10	2.81	1.30	SL
2 1/2	608	801-025	5	3.31	1.55	SL
3	608	801-030	5	3.71	1.81	SL
4	608	801-040	5	4.60	2.33	SL
6	608	801-060	2	6.53	3.51	SL
8	608	801-080	1	8.66	4.58	SL
10	602	801-100	1	10.79	5.78	SL
12	602	801-120	1	12.96	6.94	SL
14	A33	801-140N	1	19.50	10.88	FAB
16	A33	801-160N	1	22.75	12.13	FAB
18	A33	801-180N	1	26.00	13.38	FAB
20	A33	801-200N	1	28.25	14.63	FAB
24	A33	801-240N	1	34.50	17.13	FAB

Reducing Tee (S x S x S) Schedule 80 Harvel® PVC




Size (inch)	P/L	Part No.	Pack Qty	HJ (inch)	HN (inch)	G (inch)	G1 (inch)	Design
3/4 x 1/2	608	801-101	25	1.62	1.62	0.60	0.72	SL
1 x 1/2	608	801-130	25	1.87	1.64	0.72	0.74	SL
1 x 3/4	608	801-131	20	1.86	1.89	0.72	0.75	SL
1 1/4 x 1/2	608	801-166FB	20	1.99	2.35	0.73	1.47	BUSH
1 1/4 x 3/4	608	801-167FB	20	1.99	2.35	0.73	1.33	BUSH
1 1/4 x 1	608	801-168	20	2.01	2.05	0.73	0.91	SL
1 1/2 x 1/2	608	801-209	5	1.92	1.91	0.53	1.03	SL
1 1/2 x 3/4	608	801-210	5	1.99	2.07	0.60	1.05	SL
1 1/2 x 1	608	801-211	5	2.12	2.17	0.72	1.03	SL
1 1/2 x 1 1/4	608	801-212FB	5	2.44	2.74	1.04	1.47	BUSH
2 x 1/2	608	801-247	5	1.99	2.16	0.54	1.28	SL
2 x 3/4	608	801-248	5	2.22	2.31	0.60	1.30	SL
2 x 1	608	801-249	5	2.24	2.42	0.72	1.27	SL
2 x 1 1/4	608	801-250FB	5	2.81	3.11	1.30	1.84	BUSH
2 x 1 1/2	608	801-251	5	2.54	2.66	1.03	1.27	SL
2 1/2 x 1/2	608	801-287FB	5	3.05	3.35	1.28	2.44	BUSH
2 1/2 x 3/4	608	801-288FB	5	3.05	3.35	1.28	2.33	BUSH
2 1/2 x 1	608	801-289FB	5	3.05	3.36	1.28	2.22	BUSH
2 1/2 x 1 1/4	608	801-290FB	5	3.05	3.34	1.28	2.07	BUSH
2 1/2 x 1 1/2	608	801-291FB	5	3.05	3.35	1.28	1.94	BUSH
2 1/2 x 2	608	801-292	5	3.05	3.05	1.28	1.54	SL
3 x 1/2	608	801-333FB	5	3.20	3.68	1.30	2.77	BUSH
3 x 3/4	608	801-334FB	5	3.20	3.68	1.30	2.66	BUSH
3 x 1	608	801-335FB	5	3.20	3.69	1.30	2.55	BUSH
3 x 1 1/4	608	801-336FB	5	3.20	3.67	1.30	2.40	BUSH
3 x 1 1/2	608	801-337FB	5	3.20	3.68	1.30	2.27	BUSH
3 x 2	608	801-338	5	3.20	3.39	1.30	1.87	SL
3 x 2 1/2	608	801-339FB	5	3.73	4.07	1.81	2.17	BUSH
4 x 1/2	608	801-415FB	5	3.52	4.19	1.27	3.28	BUSH
4 x 3/4	608	801-416FB	5	3.52	4.19	1.27	3.17	BUSH

table continued on the next page





Size (inch)	P/L	Part No.	Pack Qty	HJ (inch)	HN (inch)	G (inch)	G1 (inch)	Design
4 x 1	608	801-417	5	2.99	3.49	0.74	2.36	SL
4 x 1 ¼	608	801-418FB	5	3.52	4.18	1.27	2.91	BUSH
4 x 1 ½	608	801-419FB	5	3.52	4.19	1.27	2.78	BUSH
4 x 2	608	801-420	5	3.54	3.87	1.27	2.37	SL
4 x 2 ½	608	801-421FB	5	4.14	4.62	1.85	2.73	BUSH
4 x 3	608	801-422	5	4.13	4.26	1.85	2.35	SL
6 x ½	608	801-523FB	2	6.56	7.42	3.56	6.52	BUSH
6 x ¾	608	801-524FB	2	6.56	7.43	3.49	6.41	BUSH
6 x 1	608	801-525FB	2	6.56	7.44	3.49	6.29	BUSH
6 x 1 ¼	608	801-526FB	2	6.56	7.42	3.49	6.15	BUSH
6 x 1 ½	608	801-527FB	2	6.56	7.42	3.49	6.02	BUSH
6 x 2	608	801-528	2	4.45	5.25	1.43	3.74	SL
6 x 2 ½	608	801-529FB	2	6.56	7.52	3.49	5.62	BUSH
6 x 3	608	801-530FB	2	6.56	7.21	3.49	5.25	BUSH
6 x 4	608	801-532	2	6.57	6.80	3.49	4.47	HS
6 x 5	H04	801-533FS	1	9.00	9.50	5.75	6.50	FAB
8 x 4	608	801-582	2	8.41	8.53	4.29	6.30	SL
8 x 6	608	801-585	1	7.65	7.54	3.55	4.63	SL
10 x 1 ½	A33	801-618N	1	10.75	12.45	5.75	11.04	FAB
10 x 2	A33	801-619N	1	10.75	11.50	5.75	9.50	FAB
10 x 3	A33	801-621N	1	10.75	11.50	5.25	9.50	FAB
10 x 4	A33	801-623N	1	10.75	11.50	5.75	9.50	FAB
10 x 6	602	801-626FB	1	10.83	11.43	5.78	8.33	BUSH
10 x 6	A33	801-626N	1	11.88	12.50	6.88	9.50	FAB
10 x 8	602	801-628FB	1	10.83	11.46	5.78	7.36	BUSH
10 x 8	A33	801-628N	1	13.00	13.50	8.00	9.50	FAB
12 x 2	A33	801-659N	1	12.00	12.75	6.00	10.75	FAB
12 x 3	A33	801-661N	1	12.00	12.75	6.00	10.75	FAB
12 x 4	A33	801-663N	1	12.00	12.75	6.00	10.75	FAB
12 x 6	A33	801-666N	1	13.13	13.75	7.13	10.75	FAB
12 x 8	602	801-668FB	1	12.99	13.67	6.94	9.58	BUSH
12 x 8	A33	801-668N	1	14.13	14.75	8.13	10.75	FAB
12 x 10	602	801-670FB	1	12.99	13.68	6.94	8.57	BUSH
12 x 10	A33	801-670N	1	15.13	15.75	9.13	10.75	FAB
14 x 2	A33	801-692N	1	13.13	13.50	6.13	11.50	FAB
14 x 3	A33	801-694N	1	12.63	13.50	6.13	11.50	FAB
14 x 4	A33	801-696N	1	13.13	13.50	6.13	11.50	FAB
14 x 6	A33	801-698N	1	14.25	14.50	7.25	11.50	FAB
14 x 8	A33	801-700N	1	15.25	15.50	8.25	11.50	FAB
14 x 10	A33	801-702N	1	16.25	16.50	9.25	11.50	FAB
14 x 12	A33	801-704N	1	17.25	18.50	10.25	12.50	FAB
16 x 2	A33	801-726N	1	14.38	14.75	6.38	12.75	FAB
16 x 3	A33	801-728N	1	14.38	14.75	6.38	12.75	FAB
16 x 4	A33	801-730N	1	14.38	14.75	6.38	12.75	FAB
16 x 6	A33	801-732N	1	15.50	15.75	7.50	12.75	FAB
16 x 8	A33	801-734N	1	16.50	16.75	8.50	12.75	FAB
16 x 10	A33	801-736N	1	17.50	17.75	9.50	12.75	FAB
16 x 12	A33	801-738N	1	18.50	19.75	10.50	13.75	FAB
16 x 14	A33	801-740N	1	19.13	20.75	11.13	13.75	FAB
18 x 4	A33	801-784N	1	15.63	16.00	6.63	14.00	FAB
18 x 6	A33	801-786N	1	16.75	17.00	7.75	14.00	FAB
18 x 8	A33	801-788N	1	17.75	18.00	8.75	14.00	FAB
18 x 10	A33	801-790N	1	18.75	19.00	9.75	14.00	FAB
18 x 12	A33	801-792N	1	19.75	21.00	10.75	15.00	FAB
18 x 14	A33	801-794N	1	20.38	22.00	11.38	15.00	FAB
18 x 16	A33	801-796N	1	21.38	24.00	12.38	16.00	FAB
20 x 4	A33	801-814N	1	16.88	17.25	6.88	15.25	FAB
20 x 6	A33	801-816N	1	18.00	18.25	8.00	15.25	FAB
20 x 8	A33	801-818N	1	19.00	19.25	9.00	15.25	FAB
20 x 10	A33	801-820N	1	20.00	20.25	10.00	15.25	FAB
20 x 12	A33	801-822N	1	21.00	22.25	11.00	16.25	FAB
20 x 14	A33	801-824N	1	21.63	23.25	11.63	16.25	FAB
20 x 16	A33	801-826N	1	22.63	25.25	12.63	17.25	FAB

table continued on the next page





Size (inch)	P/L	Part No.	Pack Qty	HJ (inch)	HN (inch)	G (inch)	G1 (inch)	Design
20 x 18	A33	801-828N	1	23.63	27.25	13.63	18.25	FAB
24 x 4	A33	801-904N	1	19.38	19.50	7.38	17.50	FAB
24 x 6	A33	801-906N	1	20.50	20.50	8.50	17.50	FAB
24 x 8	A33	801-908N	1	21.50	21.50	9.50	17.50	FAB
24 x 10	A33	801-910N	1	22.50	22.50	10.50	17.50	FAB
24 x 12	A33	801-912N	1	23.50	24.50	11.50	18.50	FAB
24 x 14	A33	801-914N	1	24.13	25.50	12.13	18.50	FAB
24 x 16	A33	801-916N	1	25.13	27.50	13.13	19.50	FAB
24 x 18	A33	801-918N	1	26.13	30.50	14.13	20.50	FAB
24 x 20	A33	801-920N	1	27.13	32.50	15.13	20.50	FAB

Tee (S x S x FPT) Schedule 80 Harvel[®] PVC






Size (inch)	P/L	Part No.	Pack Qty	HJ (inch)	HN (inch)	G (inch)	T (inch)	Design
½	608	802-005	25	1.41	1.30	0.53	0.81	HS
¾	608	802-007	25	1.60	1.37	0.60	0.71	HS
1	608	802-010	15	1.83	1.73	0.69	0.99	HS
1 ½	608	802-015	5	2.41	2.08	1.02	1.04	HS
2	608	802-020	5	2.79	2.37	1.29	1.08	HS

Tee (FPT x FPT x FPT) Schedule 80 Harvel[®] PVC





Size (inch)	P/L	Part No.	Pack Qty	H (inch)	T (inch)	Design
¼	608	805-002	50	0.94	0.59	HS
⅜	608	805-003	50	1.01	0.60	HS
½	608	805-005	25	1.26	0.76	HS
¾	608	805-007	25	1.36	0.72	HS
1	608	805-010	15	1.79	0.99	HS
1 ¼	608	805-012	10	1.93	1.01	HS
1 ½	608	805-015	5	2.08	1.03	HS
2	608	805-020	5	2.39	1.06	HS
2 ½	608	805-025	5	2.87	1.35	HS
3	608	805-030	5	3.52	1.65	HS
4	608	805-040	5	4.07	1.72	HS

90° Ell (S x S) Schedule 80 Harvel® PVC





Size (inch)	P/L	Part No.	Pack Qty	H (inch)	G (inch)	Design
1/4	608	806-002	50	0.96	0.35	HS
3/8	608	806-003	50	1.15	0.39	HS
1/2	608	806-005	25	1.41	0.51	SL
3/4	608	806-007	25	1.60	0.57	SL
1	608	806-010	10	1.83	0.68	SL
1 1/4	608	806-012	10	2.18	0.90	SL
1 1/2	608	806-015	10	2.43	1.04	SL
2	608	806-020	20	2.80	1.27	SL
2 1/2	608	806-025	5	3.33	1.53	SL
3	608	806-030	5	3.73	1.81	SL
4	608	806-040	5	4.63	2.32	SL
6	608	806-060	2	6.56	3.53	SL
8	608	806-080	1	8.68	4.55	SL
10	602	806-100	1	10.79	5.77	SL
12	602	806-120	1	12.92	6.87	SL
14	A33	806-140N	1	26.00	19.00	FAB
16	A33	806-160N	1	29.00	21.75	FAB
18	A33	806-180N	1	33.50	24.50	FAB
20	A33	806-200N	1	37.25	27.25	FAB
24	A33	806-240N	1	44.75	31.00	FAB

90° Ell (S x FPT) Schedule 80 Harvel® PVC



Size (inch)	P/L	Part No.	Pack Qty	HJ (inch)	HN (inch)	G (inch)	T (inch)	Design
1/4	608	807-005	25	1.40	1.31	0.50	0.81	HS
3/8	608	807-007	25	1.59	1.36	0.58	0.72	HS
1	608	807-010	10	1.81	1.70	0.67	1.00	HS
1 1/4	608	807-012	10	2.15	1.92	0.90	1.03	HS
1 1/2	608	807-015	10	2.39	2.05	1.01	1.05	HS
2	608	807-020	5	2.77	2.36	1.24	1.09	HS
3	608	807-030	5	3.73	3.47	1.83	1.66	HS

90° Ell (FPT x FPT) Schedule 80 Harvel® PVC



Size (inch)	P/L	Part No.	Pack Qty	H (inch)	T (inch)	Design
¼	608	808-002	50	0.94	0.61	HS
¾	608	808-003	50	1.00	0.63	HS
½	608	808-005	25	1.27	0.78	HS
¾	608	808-007	25	1.36	0.72	HS
1	608	808-010	10	1.71	1.00	HS
1 ¼	608	808-012	10	1.92	1.01	HS
1 ½	608	808-015	10	2.08	1.06	HS
2	608	808-020	5	2.36	1.08	HS
2 ½	608	808-025	5	3.36	1.51	HS
3	608	808-030	5	3.53	1.63	HS
4	608	808-040	5	4.17	1.75	HS

45° Ell (S x S) Schedule 80 Harvel® PVC







Image for 14"-24"
Fabricated


Size (inch)	P/L	Part No.	Pack Qty	H (inch)	J (inch)	Design
¼	608	817-002	50	0.81	0.18	HS
¾	608	817-003	50	0.94	0.19	HS
½	608	817-005	25	1.22	0.30	SL
¾	608	817-007	20	1.29	0.28	SL
1	608	817-010	25	1.48	0.32	SL
1 ¼	608	817-012	15	1.78	0.47	SL
1 ½	608	817-015	10	1.88	0.45	SL
2	608	817-020	5	2.16	0.60	SL
2 ½	608	817-025	5	2.56	0.79	SL
3	608	817-030	5	2.67	0.77	SL
4	608	817-040	5	3.31	1.04	SL
6	608	817-060	2	4.86	1.77	SL
8	608	817-080	2	6.15	2.07	SL
10	602	817-100	1	7.51	2.46	SL
12	602	817-120	1	9.00	2.96	SL
14	A33	817-140N	1	10.25	3.50	FAB
16	A33	817-160N	1	11.75	3.75	FAB
18	A33	817-180N	1	13.25	4.25	FAB
20	A33	817-200N	1	14.75	4.75	FAB
24	A33	817-240N	1	17.75	5.75	FAB

45° Ell (FPT x FPT) Schedule 80 Harvel® PVC




Size (inch)	P/L	Part No.	Pack Qty	H (inch)	T (inch)	Design
¼	608	819-002	50	0.69	0.59	HS
⅜	608	819-003	50	0.86	0.68	HS
½	608	819-005	25	1.02	0.76	SL
¾	608	819-007	20	1.14	0.81	SL
1	608	819-010	25	1.33	0.97	SL
1 ¼	608	819-012	15	1.42	1.01	SL
1 ½	608	819-015	10	1.47	1.07	SL
2	608	819-020	5	1.74	2.37	SL
3	608	819-030	5	2.43	1.66	SL
4	608	819-040	5	2.78	1.76	SL

Coupling (S x S) Schedule 80 Harvel® PVC




Size (inch)	P/L	Part No.	Pack Qty	L (inch)	N (inch)	Design
¼	608	829-003	50	1.65	0.11	HS
½	608	829-005	25	1.93	0.12	SL
¾	608	829-007	20	2.18	0.12	SL
1	608	829-010	25	2.41	0.12	SL
1 ¼	608	829-012	10	2.67	0.13	SL
1 ½	608	829-015	10	2.94	0.15	SL
2	608	829-020	20	3.18	0.13	SL
2 ½	608	829-025	5	3.77	0.19	SL
3	608	829-030	5	4.04	0.26	SL
4	608	829-040	5	4.80	0.26	SL
6	608	829-060	2	6.40	0.36	SL
8	608	829-080	2	8.40	0.35	SL
10	602	829-100	1	10.77	0.75	SL
12	602	829-120	1	12.82	0.75	SL
14	A33	829-140N	1	17.75	3.75	FAB
16	A33	829-160N	1	20.25	4.25	FAB
18	A33	829-180N	1	22.75	4.75	FAB
20	A33	829-200N	1	25.25	5.25	FAB
24	A33	829-240N	1	30.25	6.25	FAB

Reducing Coupling (S x S) Schedule 80 Harvel® PVC




Size (inch)	P/L	Part No.	Pack Qty	L (inch)	N (inch)	Design
¾ x ½	608	829-101	20	2.13	0.13	HS
1 x ½	608	829-130	25	2.17	0.12	HS
1 x ¾	608	829-131	25	2.26	0.11	HS
1 ¼ x 1	608	829-168	10	2.52	0.10	HS
1 ½ x ½	608	829-209FB	10	2.94	0.66	BUSH
1 ½ x ¾	608	829-210	10	2.50	0.09	BUSH
1 ½ x 1	608	829-211	10	2.65	0.11	HS
1 ½ x 1 ¼	608	829-212	10	2.82	0.09	HS
2 x ½	608	829-247FB	5	3.44	0.87	BUSH
2 x ¾	608	829-248	5	3.14	0.34	HS
2 x 1	608	829-249	5	3.15	0.32	HS
2 x 1 ¼	608	829-250	5	3.05	0.14	HS
2 x 1 ½	608	829-251	5	3.06	0.07	HS
2 ½ x 1 ½	608	829-291	5	3.36	0.14	HS
2 ½ x 2	608	829-292FB	5	4.08	0.66	BUSH
3 x 1	608	829-335FB	5	4.56	1.53	BUSH
3 x 1 ¼	608	829-336FB	5	4.29	1.07	FAB
3 x 1 ½	608	829-337FB	5	4.58	1.15	BUSH
3 x 2	608	829-338	5	3.61	0.17	HS
3 x 2 ½	608	829-339FB	5	4.42	0.63	BUSH
4 x 2	608	829-420FB	5	4.94	1.08	BUSH
4 x 3	608	829-422	5	4.38	0.22	HS
6 x 2	608	829-528FB	2	10.61	4.60	BUSH
6 x 4	608	829-532	2	10.17	3.46	HS
8 x 4	608	829-582FB	2	9.81	3.53	BUSH
8 x 6	608	829-585	2	9.18	2.11	HS
10 x 4	A33	829-623N	1	17.00	10.00	FAB
10 x 6	602	829-626FB	1	11.42	3.29	BUSH
10 x 6	A33	829-626N	1	13.00	5.00	FAB
10 x 8	602	829-628FB	1	11.45	2.32	BUSH
10 x 8	A33	829-628N	1	12.75	3.75	FAB
12 x 4	A33	829-663N	1	26.25	18.25	FAB
12 x 6	A33	829-666N	1	20.50	11.50	FAB
12 x 8	602	829-668FB	1	13.54	3.41	BUSH
12 x 8	A33	829-668N	1	15.50	5.50	FAB
12 x 10	602	829-670FB	1	13.24	2.13	BUSH
12 x 10	A33	829-670N	1	15.00	4.00	FAB
14 x 4	A33	829-696N	1	21.00	3.00	FAB
14 x 6	A33	829-698N	1	31.00	21.00	FAB
14 x 8	A33	829-700N	1	21.00	10.00	FAB
14 x 10	A33	829-702N	1	17.00	5.00	FAB
14 x 12	A33	829-704N	1	16.50	3.50	FAB
16 x 4	A33	829-730N	1	16.50	3.50	FAB
16 x 6	A33	829-732N	1	16.50	4.50	FAB
16 x 8	A33	829-734N	1	18.05	5.00	FAB
16 x 10	A33	829-736N	1	19.50	6.50	FAB
16 x 12	A33	829-738N	1	19.25	5.25	FAB
16 x 14	A33	829-740N	1	19.50	4.50	FAB
18 x 4	A33	829-784N	1	48.50	37.50	FAB
18 x 6	A33	829-786N	1	36.00	24.00	FAB
18 x 8	A33	829-788N	1	42.50	29.50	FAB
18 x 10	A33	829-790N	1	33.50	19.50	FAB
18 x 12	A33	829-792N	1	22.00	7.00	FAB
18 x 14	A33	829-794N	1	22.25	6.25	FAB
18 x 16	A33	829-796N	1	21.75	4.75	FAB
20 x 4	A33	829-814N	1	60.50	48.50	FAB
20 x 6	A33	829-816N	1	55.50	42.50	FAB
20 x 8	A33	829-818N	1	56.25	42.25	FAB
20 x 10	A33	829-820N	1	47.25	32.25	FAB
20 x 12	A33	829-822N	1	37.00	21.00	FAB

table continued on the next page




Size (inch)	P/L	Part No.	Pack Qty	L (inch)	N (inch)	Design
20 x 14	A33	829-824N	1	37.25	20.25	FAB
20 x 16	A33	829-826N	1	24.50	6.50	FAB
20 x 18	A33	829-828N	1	25.25	6.25	FAB
24 x 4	A33	829-904N	1	66.00	52.00	FAB
24 x 6	A33	829-906N	1	61.00	46.00	FAB
24 x 8	A33	829-908N	1	52.00	36.00	FAB
24 x 10	A33	829-910N	1	52.75	35.75	FAB
24 x 12	A33	829-912N	1	42.50	24.50	FAB
24 x 14	A33	829-914N	1	42.75	23.75	FAB
24 x 16	A33	829-916N	1	42.25	22.25	FAB
24 x 18	A33	829-918N	1	29.50	8.50	FAB
24 x 20	A33	829-920N	1	29.25	7.25	FAB

Coupling (FPT x FPT) Schedule 80 Harvel® PVC




Size (inch)	P/L	Part No.	Pack Qty	L (inch)	T (inch)	Design
¼	608	830-002	50	1.29	0.61	HS
¾	608	830-003	50	1.35	0.62	HS
½	608	830-005	25	1.68	0.77	SL
¾	608	830-007	20	1.75	0.80	SL
1	608	830-010	25	2.13	0.99	SL
1 ¼	608	830-012	10	2.19	1.03	SL
1 ½	608	830-015	10	2.22	1.03	SL
2	608	830-020	5	2.29	1.08	SL
2 ½	608	830-025	5	3.33	1.51	SL
3	608	830-030	5	3.53	1.65	SL
4	608	830-040	5	3.76	1.75	SL

Reducing Coupling (FPT x FPT) Schedule 80 Harvel® PVC





Size (inch)	P/L	Part No.	Pack Qty	L (inch)	T (inch)	T1 (inch)	Design
3/8 x 1/4	608	830-052	50	1.29	0.60	0.59	HS
1/2 x 1/4	608	830-072	50	1.44	0.75	0.59	HS
1/2 x 3/8	608	830-073	50	1.46	0.74	0.60	HS
3/4 x 1/2	608	830-101	25	1.68	0.78	0.78	HS
1 x 1/2	608	830-130	25	1.84	0.98	0.77	HS
1 x 3/4	608	830-131	25	1.88	0.98	0.80	HS
1 1/4 x 3/4	608	830-167	25	1.90	1.00	0.79	HS
1 1/2 x 1	608	830-211	20	2.06	1.02	0.95	HS
2 x 1 1/2	608	830-251	10	2.18	1.05	1.02	HS

Female Adapter (S x FPT) Schedule 80 Harvel® PVC





Size (inch)	P/L	Part No.	Pack Qty	HL (inch)	L (inch)	T (inch)	Design
1/4	608	835-002	50	0.75	1.43	0.58	HS
3/8	608	835-003	50	0.75	1.56	0.62	HS
1/2	608	835-005	25	0.91	1.80	0.75	HS
3/4	608	835-007	25	0.95	1.96	0.79	HS
1	608	835-010	25	1.11	2.27	0.98	HS
1 1/4	608	835-012	10	1.18	2.44	1.02	HS
1 1/2	608	835-015	10	1.19	2.59	1.03	HS
2	608	835-020	5	1.25	2.76	1.06	HS
2 1/2	608	835-025	5	1.77	3.53	1.51	HS
3	608	835-030	5	1.91	3.80	1.65	HS
4	608	835-040	5	2.02	4.29	1.74	HS
6	608	835-060	2	3.27	6.37	2.37	SL
8	608	835-080	2	4.35	8.36	2.35	HS
10	602	835-100	2	5.68	10.78	2.68	HS
12	A33	835-120N	1	6.00	11.13	2.13	FAB

Male Adapter (S x MPT) Schedule 80 Harvel® PVC




Size (inch)	P/L	Part No.	Pack Qty	HL (inch)	L (inch)	Design
1/2	608	836-005	50	0.94	1.85	SL
3/4	608	836-007	25	1.05	2.03	HS
1	608	836-010	25	1.22	2.38	HS
1 1/4	608	836-012	15	1.28	2.56	HS
1 1/2	608	836-015	10	1.30	2.69	HS
2	608	836-020	5	1.32	2.83	HS
2 1/2	608	836-025	5	1.87	3.70	HS
3	608	836-030	5	1.99	3.90	HS
4	608	836-040	5	2.15	4.40	HS
6	A33	836-060N	1	3.25	6.25	FAB
8	A33	836-080N	1	3.50	7.50	FAB
10	A33	836-100N	1	4.18	9.18	FAB
12	A33	836-120N	1	4.63	10.63	FAB

Flush Style Reducer Bushing (SPG x S) Schedule 80 Harvel® PVC




Size (inch)	P/L	Part No.	Pack Qty	HL (inch)	L (inch)	Design
½ x ¼	608	837-072	50	0.47	1.15	FLUSH
½ x ⅜	608	837-073	50	0.33	1.09	FLUSH
¾ x ½	608	837-101	50	0.42	1.30	FLUSH
1 x ½	608	837-130	50	0.55	1.44	FLUSH
1 x ¾	608	837-131	50	0.41	1.43	FLUSH
1 ¼ x ½	608	837-166	25	0.66	1.55	FLUSH
1 ¼ x ¾	608	837-167	25	0.56	1.57	FLUSH
1 ¼ x 1	608	837-168	25	0.44	1.59	FLUSH
1 ½ x ½	608	837-209	25	0.78	1.69	FLUSH
1 ½ x ¾	608	837-210	25	0.67	1.68	FLUSH
1 ½ x 1	608	837-211	25	0.55	1.69	FLUSH
1 ½ x 1 ¼	608	837-212	25	0.44	1.72	FLUSH
2 x ½	608	837-247	10	0.91	1.81	FLUSH
2 x ¾	608	837-248	10	0.79	1.82	FLUSH
2 x 1	608	837-249	10	0.68	1.83	FLUSH
2 x 1 ¼	608	837-250	10	0.54	1.81	FLUSH
2 x 1 ½	608	837-251	10	0.40	1.81	FLUSH
2 ½ x 1 ½	608	837-291	5	0.79	2.31	FLUSH
2 ½ x 2	608	837-292	5	0.47	2.10	FLUSH
3 x 1	608	837-335	5	1.27	2.42	FLUSH
3 x 1 ¼	608	837-336FB	5	1.43	2.71	BUSH
3 x 1 ½	608	837-337	5	0.89	2.43	FLUSH
3 x 2	608	837-338	5	0.86	2.42	FLUSH
3 x 2 ½	608	837-339	5	0.38	2.27	FLUSH
4 x 2	608	837-420	5	1.14	2.70	FLUSH
4 x 3	608	837-422	5	0.77	2.74	FLUSH
6 x 3	608	837-530	2	1.74	3.65	FLUSH
6 x 4	608	837-532	2	1.42	3.67	FLUSH
8 x 6	608	837-585	2	1.69	4.66	FLUSH
10 x 4	602	837-623FB	1	4.01	6.26	BUSH
10 x 6	602	837-626	1	2.59	5.69	FLUSH
10 x 8	602	837-628	1	1.62	5.72	FLUSH
12 x 6	602	837-666FB	1	4.26	7.35	BUSH
12 x 8	602	837-668	1	2.66	6.76	FLUSH
12 x 10	602	837-670	1	1.66	6.77	FLUSH
14 x 4	A33	837-696N	1	5.50	7.50	FAB
14 x 6	A33	837-698N	1	4.50	7.50	FAB
14 x 8	A33	837-700N	1	3.50	7.50	FAB
14 x 10	A33	837-702N	1	2.50	7.50	FAB
14 x 12	A33	837-704N	1	1.50	7.50	FAB
16 x 4	A33	837-730N	1	6.50	8.50	FAB
16 x 6	A33	837-732N	1	5.50	8.50	FAB
16 x 8	A33	837-734N	1	4.50	8.50	FAB
16 x 10	A33	837-736N	1	3.50	8.50	FAB
16 x 12	A33	837-738N	1	2.50	8.50	FAB
16 x 14	A33	837-740N	1	1.50	8.50	FAB
18 x 4	A33	837-784N	1	7.50	9.50	FAB
18 x 6	A33	837-786N	1	6.50	9.50	FAB
18 x 8	A33	837-788N	1	5.50	9.50	FAB
18 x 10	A33	837-790N	1	4.50	9.50	FAB
18 x 12	A33	837-792N	1	3.50	9.50	FAB
18 x 14	A33	837-794N	1	2.50	9.50	FAB
18 x 16	A33	837-796N	1	1.50	9.50	FAB
20 x 4	A33	837-814N	1	8.50	10.50	FAB
20 x 6	A33	837-816N	1	7.50	10.50	FAB
20 x 8	A33	837-818N	1	6.50	10.50	FAB
20 x 10	A33	837-820N	1	5.50	10.50	FAB
20 x 12	A33	837-822N	1	4.50	10.50	FAB
20 x 14	A33	837-824N	1	3.50	10.50	FAB
20 x 16	A33	837-826N	1	2.50	10.50	FAB

table continued on the next page




Size (inch)	P/L	Part No.	Pack Qty	HL (inch)	L (inch)	Design
20 x 18	A33	837-828N	1	1.50	10.50	FAB
24 x 4	A33	837-904N	1	10.50	12.50	FAB
24 x 6	A33	837-906N	1	9.50	12.50	FAB
24 x 8	A33	837-908N	1	8.50	12.50	FAB
24 x 10	A33	837-910N	1	7.50	12.50	FAB
24 x 12	A33	837-912N	1	6.50	12.50	FAB
24 x 14	A33	837-914N	1	5.50	12.50	FAB
24 x 16	A33	837-916N	1	4.50	12.50	FAB
24 x 18	A33	837-918N	1	3.50	12.50	FAB
24 x 20	A33	837-920N	1	2.50	12.50	FAB

Flush Style Reducer Bushing (SPG x FPT) Schedule 80 Harvel® PVC




Size (inch)	P/L	Part No.	Pack Qty	L (inch)	T (inch)	Design
3/8 x 1/4	608	838-052E	50	1.59	0.60	Extended
1/2 x 1/4	608	838-072	50	1.14	0.61	FLUSH
1/2 x 3/8	608	838-073	50	1.21	0.60	FLUSH
3/4 x 1/4	608	838-098	50	1.13	0.61	FLUSH
3/4 x 1/2	608	838-101	50	1.28	0.77	FLUSH
1 x 1/2	608	838-130	50	1.42	0.76	FLUSH
1 x 3/4	608	838-131	50	1.41	0.81	FLUSH
1 1/4 x 1/2	608	838-166	15	1.56	0.75	FLUSH
1 1/4 x 3/4	608	838-167	15	1.56	0.79	FLUSH
1 1/4 x 1	608	838-168	15	1.56	0.99	FLUSH
1 1/2 x 1/2	608	838-209	15	1.68	0.76	FLUSH
1 1/2 x 3/4	608	838-210	15	1.69	0.79	FLUSH
1 1/2 x 1	608	838-211	15	1.68	0.99	FLUSH
1 1/2 x 1 1/4	608	838-212	15	1.69	1.10	FLUSH
2 x 1/2	608	838-247	10	1.80	0.77	FLUSH
2 x 3/4	608	838-248	10	1.80	0.80	FLUSH
2 x 1	608	838-249	10	1.80	0.99	FLUSH
2 x 1 1/4	608	838-250	10	1.81	1.02	FLUSH
2 x 1 1/2	608	838-251	10	1.88	1.04	FLUSH
2 1/2 x 1 1/2	608	838-291	5	2.24	1.07	FLUSH
2 1/2 x 2	608	838-292	5	2.12	1.10	FLUSH
3 x 2	608	838-338	5	2.42	1.07	FLUSH
3 x 2 1/2	608	838-339	5	2.25	1.61	FLUSH
4 x 2	608	838-420	5	2.71	1.10	FLUSH
4 x 3	608	838-422	5	2.75	1.62	FLUSH

Flush Style Reducer Bushing (MPT x FPT) Schedule 80 Harvel® PVC





Size (inch)	P/L	Part No.	Pack Qty	L (inch)	T (inch)	Style
3/8 x 1/4	608	839-052	50	0.80	0.60	FLUSH
1/2 x 1/4	608	839-072	50	0.95	0.60	FLUSH
1/2 x 3/8	608	839-073	50	0.96	0.61	FLUSH
3/4 x 1/4	608	839-098	50	1.01	0.61	FLUSH
3/4 x 3/8	608	839-099	50	1.02	0.61	FLUSH
3/4 x 1/2	608	839-101	50	1.08	0.75	FLUSH
1 x 1/4	608	839-128	25	1.23	0.58	FLUSH
1 x 1/2	608	839-130	25	1.24	0.76	FLUSH
1 x 3/4	608	839-131	25	1.28	0.80	FLUSH
1 1/4 x 1/2	608	839-166	25	1.29	0.76	FLUSH
1 1/4 x 3/4	608	839-167	25	1.29	0.79	FLUSH
1 1/4 x 1	608	839-168	25	1.30	1.00	FLUSH
1 1/2 x 3/4	608	839-210	25	1.33	0.78	FLUSH
1 1/2 x 1	608	839-211	25	1.34	0.98	FLUSH
1 1/2 x 1 1/4	608	839-212	25	1.33	1.02	FLUSH
2 x 1/2	608	839-247	10	1.44	0.76	FLUSH
2 x 3/4	608	839-248	10	1.44	0.80	FLUSH
2 x 1	608	839-249	10	1.42	0.97	FLUSH
2 x 1 1/4	608	839-250	10	1.43	1.01	FLUSH
2 x 1 1/2	608	839-251	10	1.35	1.02	FLUSH
3 x 2	608	839-338	5	2.02	1.09	FLUSH
4 x 2	608	839-420	5	2.07	1.10	FLUSH
4 x 3	608	839-422	5	2.06	1.60	FLUSH

Cap (S) Schedule 80 Harvel® PVC





Size (inch)	P/L	Part No.	Pack Qty	W (inch)	Design
1/4	608	847-002	50	0.96	HS
3/8	608	847-003	50	1.11	HS
1/2	608	847-005	50	1.30	HS
3/4	608	847-007	50	1.46	HS
1	608	847-010	25	1.66	HS
1 1/4	608	847-012	15	1.89	HS
1 1/2	608	847-015	10	2.08	HS
2	608	847-020	5	2.32	HS
2 1/2	608	847-025	5	2.61	HS
3	608	847-030	5	3.06	HS
4	608	847-040	5	3.69	HS
6	608	847-060	2	4.86	HS
8	608	847-080	2	6.25	SL
10	602	847-100	1	7.92	SL
12	602	847-120	1	9.37	SL
14	A33	847-140N	1	5.75	FAB
16	A33	847-160N	1	7.00	FAB
18	A33	847-180N	1	8.25	FAB
20	A33	847-200N	1	8.75	FAB
24	A33	847-240N	1	10.25	FAB

Cap (FPT) Schedule 80 Harvel® PVC





Size (inch)	P/L	Part No.	Pack Qty	W (inch)	T (inch)	Design
¼	608	848-002	50	0.93	0.54	HS
⅜	608	848-003	50	0.94	0.62	HS
½	608	848-005	50	1.14	0.74	HS
¾	608	848-007	25	1.25	0.80	HS
1	608	848-010	25	1.51	0.97	HS
1 ¼	608	848-012	15	1.59	1.00	HS
1 ½	608	848-015	10	1.70	1.01	HS
2	608	848-020	5	1.82	1.06	HS
2 ½	608	848-025	5	2.61	1.45	HS
3	608	848-030	5	2.80	1.83	HS
4	608	848-040	5	3.16	1.80	HS

Plug (SPG) Schedule 80 Harvel® PVC



Size (inch)	P/L	Part No.	Pack Qty	L (inch)	R (inch)
¼	608	849-005	50	1.08	0.18
⅜	608	849-007	50	1.25	0.22
½	608	849-010	25	1.41	0.25
1 ¼	608	849-015	20	1.72	0.31
2	608	849-020	10	1.90	0.38
4	608	849-040	5	2.65	0.39

Plug (MPT) Schedule 80 Harvel® PVC





Size (inch)	P/L	Part No.	Pack Qty	L (inch)	R (inch)	Design
¼	608	850-002	50	0.81	0.22	HS
⅜	608	850-003	50	0.83	0.22	HS
½	608	850-005	50	0.98	0.22	HS
¾	608	850-007	50	1.06	0.25	HS
1	608	850-010	25	1.24	0.27	HS
1 ¼	608	850-012	25	1.33	0.31	HS
1 ½	608	850-015	20	1.38	0.34	HS
2	608	850-020	10	1.47	0.39	HS
2 ½	608	850-025	10	1.95	0.38	HS
3	608	850-030	5	1.98	0.38	HS
4	608	850-040	5	2.16	0.39	HS
6	A33	850-060N	1	2.00	0.75	FAB
8	A33	850-080N	1	2.00	0.75	FAB
10	A33	850-100N	1	2.00	0.75	FAB
12	A33	850-120N	1	2.00	0.75	FAB

Flange - One Piece (S) Schedule 80 Harvel® PVC

- ANSI 150 Class according to ANSI B16.5
- 150 psi @ 73°F (10.3 bar @ 22.7°C)
- HC = Honeycomb (Face)



Size (inch)	P/L	Part No.	Pack Qty	# holes	Bolt Dia. (inch)	bolt cir. dia. (inch)	D (inch)	L (inch)	N1 (inch)	R (inch)	Design
½	608	851-005	5	4	½	2.38	3.50	1.02	0.13	0.39	HC
¾	608	851-007	5	4	½	2.75	3.89	1.14	0.13	0.45	HC
1	608	851-010	5	4	½	3.13	4.28	1.30	0.16	0.52	HC
1 ¼	608	851-012	5	4	½	3.50	4.64	1.45	0.14	0.59	HC
1 ½	608	851-015	5	4	½	3.88	5.01	1.54	0.16	0.68	HC
2	608	851-020	5	4	¾	4.75	6.01	1.73	0.16	0.69	HC
2 ½	608	851-025	5	4	¾	5.50	7.00	1.99	0.17	0.75	HC
3	608	851-030	5	4	¾	6.00	7.51	2.46	0.57	1.10	HC
4	608	851-040	5	8	¾	7.50	9.04	2.79	0.52	1.19	HC
6	608	851-060	2	8	¾	9.50	11.13	3.88	0.36	1.38	HC
8	608	851-080	2	8	¾	11.75	13.54	4.90	0.42	1.45	HC




Flange - One Piece (FPT) Schedule 80 Harvel® PVC

- ANSI 150 Class according to ANSI B16.5
- 150 psi @ 73°F (10.3 bar @ 22.7°C)
- HC = Honeycomb (Face)


Size (inch)	P/L	Part No.	Pack Qty	# holes	Bolt Dia. (inch)	bolt cir. dia. (inch)	D (inch)	L (inch)	T (inch)	R (inch)	Design
½	608	852-005	5	4	½	2.38	3.51	0.89	0.77	0.39	HC
¾	608	852-007	5	4	½	2.75	3.89	0.91	0.79	0.45	HC
1	608	852-010	5	4	½	3.13	4.28	1.13	1.00	0.53	HC
1 ¼	608	852-012	5	4	½	3.50	4.62	1.20	1.06	0.58	HC
1 ½	608	852-015	5	4	½	3.88	4.99	1.19	1.03	0.68	HC
2	608	852-020	5	4	¾	4.75	6.02	1.22	1.06	0.70	HC
2 ½	608	852-025	5	4	¾	5.50	7.00	1.72	1.53	0.75	HC
3	608	852-030	5	4	¾	6.00	7.50	2.15	1.63	1.15	HC
4	608	852-040	5	8	¾	7.50	9.00	2.30	1.77	1.23	HC



Flange - Van Stone (S) Schedule 80 Harvel® PVC




- ANSI 150 Class according to ANSI B16.5
- 1/2" - 12" pressure rating is 150 psi @ 73°F (10.3 bar @ 22.7°C)
- 14" - 24" pressure rating is 100 psi @ 73°F (6.9 bar @ 22.7°C) - Steel Ring
- HC = Honeycomb (Face)




Size (inch)	P/L	Part No.	Pack Qty	# holes	Bolt Dia. (inch)	bolt cir. dia. (inch)	D (inch)	L (inch)	N1 (inch)	R (inch)	ID (inch)	Design
1/2	608	854-005	5	4	1/2	2.38	3.53	1.10	0.18	0.57	0.60	HC
3/4	608	854-007	5	4	1/2	2.75	3.87	1.23	0.18	0.59	0.82	HC
1	608	854-010	5	4	1/2	3.13	4.25	1.38	0.20	0.66	1.03	HC
1 1/4	608	854-012	5	4	1/2	3.50	4.62	1.52	0.21	0.69	1.36	HC
1 1/2	608	854-015	5	4	1/2	3.88	5.01	1.68	0.25	0.75	1.60	HC
2	608	854-020	5	4	3/8	4.75	6.02	1.84	0.29	0.82	2.06	HC
2 1/2	608	854-025	5	4	3/8	5.50	7.01	2.15	0.33	0.98	2.49	HC
3	608	854-030	5	4	3/8	6.00	7.50	2.33	0.39	1.02	3.09	HC
4	608	854-040	5	8	3/8	7.50	8.99	2.75	0.24	1.10	4.06	HC
6	608	854-060	2	8	3/4	9.50	10.98	3.55	0.48	1.25	6.11	HC
8	608	854-080	2	8	3/4	11.75	13.51	4.60	0.51	1.71	8.00	HC
10	602	854-100	2	12	7/8	14.25	15.97	5.66	0.53	1.73	10.10	HC
12	602	854-120	2	12	7/8	17.00	18.95	6.71	0.57	1.72	11.96	HC
14	A33	854-140N	1	12	1	18.75	21.00	11.75	4.75	0.50	12.50	FAB
16	A33	854-160N	1	16	1	21.25	23.50	13.50	5.50	0.50	14.31	FAB
18	A33	854-180N	1	16	1 1/8	22.75	25.00	14.50	5.50	0.50	16.13	FAB
20	A33	854-200N	1	20	1 1/8	25.00	27.50	17.25	7.25	0.50	18.00	FAB
24	A33	854-240N	1	20	1 1/4	29.50	32.00	19.50	7.50	0.50	21.56	FAB

Flange - Van Stone (FPT) Schedule 80 Harvel® PVC




- ANSI 150 Class according to ANSI B16.5
- 150 psi @ 73°F (10.3 bar @ 22.7°C)
- HC = Honeycomb (Face)




Size (inch)	P/L	Part No.	Pack Qty	# holes	Bolt Dia. (inch)	bolt cir. dia. (inch)	D (inch)	L (inch)	T (inch)	R (inch)	ID (inch)	Design
1/2	608	855-005	5	4	1/2	2.38	3.53	1.10	0.79	0.57	0.63	HC
3/4	608	855-007	5	4	1/2	2.75	3.87	1.23	0.82	0.59	0.83	HC
1	608	855-010	5	4	1/2	3.13	4.25	1.39	1.01	0.66	1.06	HC
1 1/4	608	855-012	5	4	1/2	3.50	4.62	1.50	1.02	0.69	1.38	HC
1 1/2	608	855-015	5	4	1/2	3.88	5.01	1.67	1.06	0.75	1.61	HC
2	608	855-020	5	4	3/8	4.75	6.02	1.82	1.09	0.82	2.08	HC
2 1/2	608	855-025	5	4	3/8	5.50	7.01	2.13	1.58	0.98	2.50	HC
3	608	855-030	5	4	3/8	6.00	7.50	2.36	1.71	1.02	3.08	HC
4	608	855-040	5	8	3/8	7.50	8.99	2.78	1.72	1.10	4.09	HC

Flange - Van Stone (SPG) Schedule 80 Harvel® PVC




- ANSI 150 Class according to ANSI B16.5
 - 1/2" - 12" pressure rating is 150 psi @ 73°F (10.3 bar @ 22.7°C)
 - 14" - 24" pressure rating is 100 psi @ 73°F (6.9 bar @ 22.7°C) - Steel Ring
- HC = Honeycomb (Face)




Size (inch)	P/L	Part No.	Pack Qty	# holes	Bolt Dia. (inch)	bolt cir. dia. (inch)	D (inch)	L (inch)	R (inch)	ID (inch)	Design
1/2	608	856-005	5	4	1/2	2.38	3.53	1.72	0.57	0.84	HC
3/4	608	856-007	5	4	1/2	2.75	3.87	1.85	0.59	1.05	HC
1	608	856-010	5	4	1/2	3.13	4.25	2.10	0.66	1.32	HC
1 1/4	608	856-012	5	4	1/2	3.50	4.62	2.28	0.69	1.66	HC
1 1/2	608	856-015	5	4	1/2	3.88	5.01	2.48	0.75	1.90	HC
2	608	856-020	5	4	3/4	4.75	6.02	2.80	0.82	2.38	HC
2 1/2	608	856-025	5	4	3/4	5.50	7.01	3.27	0.98	2.86	HC
3	608	856-030	5	4	3/4	6.00	7.50	3.60	1.02	3.49	HC
4	608	856-040	5	8	3/4	7.50	8.99	4.10	1.10	4.49	HC
6	608	856-060	2	8	3/4	9.50	10.98	5.10	1.25	6.60	HC
8	608	856-080	1	8	3/4	11.75	13.51	6.88	1.71	8.62	HC
10	602	856-100	1	12	7/8	14.25	15.97	8.30	1.73	10.70	HC
12	602	856-120	1	12	7/8	17.00	18.95	9.55	1.72	12.69	HC
14	A33	856-140N	1	12	1	18.75	21.00	13.00	0.50	11.41	FAB
16	A33	856-160N	1	16	1	21.25	23.50	14.00	0.50	13.08	FAB
18	A33	856-180N	1	16	1 1/4	22.75	25.00	16.00	0.50	14.76	FAB
20	A33	856-200N	1	20	1 1/4	25.00	27.50	18.00	0.50	16.43	FAB
24	A33	856-240N	1	20	1 1/4	29.50	32.00	20.00	0.50	19.79	FAB

Flange (Blind) Schedule 80 Harvel® PVC




- ANSI 150 Class according to ANSI B16.5
 - 1/2" - 8" 150 psi @ 73°F (10.3 bar @ 22.7°C)
 - 10" - 24" 50 psi @ 73°F (3.5 bar @ 22.7°C)
- HC = Honeycomb (Face)



Size (inch)	P/L	Part No.	Pack Qty	# holes	Bolt Dia. (inch)	bolt cir. dia. (inch)	D (inch)	L (inch)	R (inch)	Design
1/2	608	853-005	5	4	1/2	2.38	3.51	0.48	0.39	HC
3/4	608	853-007	5	4	1/2	2.75	3.90	0.55	0.45	HC
1	608	853-010	5	4	1/2	3.13	4.29	0.66	0.53	HC
1 1/4	608	853-012	5	4	1/2	3.50	4.62	0.73	0.59	HC
1 1/2	608	853-015	5	4	1/2	3.88	5.01	0.81	0.68	HC
2	608	853-020	5	4	3/4	4.75	6.02	0.90	0.70	HC
2 1/2	608	853-025	5	4	3/4	5.50	7.00	0.97	0.76	HC
3	608	853-030	5	4	3/4	6.00	7.45	1.03	1.03	HC
4	608	853-040	5	8	3/4	7.50	8.96	1.14	1.14	HC
6	608	853-060	2	8	3/4	9.50	10.95	1.51	1.27	HC
8	608	853-080	2	8	3/4	11.75	13.51	1.62	1.45	HC
10	A33	853-100N	1	12	7/8	14.25	16.00	1.00	1.00	SOLID
12	A33	853-120N	1	12	7/8	17.00	19.00	1.00	1.00	SOLID
14	A33	853-140N	1	12	1	18.75	21.00	1.00	1.00	SOLID
16	A33	853-160N	1	16	1	21.25	23.50	1.00	1.00	SOLID
18	A33	853-180N	1	16	1 1/4	22.75	25.00	1.00	1.00	SOLID
20	A33	853-200N	1	20	1 1/4	25.00	27.50	1.00	1.00	SOLID
24	A33	853-240N	1	20	1 1/4	29.50	32.00	1.00	1.00	SOLID

Flange - Van Stone 300 (S) Schedule 80 Harvel® PVC


- ANSI 300 Class according to ANSI B16.5
- 150 psi @ 73°F (10.3 bar @ 22.7°C)



Size (inch)	P/L	Part No.	Pack Qty	# holes	Bolt Dia. (inch)	bolt cir. dia. (inch)	D (inch)	L (inch)	N1 (inch)	R (inch)	Design
½	608	854-005-300	5	4	½	2.63	3.75	1.03	0.11	0.57	FAB
¾	608	854-007-300	5	4	¾	3.25	4.63	1.15	0.13	0.59	FAB
1	608	854-010-300	5	4	¾	3.50	4.88	1.38	0.11	0.66	FAB
1 ¼	608	854-012-300	5	4	¾	3.88	5.25	1.45	0.14	0.69	FAB
1 ½	608	854-015-300	5	4	¾	4.50	6.13	1.59	0.15	0.75	FAB
2	608	854-020-300	5	8	¾	5.00	6.50	1.76	0.20	0.82	FAB
2 ½	608	854-025-300	5	8	¾	5.88	7.50	2.05	0.22	0.98	FAB
3	608	854-030-300	5	8	¾	6.63	8.25	2.25	0.30	1.02	FAB
4	608	854-040-300	5	8	¾	7.88	10.00	2.65	0.34	1.10	FAB
6	608	854-060-300	2	12	¾	10.63	12.50	3.45	0.35	1.25	FAB
8	608	854-080-300	2	12	¾	13.00	15.00	4.50	0.40	1.71	FAB
10	602	854-100-300	2	16	1	15.25	17.50	5.63	0.50	1.73	FAB
12	602	854-120-300	2	16	1 ½	17.75	20.50	6.69	0.56	1.72	FAB

Union Type 375 (S x S) Schedule 80 Harvel® PVC

235 psi @ 73°F (16.2 bar @ 22.7°C)




Size (inch)	P/L	EPDM Part No.	FKM Part No.	Pack Qty	L (inch)	N (inch)
½	608	897-375-005	857-375-005	5	2.56	0.78
¾	608	897-375-007	857-375-007	5	2.80	0.76
1	608	897-375-010	857-375-010	5	3.22	0.89
1 ¼	608	897-375-012	857-375-012	5	3.56	0.99
1 ½	608	897-375-015	857-375-015	5	3.76	0.92
2	608	897-375-020	857-375-020	2	4.18	1.11



Union (S x S) Schedule 80 Harvel® PVC


150 psi @ 73°F (10.3 bar @ 22.7°C)

Size (inch)	P/L	EPDM Part No.	FKM Part No.	Pack Qty	L (inch)	N (inch)
3	608	897-030	857-030	1	4.74	0.96
4	608	897-040	857-040	1	5.62	1.11




Union Type 375 (FPT X FPT) Schedule 80 Harvel® PVC

• 235 psi @ 73°F (16.2 bar @ 22.7°C)



Size (inch)	P/L	EPDM Part No.	FKM Part No.	Pack Qty	L (inch)	T (inch)
½	608	898-375-005	858-375-005	5	2.06	0.75
¾	608	898-375-007	858-375-007	5	2.11	0.79
1	608	898-375-010	858-375-010	5	2.60	1.01
1 ¼	608	898-375-012	858-375-012	5	2.80	1.06
1 ½	608	898-375-015	858-375-015	5	2.76	1.06
2	608	898-375-020	858-375-020	2	2.93	1.09









Union (FPT X FPT) Schedule 80 Harvel® PVC

- 150 psi @ 73°F (10.3 bar @ 22.7°C)

Size (inch)	P/L	EPDM Part No.	FKM Part No.	Pack Qty	L (inch)	T (inch)
3	608	898-030	858-030	1	4.75	1.33
4	608	898-040	858-040	1	5.71	1.78




Nipple (MPT x MPT) Schedule 80 Harvel® PVC



Size (inch)	P/L	Part No.	Pack Qty	L (inch)	Design
1/2 x CL	608	861-077	50	1.13	MOLD
1/2 x 2	608	861-079	25	2.00	MOLD
1/2 x 3	608	861-081	25	3.00	MOLD
1/2 x 4	608	861-082	25	4.00	MOLD
1/2 x 5	608	861-083	25	5.00	MOLD
1/2 x 6	608	861-084	25	6.00	MOLD
1/2 x 8	608	861-086	25	8.00	FAB
1/2 x 10	608	861-087	25	10.00	FAB
1/2 x 12	608	861-088	25	12.00	FAB
3/4 x CL	608	861-104	25	1.38	MOLD
3/4 x 2	608	861-020	25	2.00	MOLD
3/4 x 3	608	861-106	25	3.00	MOLD
3/4 x 4	608	861-107	25	4.00	MOLD
3/4 x 5	608	861-108	25	5.00	MOLD
3/4 x 6	608	861-109	25	6.00	MOLD
3/4 x 8	608	861-110	25	8.00	FAB
3/4 x 10	608	861-111	25	10.00	FAB
3/4 x 12	608	861-112	25	12.00	FAB
1 x CL	608	861-133	25	1.50	MOLD
1 x 2	608	861-134	25	2.00	MOLD
1 x 3	608	861-135	25	3.00	MOLD
1 x 4	608	861-136	25	4.00	MOLD
1 x 5	608	861-137	25	5.00	MOLD
1 x 6	608	861-138	25	6.00	MOLD
1 x 8	608	861-139	25	8.00	FAB
1 x 10	608	861-140	25	10.00	FAB
1 x 12	608	861-141	25	12.00	FAB
1 1/4 x CL	608	861-170	25	1.63	MOLD
1 1/4 x 2	608	861-171	25	2.00	MOLD
1 1/4 x 3	608	861-172	25	3.00	MOLD
1 1/4 x 4	608	861-173	25	4.00	MOLD
1 1/4 x 5	608	861-174	25	5.00	MOLD

table continued on the next page



Size (inch)	P/L	Part No.	Pack Qty	L (inch)	Design
1 1/4 x 6	608	861-175	25	6.00	MOLD
1 1/4 x 8	608	861-176	25	8.00	FAB
1 1/4 x 10	608	861-177	25	10.00	FAB
1 1/4 x 12	608	861-178	25	12.00	FAB
1 1/2 x CL	608	861-213	25	1.75	MOLD
1 1/2 x 2	608	861-214	25	2.00	MOLD
1 1/2 x 3	608	861-215	25	3.00	MOLD
1 1/2 x 4	608	861-216	25	4.00	MOLD
1 1/2 x 5	608	861-217	25	5.00	MOLD
1 1/2 x 6	608	861-218	25	6.00	MOLD
1 1/2 x 8	608	861-219	25	8.00	FAB
1 1/2 x 10	608	861-220	25	10.00	FAB
1 1/2 x 12	608	861-221	25	12.00	FAB
2 x CL	608	861-251	25	2.00	MOLD
2 x 2 1/2	608	861-252	25	2.50	MOLD
2 x 3	608	861-253	25	3.00	MOLD
2 x 4	608	861-254	25	4.00	MOLD
2 x 5	608	861-255	25	5.00	MOLD
2 x 6	608	861-256	25	6.00	MOLD
2 x 8	608	861-257	25	8.00	FAB
2 x 10	608	861-258	25	10.00	FAB
2 x 12	608	861-259	25	12.00	FAB
2 1/2 x CL	608	861-291	10	2.50	FAB
2 1/2 x 4	608	861-295	10	4.00	FAB
2 1/2 x 3	608	861-292	10	3.00	FAB
2 1/2 x 5	608	861-296	10	5.00	FAB
2 1/2 x 6	608	861-297	10	6.00	FAB
2 1/2 x 8	608	861-298	10	8.00	FAB
2 1/2 x 10	608	861-299	10	10.00	FAB
2 1/2 x 12	608	861-300	10	12.00	FAB
3 x CL	608	861-338	10	2.63	FAB
3 x 3	608	861-340	10	3.00	FAB
3 x 4	608	861-341	10	4.00	FAB
3 x 5	608	861-342	10	5.00	FAB
3 x 6	608	861-343	10	6.00	FAB
3 x 8	608	861-344	10	8.00	FAB
3 x 10	608	861-345	10	10.00	FAB
3 x 12	608	861-346	10	12.00	FAB
4 x CL	608	861-422	10	2.88	FAB
4 x 4	608	861-423	10	4.00	FAB
4 x 5	608	861-425	10	5.00	FAB
4 x 6	608	861-426	10	6.00	FAB
4 x 8	608	861-427	5	8.00	FAB
4 x 10	608	861-428	5	10.00	FAB
4 x 12	608	861-429	5	12.00	FAB


Schedule 80 PVC Low Pressure Fittings



Tee Low Pressure (SxSxS) Schedule 80 Harvel® PVC

- 130 psi @ 73°F (8.96 bar @ 22.7°C)

Size (inch)	P/L	Part No.	Pack Qty	H (inch)	G (inch)
10	B11	H801100LP	1	10.83	5.77
12	B11	H801120LP	1	13.38	6.91




90° Ell Low Pressure (S x S) Schedule 80 Harvel® PVC

- 130 psi @ 73°F (8.96 bar @ 22.7°C)




Size (inch)	P/L	Part No.	Pack Qty	H (inch)	G (inch)
10	B11	H806100LP	1	10.75	5.75
12	B11	H806120LP	1	12.96	6.91



45° Ell Low Pressure (S x S) Schedule 80 Harvel® PVC

- 130 psi @ 73°F (8.96 bar @ 22.7°C)


Size (inch)	P/L	Part No.	Pack Qty	H (inch)	J (inch)
10	B11	H817100LP	1	7.50	2.50
12	B11	H817120LP	1	9.00	3.00



Coupling Low Pressure (S x S) Schedule 80 Harvel® PVC

- 130 psi @ 73°F (8.96 bar @ 22.7°C)

Size (inch)	P/L	Part No.	Pack Qty	L (inch)	N (inch)
10	B11	H829100LP	1	10.81	0.75
12	B11	H829120LP	1	12.81	0.75




Schedule 80 PVC DWV Fittings



1/4 Bend Short Sweep (SxS) Schedule 80 Harvel® PVC


Size (inch)	P/L	Part No.	Pack Qty	G (inch)
1 1/2	608	806-015SS	4	1.75
2	608	806-020SS	4	2.31
3	608	806-030SS	1	3.06
4	608	806-040SS	1	3.88



1/4 Bend Long Sweep (SxS) - (FAB) Schedule 80 Harvel® PVC





Size (inch)	P/L	Part No.	Pack Qty	G (inch)
1 1/2	A33	806-015LSN	4	4.13
2	A33	806-020LSN	4	4.75
3	A33	806-030LSN	1	7.00
4	A33	806-040LSN	1	9.00




45° Wye (S x S x S) Schedule 80 Harvel® PVC

1-1/2" - 2" 235 psi @ 72°F (16.2 bar @ 22.7°C)
 3" - 6" 150 psi @ 72°F (10.3 bar @ 22.7°C)
 8" - 24" 100 psi @ 72°F (6.9 bar @ 22.7°C)



Size (inch)	P/L	Part No.	Pack Qty	GJ (inch)	GN (inch)	H (inch)	HJ (inch)	L (inch)	N (inch)	Design
1 1/2	608	870-015	20	2.79	1.20	2.60	4.18	6.80	4.02	SL
2	608	870-020	10	3.56	1.36	2.87	5.07	7.99	4.97	SL
2 1/2	H02	870-025S	1	3.97	0.84	2.59	5.72	8.31	3.97	SL
3	608	870-030	4	4.91	1.82	3.73	6.83	10.45	6.62	SL
4	608	870-040	4	6.26	2.06	4.41	8.61	12.94	8.24	SL
6	608	870-060	2	8.38	1.85	4.90	11.44	16.50	10.39	HS
8	608	870-080	1	11.09	1.90	5.92	15.11	21.35	13.30	HS
10	A33	875-100N	1	19.75	5.50	11.25	24.75	31.75	21.75	FAB
12	A33	875-120N	1	22.63	6.50	12.50	28.63	37.50	25.50	FAB
14	A33	875-140N	1	25.75	7.00	14.00	32.75	41.75	27.75	FAB

table continued on the next page




Size (inch)	P/L	Part No.	Pack Qty	GJ (inch)	GN (inch)	H (inch)	HJ (inch)	L (inch)	N (inch)	Design
16	A33	875-160N	1	28.88	7.75	16.00	36.88	47.25	31.25	FAB
18	A33	875-180N	1	32.50	8.50	17.50	41.50	53.00	35.00	FAB
20	A33	875-200N	1	35.50	9.50	19.50	45.50	58.75	38.75	FAB
24	A33	875-240N	1	42.00	11.00	23.00	54.00	70.00	46.00	FAB

Reducing 45° Wye (S x S x S) Schedule 80 Harvel® PVC




2" 235 psi @ 72°F (16.2 bar @ 22.7° C)
 3" - 6" 150 psi @ 72°F (10.3 bar @ 22.7°C)
 8" - 24" 100 psi @ 72°F (6.9 bar @ 22.7°C)




Size (inch)	P/L	Part No.	Pack Qty	GJ (inch)	GN (inch)	H (inch)	HJ (inch)	L (inch)	N (inch)	Design
2 x 1 1/2	608	870-251FB	10	3.96	1.36	2.87	5.37	7.99	4.97	BUSH
3 x 1 1/2	608	870-337FB	4	5.80	1.82	3.73	7.34	10.45	6.62	BUSH
3 x 2	608	870-338FB	4	5.77	1.82	3.73	7.33	10.45	6.62	BUSH
4 x 2	608	870-420FB	4	7.40	2.06	4.41	7.40	12.94	8.24	BUSH
4 x 3	608	870-422FB	4	7.03	2.06	4.41	9.00	12.94	8.24	BUSH
6 x 2	608	870-528FB	2	8.24	1.87	4.91	8.24	16.49	10.42	BUSH
6 x 3	608	870-530FB	2	7.88	1.87	4.91	9.84	16.49	10.42	BUSH
6 x 4	608	870-532	2	7.14	1.87	4.91	9.36	16.49	10.42	HS
8 x 3	608	870-580FB	1	10.23	0.41	4.43	12.20	15.98	7.95	BUSH
8 x 4	608	870-582	1	9.46	0.41	4.43	11.73	15.98	7.95	HS
8 x 6	608	870-585FB	1	12.78	1.90	5.92	15.76	21.35	13.30	BUSH
10 x 4	A33	875-623N	1	14.00	1.25	6.25	16.00	23.00	13.00	FAB
10 x 6	A33	875-626N	1	16.13	2.75	7.50	19.13	26.00	16.00	FAB
10 x 8	A33	875-628N	1	17.50	4.00	9.25	21.50	28.00	18.75	FAB
12 x 4	A33	875-663N	1	15.50	0.50	6.00	17.50	25.75	13.75	FAB
12 x 6	A33	875-666N	1	16.68	2.00	8.00	20.50	28.68	16.68	FAB
12 x 8	A33	875-668N	1	19.00	3.50	9.50	23.00	31.50	19.50	FAB
12 x 10	A33	875-670N	1	21.25	5.00	11.00	26.25	34.50	22.50	FAB
14 x 4	A33	875-696N	1	16.25	0.25	7.25	18.25	28.25	14.25	FAB
14 x 6	A33	875-698N	1	18.50	1.75	8.63	21.50	31.25	17.25	FAB
14 x 8	A33	875-700N	1	19.75	3.00	10.00	23.75	34.00	20.00	FAB
14 x 10	A33	875-702N	1	22.00	4.50	11.50	27.00	37.00	23.00	FAB
14 x 12	A33	875-704N	1	23.50	6.00	13.00	29.50	39.75	25.75	FAB
16 x 4	A33	875-730N	1	17.75	-0.75	7.50	19.75	31.00	15.00	FAB
16 x 6	A33	875-732N	1	19.88	1.00	9.00	22.88	34.00	18.00	FAB
16 x 8	A33	875-734N	1	21.25	2.50	10.25	25.25	36.75	20.75	FAB
16 x 10	A33	875-736N	1	23.50	4.00	12.00	28.50	39.75	23.75	FAB
16 x 12	A33	875-738N	1	25.00	5.50	14.25	31.00	42.75	26.75	FAB
16 x 14	A33	875-740N	1	27.25	6.25	14.25	34.25	44.50	28.50	FAB
18 x 4	A33	875-784N	1	19.00	-1.25	8.00	21.00	34.00	16.00	FAB
18 x 6	A33	875-786N	1	21.25	0.50	9.50	24.25	37.00	19.00	FAB
18 x 8	A33	875-788N	1	22.75	2.00	11.00	26.75	39.75	21.75	FAB
18 x 10	A33	875-790N	1	25.00	3.50	12.50	30.00	42.75	24.75	FAB
18 x 12	A33	875-792N	1	26.25	4.75	13.75	32.50	45.50	27.50	FAB
18 x 14	A33	875-794N	1	28.75	5.75	14.75	35.75	47.50	29.50	FAB
18 x 16	A33	875-796N	1	30.25	7.25	16.00	38.25	50.25	32.25	FAB
20 x 4	A33	875-814N	1	20.50	-1.75	8.50	22.50	36.75	16.75	FAB
20 x 6	A33	875-816N	1	22.75	-0.25	10.00	25.75	39.75	19.75	FAB
20 x 8	A33	875-818N	1	24.25	1.50	11.50	28.25	42.75	22.75	FAB
20 x 10	A33	875-820N	1	26.50	3.00	13.00	31.50	45.75	25.75	FAB
20 x 12	A33	875-822N	1	28.00	4.25	14.25	34.00	48.50	28.50	FAB
20 x 14	A33	875-824N	1	30.25	5.25	15.00	37.25	50.25	30.25	FAB
20 x 16	A33	875-826N	1	31.75	6.50	16.50	39.75	53.00	33.00	FAB
20 x 18	A33	875-828N	1	34.00	8.00	18.00	43.00	56.00	36.00	FAB
24 x 4	A33	875-904N	1	23.25	-3.00	9.25	25.25	42.50	18.50	FAB
24 x 6	A33	875-906N	1	25.50	-1.50	10.75	28.50	45.50	21.54	FAB

table continued on the next page




Size (inch)	P/L	Part No.	Pack Qty	GJ (inch)	GN (inch)	H (inch)	HJ (inch)	L (inch)	N (inch)	Design
24 x 8	A33	875-908N	1	27.00	0.00	12.00	31.00	48.25	24.25	FAB
24 x 10	A33	875-910N	1	29.25	1.75	13.50	34.25	51.25	27.25	FAB
24 x 12	A33	875-912N	1	30.50	3.25	15.00	36.50	54.25	30.25	FAB
24 x 14	A33	875-914N	1	33.00	4.00	16.00	40.00	56.00	32.00	FAB
24 x 16	A33	875-916N	1	34.50	5.50	17.50	42.50	58.75	34.75	FAB
24 x 18	A33	875-918N	1	36.75	6.75	18.75	45.75	61.50	37.50	FAB
24 x 20	A33	875-920N	1	38.25	8.25	20.25	48.25	64.50	40.50	FAB




Sanitary Tee (SxSxS) Schedule 80 Harvel® PVC

Size (inch)	P/L	Part No.	Pack Qty	G (inch)	N (inch)
1 1/2	608	37R461501	5	1.75	2.75
2	608	37R461502	5	2.31	3.69
3	608	37R461503	5	3.06	4.88
4	608	37R461504	5	3.88	6.13





Cleanout Tee with Plug (SxSxFPT) Schedule 80 Harvel® PVC

Size (inch)	P/L	Part No.	Pack Qty	HL (inch)	N (inch)
1 1/2	608	37R461101	2	2.07	1.80
2	608	37R461102	2	2.35	2.32
3	608	37R461103	2	3.51	3.63
4	608	37R461104	2	4.07	4.25





Schedule 80 PVC Metal Transition Fittings



PVC-to-316SS Female Adapter (SxFPT) Schedule 80 Harvel® PVC

- 150 psi @ 73°F (10.3 bar @ 22.7°C)

Size (inch)	P/L	Part No.	Pack Qty	HL (inch)	L (inch)	T (inch)	W (inch)
½	A35	868-005SS	10	1.49	2.38	0.84	1.25
¾	A35	868-007SS	10	1.67	2.68	0.92	1.50
1	A35	868-010SS	6	1.98	3.11	0.96	1.75
1 ¼	A35	868-012SS	5	2.19	3.45	1.04	2.12
1 ½	A35	868-015SS	5	2.35	3.73	1.04	2.50
2	A35	868-020SS	4	2.63	4.14	1.29	3.00



PVC-to-316SS Male Adapter (SxMPT) Schedule 80 Harvel® PVC

- 150 psi @ 73°F (10.3 bar @ 22.7°C)

Size (inch)	P/L	Part No.	Pack Qty	HL (inch)	L (inch)	T (inch)	W (inch)
½	A35	869-005SS	10	1.49	2.38	0.70	1.25
¾	A35	869-007SS	10	1.67	2.68	0.74	1.50
1	A35	869-010SS	6	1.98	3.11	0.92	1.75
1 ¼	A35	869-012SS	5	2.19	3.45	0.95	2.12
1 ½	A35	869-015SS	5	2.35	3.73	0.99	2.50
2	A35	869-020SS	4	2.64	4.14	1.03	3.00

Metal Union End Connectors Type 375 (316 SS)




150 psi @ 73°F (10.3 bar @ 22.7°C)
Union Sold Separately



Size (inch)	P/L	Part No.	Pack Qty
½	A35	37X003314	1
¾	A35	37X003315	1
1	A35	37X003316	1
1 ¼	A35	37X003317	1
1 ½	A35	37X003318	1
2	A35	37X003319	1

PVC-to-Brass Transition Fittings (SPG x FPT) Schedule 80 Harvel® PVC




150 psi @ 73°F (10.3 bar @ 22.7°C)



Size (inch)	P/L	Part No.	Pack Qty	HL (inch)	L (inch)	T (inch)	W (inch)
½	A35	878-005BR	25	1.02	1.75	0.70	1.27
¾	A35	878-007BR	15	1.07	2.07	0.74	1.52
1	A35	878-010BR	15	1.32	2.44	0.81	1.93
1 ¼	A35	878-012BR	15	1.38	2.49	0.85	2.29
1 ½	A35	878-015BR	10	1.44	2.74	0.87	2.60
2	A35	878-020BR	5	1.43	2.81	1.11	3.36

PVC-to-316 SS Transition Fittings (SPG x FPT) Schedule 80 Harvel® PVC

150 psi @ 73°F (10.3 bar @ 22.7°C)



Size (inch)	P/L	Part No.	Pack Qty	HL (inch)	L (inch)	T (inch)	W (inch)
½	A35	878-005SS	25	1.02	1.75	0.70	1.27
¾	A35	878-007SS	15	1.07	2.07	0.74	1.52
1	A35	878-010SS	15	1.32	2.44	0.81	1.93
1 ¼	A35	878-012SS	15	1.38	2.49	0.85	2.29
1 ½	A35	878-015SS	10	1.45	2.74	0.87	2.60
2	A35	878-020SS	5	1.43	2.81	1.11	3.36