

LEAD FREE BRONZE GATE VALVES



T-351G

Rising Stem, Solid Wedge, Threaded Connection, 300 CWP



PART NUMBER	SIZE	CASE	CARTON	WEIGHT
103-353G	1/2"	6	84	30
103-354G	3/4"	5	50	26
103-355G	1"	5	40	32
103-356G	1-1/4"	4	32	35
103-357G	1-1/2"	4	16	24
103-358G	2"	3	12	29

- Dezincification Resistant Bronze
- Solid Wedge Gate with Rising Stem
- Truesdail Certified - NSF/ANSI/CAN 61 & NSF 372
- Wetted Surfaces Contain Less than .25% Lead Content



S-351G

Rising Stem, Solid Wedge, Solder Connection, 300 CWP



PART NUMBER	SIZE	CASE	CARTON	WEIGHT
103-453G	1/2"	6	84	27
103-454G	3/4"	5	50	24
103-455G	1"	5	40	30
103-456G	1-1/4"	4	32	33
103-457G	1-1/2"	4	16	23
103-458G	2"	3	12	28

- Dezincification Resistant Bronze
- Solid Wedge Gate with Rising Stem
- Truesdail Certified - NSF/ANSI/CAN 61 & NSF 372
- Wetted Surfaces Contain Less than .25% Lead Content





T-301G
Non-Rising Stem, Solid Wedge, Threaded Connection, 200 WOG



PART NUMBER	SIZE	CASE	CARTON	WEIGHT
103-303G	1/2"	120	10	72
103-304G	3/4"	90	10	77
103-305G	1"	40	5	48
103-306G	1-1/4"	40	5	74
103-307G	1-1/2"	32	4	72
103-308G	2"	20	2	57

- Dezincification Resistant Brass Alloy
- Solid Wedge Gate with Non-Rising Stem
- Truesdail Certified - NSF/ANSI/CAN 61 & NSF 372
- Wetted Surfaces Contain Less than .25% Lead Content



S-301G
Non-Rising Stem, Solid Wedge, Solder Connection, 200 WOG



PART NUMBER	SIZE	CASE	CARTON	WEIGHT
103-403G	1/2"	120	10	72
103-404G	3/4"	90	10	77
103-405G	1"	40	5	48
103-406G	1-1/4"	40	5	74
103-407G	1-1/2"	32	4	72
103-408G	2"	20	2	68

- Dezincification Resistant Brass Alloy
- Solid Wedge Gate with Non-Rising Stem
- Truesdail Certified - NSF/ANSI/CAN 61 & NSF 372
- Wetted Surfaces Contain Less than .25% Lead Content





T-301

Non-Rising Stem, Solid Wedge, Threaded Connection, 200 WOG

PART NUMBER	SIZE	CASE	CARTON	WEIGHT
103-301	1/4"	120	10	58
103-302	3/8"	120	10	68
103-303	1/2"	120	10	48
103-304	3/4"	90	10	77
103-305	1"	60	5	48
103-306	1-1/4"	40	5	74
103-307	1-1/2"	32	4	54
103-308	2"	20	2	54
103-309	2-1/2"	12	2	88
103-310	3"	8	1	81
103-311	4"	2	1	27

- Solid Wedge Gate with Non-Rising Stem
- Residential and Commercial Applications



S-301

Non-Rising Stem, Solid Wedge, Solder Connection, 200 WOG

PART NUMBER	SIZE	CASE	CARTON	WEIGHT
103-403	1/2"	120	10	72
103-404	3/4"	90	10	77
103-405	1"	60	5	72
103-406	1-1/4"	40	5	74
103-407	1-1/2"	32	4	72
103-408	2"	20	2	68
103-409	2-1/2"	12	2	88
103-410	3"	8	1	81

- Solid Wedge Gate with Non-Rising Stem
- Residential and Commercial Applications





F-351

Non-Rising Stem, Solid Wedge, Bolted Bonnet, Class 125

PART NUMBER	SIZE	CASE	CARTON	WEIGHT
103-525	2-1/2"	1	1	44
103-503	3"	1	1	55
103-504	4"	1	1	99
103-506	6"	1	1	183
103-508	8"	1	1	249

- Solid Wedge with Non-Rising Stem
- Handwheel Operated
- Bonnet & Disc
- Lead Free Bronze Seat Ring
- Pressure Rating: Class 125
- Conforms to MSS SP-70
- Flange: ASME B16.1
- Face-to-Face: ANSI/ASME B16.10
- Lead Free Compliant



LEAD FREE



F-361

Rising Stem, Solid Wedge, Bolted Bonnet, OS&Y, Class 125

PART NUMBER	SIZE	CASE	CARTON	WEIGHT
103-625	2-1/2"	1	1	48
103-603	3"	1	1	59
103-604	4"	1	1	105
103-606	6"	1	1	194
103-608	8"	1	1	272
103-610	10"	1	1	438
103-612	12"	1	1	608

- Solid Wedge with Rising Stem
- Handwheel Operated
- Bonnet & Disc
- Lead Free Bronze Seat Ring
- Pressure Rating: Class 125
- Conforms to MSS SP-70
- Flange: ASME B16.1
- Face-to-Face: ANSI/ASME B16.10
- Lead Free Compliant



LEAD FREE