


BALL VALVES



Legend offers a comprehensive array of high-quality valves for plumbing, commercial, industrial, and radiant hydronic applications, all backed by our performance and service guarantees.

LegendPress Ball Valves	4	Isolation Ball Valves.....	20
P-200NL.....	4	T/S-1002FLG	20
P-201NL.....	4	T/S-2011RFLG w/Rotating Flange	21
P-202NL Drainable.....	5	P-2011 w/Rotating Flange.....	21
P-203NL MNPT Transition	5	T/S-2012RFLG Rotating Flange & Purge.....	21
P-203NL FNPT Transition.....	5	P-2012RFLG w/Rotating Flange & Purge.....	21
Full Port Ball Valves	6	Tankless Water Heater Valve Kits.....	22
T/S-1001	6	FNPT TWHV Kit.....	22
T/S-1004NL Pro Pattern	7	Sweat TWHV Kit	22
T/S-1002NL Gland Follower.....	7	F1807 TWHV Kit.....	22
T/S-2000NL.....	8	F1960 TWHV Kit.....	22
T-2000NLMxS.....	9	Press TWHV Kit.....	22
T/S-2001NL	10	200K BTU PRV.....	22
T-901NL.....	10	Heating Specialty Ball Valves.....	23
S-901NL	11	T-565, T-566 Oil Tank Valve	23
Commercial Stainless Steel Ball Valves ..	11	Mini Ball Valves	23
T-717 3-Piece Full Port.....	11	T-900NL MNPT x FNPT Transition.....	23
T-712 2-Piece Full Port.....	11	T-900TNL w/Tee Handle	23
T-715 2-Piece Large Port.....	11	T-810 Micro Ball Full Port	24
T-710 1-Piece Conventional Port.....	12	T-800TNL Micro Ball w/Tee Handle.....	24
Commercial Carbon Steel Ball Valves.....	12	T-801NL Screwdriver Test Cock.....	24
T-730 2-Piece Full Port	12	FNPT x FNPT Mini Chrome.....	24
T-725 2-Piece Large Port.....	12	MNPT x FNPT Mini Chrome	24
T-720 1-Piece Conventional Port.....	12	T-710T Mini	25
Specialty Full Port Ball Valves.....	13	T-710T Mini MNPT x FNPT Transition	25
T/S-1100NL w/Drain.....	13	Gas Ball Valves	26
T/S-1102NL w/Drain.....	13	T-3000 Blue Top	26
T/S-2102NL w/Drain.....	13	T-3001, T-3002, T-3100 Blue Top	27
T-1002ST Stainless Steel Ball & Stem.....	14	Economy Gas Ball Valves	27
T-1002STLD Stainless Steel Ball & Stem w/Locking Device	14	T-3005 Red Top	27
T-1002CC w/Cap & Chain	14	Drip Leg Hookup Kits	27
T-1002LD w/Locking Device	14	Log Lighter Valves.....	28
T-1007 FNPT x Sweat Transition.....	15	T-3500, T-3500PB, T-3501, T-3501PB	
T-1001LDNL w/Locking Device.....	15	1/4-Turn Ball Valve.....	28
T/S-1001TNL w/Tee Handle	15	T-3200, T-3200PB, T-3201, T-3201PB	
T-1009NL Compression	16	Multi-Turn Globe Valve	28
T-2009NL Compression	16	Gas Log Lighter Accessories	28
T-2002NL Compression w/Drain.....	16	T-3205 T-Style Burner Bar	28
T-2100 Three-Way Ball	16	Log Lighter Kits	29
T-2010NL FNPT x Insert Transition.....	17	Log Light Valve Accessories.....	29
Insta-Loc II Push Fit Ball Valve Series	17	Escutcheons.....	29
P-2200NL	17	Keys.....	29
P-2200NL Push x FNPT	17	Ball Valve Accessories.....	30
P-2200NL Drop Ear	17	Locking Devices.....	30
PEX Ball Valves	18	Memory Stops	30
Crimp/Cinch PEX Ball Valves	18	Stem Extensions.....	30
T-805NL, T-806NL.....	18	Tee Handles.....	31
T-2005NL, T-2006NL, T-2007NL,		Lever Handles	31
T-2008NL.....	18	Packing Glands	31
P-2006NL	19		
Cold Expansion PEX Ball Valves.....	19		
P-1960NL	19		
T-1960NL	20		




LegendPress® Ball Valves



The P-200NL LegendPress® Ball Valve features unique engineering with integrated press ends, deep sockets, and the proven Viton® dual o-ring stem design.

The tamper-evident stem locking seal prevents loosening from pipeline vibrations.



Certifications	Part No.	Size	Configuration	Model	Cs.	Ct.
P-200NL LegendPress® No Lead Forged Brass Full Port Ball Valve Traditional & no lead forged brass Third-party tested and certified; NSF/ANSI 61 (P-200NL) 600 CWP (1/2", 3/4"), 500 CWP (1", 1-1/4") 400 CWP (1-1/2" - 4") Conforms to MSS SP-110	101-003NL	1/2"	Press x Press	P-200NL	50	5
	101-004NL	3/4"	Press x Press	P-200NL	30	5
	101-005NL	1"	Press x Press	P-200NL	30	3
	101-006NL	1-1/4"	Press x Press	P-200NL	12	2
	101-007NL	1-1/2"	Press x Press	P-200NL	10	2
	101-008NL	2"	Press x Press	P-200NL	8	2
	101-009NL	2-1/2"	Press x Press	P-200NL	2	1
	101-010NL	3"	Press x Press	P-200NL	2	1
	101-011NL	4"	Press x Press	P-200NL	1	1



P-201NL

LegendPress® No Lead Forged Brass Full Port Ball Valve with Red Handle

No lead forged brass
Third-party tested and certified;
ANSI/NSF 61
ANSI/NSF 372
600 CWP (1/2", 3/4"),
500 CWP (1", 1-1/4")
400 CWP (1-1/2" - 2")

101-203NL	1/2"	Press x Press	P-201NL	50	5
101-204NL	3/4"	Press x Press	P-201NL	30	5
101-205NL	1"	Press x Press	P-201NL	18	3
101-206NL	1-1/4"	Press x Press	P-201NL	12	2
101-207NL	1-1/2"	Press x Press	P-201NL	10	2
101-208NL	2"	Press x Press	P-201NL	8	2



Certifications	Part No.	Size	Configuration	Model	Cs.	Ct.
----------------	----------	------	---------------	-------	-----	-----

P-202NL

LegendPress® No Lead Forged Brass Full Port Ball Valve with Drain

No lead forged brass
Third-party tested and certified;
NSF/ANSI 61
250 CWP



101-213NL	1/2"	Press x Press	P-202NL	60	5
101-214NL	3/4"	Press x Press	P-202NL	60	5
101-215NL	1"	Press x Press	P-202NL	16	4

P-203NL

LegendPress® No Lead Forged Brass Full Port Transition Ball Valve

No lead forged brass
Third-party tested and certified;
NSF/ANSI 61
250 CWP



Press x MNPT

101-133NL	1/2"	Press x MNPT	P-203NL	80	10
101-134NL	3/4"	Press x MNPT	P-203NL	64	8
101-135NL	1"	Press x MNPT	P-203NL	40	5

Press x FNPT

101-143NL	1/2"	Press x FNPT	P-203NL	80	10
101-144NL	3/4"	Press x FNPT	P-203NL	64	8
101-145NL	1"	Press x FNPT	P-203NL	40	5

LegendPress® Valves & Fittings


For more LegendPress valves & fittings, check out page 121 in Section 6.

Full Port Ball Valves



The T-1001NL Full Port Ball Valve features a no lead design that is suitable for all potable water installations.

The proven design features a bottom-loaded blowout-proof stem, a maintenance-free dual o-ring stem seal, and TFM PTFE seats.



Certifications	Part No.	Size	Configuration	Model	Cs.	Ct.
T-1001NL No Lead Forged Brass Full Port Ball Valve Traditional & no lead forged brass, Third-party tested and certified NSF/ANSI 61 (T/S-1001NL) CSA 1/2, 5, 175 PSIG certified UL listed (1/4" - 2" T-1001/T-1001NL) FM approved (1/2" - 2" T-1001/T-1001NL) Conforms to MSS SP-110 600 CWP (1/8" - 2") 400 CWP (2-1/2" - 4") All 150 WSP	101-300	1/8"	FNPT x FNPT	T-1001	200	20
	101-300NL	1/8"	FNPT x FNPT	T-1001NL	200	20
	101-101	1/4"	FNPT x FNPT	T-1001	200	20
	101-101NL	1/4"	FNPT x FNPT	T-1001NL	200	20
	101-102	3/8"	FNPT x FNPT	T-1001	100	10
	101-102NL	3/8"	FNPT x FNPT	T-1001NL	100	10
	101-023	1/2"	FNPT x FNPT	T-1001	100	10
	101-023NL	1/2"	FNPT x FNPT	T-1001NL	100	10
	101-024	3/4"	FNPT x FNPT	T-1001	100	10
	101-024NL	3/4"	FNPT x FNPT	T-1001NL	100	10
	101-025	1"	FNPT x FNPT	T-1001	50	10
	101-025NL	1"	FNPT x FNPT	T-1001NL	50	10
	101-026	1-1/4"	FNPT x FNPT	T-1001	20	10
	101-026NL	1-1/4"	FNPT x FNPT	T-1001NL	20	10
	101-027	1-1/2"	FNPT x FNPT	T-1001	20	4
	101-027NL	1-1/2"	FNPT x FNPT	T-1001NL	20	4
	101-028	2"	FNPT x FNPT	T-1001	20	4
	101-028NL	2"	FNPT x FNPT	T-1001NL	20	4
	101-109	2-1/2"	FNPT x FNPT	T-1001	6	2
	101-109NL	2-1/2"	FNPT x FNPT	T-1001NL	6	2
	101-110	3"	FNPT x FNPT	T-1001	4	2
	101-110NL	3"	FNPT x FNPT	T-1001NL	4	2
	101-111	4"	FNPT x FNPT	T-1001	2	1
	101-111NL	4"	FNPT x FNPT	T-1001NL	2	1



S-1001NL

No Lead Forged Brass Full Port Ball Valve

Traditional & no lead forged brass,
 Third-party tested and certified;
 NSF/ANSI 61 (T/S-1001NL)
 Conforms to MSS SP-110
 400 CWP (2-1/2" - 4")
 600 CWP (1/2" - 2")
 All 150 WSP

101-043	1/2"	Sweat x Sweat	S-1001	100	10
101-043NL	1/2"	Sweat x Sweat	S-1001NL	100	10
101-044	3/4"	Sweat x Sweat	S-1001	60	10
101-044NL	3/4"	Sweat x Sweat	S-1001NL	60	10
101-045	1"	Sweat x Sweat	S-1001	36	6
101-045NL	1"	Sweat x Sweat	S-1001NL	36	6
101-046	1-1/4"	Sweat x Sweat	S-1001	24	4
101-046NL	1-1/4"	Sweat x Sweat	S-1001NL	24	4

Certifications	Part No.	Size	Configuration	Model	Cs.	Ct.
S-1001NL ...Continued	101-047	1-1/2"	Sweat x Sweat	S-1001	16	4
	101-047NL	1-1/2"	Sweat x Sweat	S-1001NL	16	4
	101-048	2"	Sweat x Sweat	S-1001	10	2
	101-048NL	2"	Sweat x Sweat	S-1001NL	10	2
	101-209	2-1/2"	Sweat x Sweat	S-1001	6	2
	101-209NL	2-1/2"	Sweat x Sweat	S-1001	6	2
	101-210	3"	Sweat x Sweat	S-1001	4	2
	101-210NL	3"	Sweat x Sweat	S-1001NL	4	2
	101-211	4"	Sweat x Sweat	S-1001*	4	1
	*Note: The 4" S-1001 has a conventional port.					



T-1004NL

No Lead Forged Brass Pro Pattern Full Port Ball Valve with Cubic Ball

Traditional & no lead forged brass
Third-party tested and certified;
NSF/ANSI 61 (T/S-1004NL)
CSA 1/2, 5, 175 PSIG certified
UL listed (1/2" - 2" T-1004)
FM approved (1/2" - 2" T-1004 / T-1004NL)
Conforms to MSS SP-110
600 CWP
150 WSP



Cubic Ball

101-013	1/2"	FNPT x FNPT	T-1004	100	10
101-013NL	1/2"	FNPT x FNPT	T-1004NL	100	10
101-014	3/4"	FNPT x FNPT	T-1004	100	10
101-014NL	3/4"	FNPT x FNPT	T-1004NL	100	10
101-015	1"	FNPT x FNPT	T-1004	50	10
101-015NL	1"	FNPT x FNPT	T-1004NL	50	10
101-016	1-1/4"	FNPT x FNPT	T-1004	20	10
101-016NL	1-1/4"	FNPT x FNPT	T-1004NL	20	10
101-017	1-1/2"	FNPT x FNPT	T-1004	20	4
101-017NL	1-1/2"	FNPT x FNPT	T-1004NL	20	4
101-018	2"	FNPT x FNPT	T-1004	20	4
101-018NL	2"	FNPT x FNPT	T-1004NL	20	4

T-1002NL

No Lead Forged Brass Full Port Ball Valve, Gland Follower Design

Traditional & no lead forged brass
Third-party tested and certified;
NSF/ANSI 61 (T/S-1002NL)
CSA 1/2, 5, 175 PSIG certified
UL listed (1/2" - 2" T-1002)
FM approved (1/2" - 2" T-1002)
Conforms to MSS SP-110
600 CWP (1/4" - 3")
150 WSP



101-061	1/4"	FNPT x FNPT	T-1002	180	10
101-061NL	1/4"	FNPT x FNPT	T-1002NL	180	10
101-062	3/8"	FNPT x FNPT	T-1002	180	10
101-062NL	3/8"	FNPT x FNPT	T-1002NL	180	10
101-063	1/2"	FNPT x FNPT	T-1002	120	10
101-063NL	1/2"	FNPT x FNPT	T-1002NL	120	10
101-064	3/4"	FNPT x FNPT	T-1002	90	10
101-064NL	3/4"	FNPT x FNPT	T-1002NL	90	10
101-065	1"	FNPT x FNPT	T-1002	60	6
101-065NL	1"	FNPT x FNPT	T-1002NL	60	6
101-066	1-1/4"	FNPT x FNPT	T-1002	36	4
101-066NL	1-1/4"	FNPT x FNPT	T-1002NL	36	4
101-067	1-1/2"	FNPT x FNPT	T-1002	24	4
101-067NL	1-1/2"	FNPT x FNPT	T-1002NL	24	4

T-1002NL

...Continued



101-068	2"	FNPT x FNPT	T-1002	12	2
101-068NL	2"	FNPT x FNPT	T-1002NL	12	2
101-069	2-1/2"	FNPT x FNPT	T-1002	8	2
101-069NL	2-1/2"	FNPT x FNPT	T-1002NL	8	2
101-070	3"	FNPT x FNPT	T-1002	6	2
101-070NL	3"	FNPT x FNPT	T-1002NL	6	2

S-1002NL

**No Lead Forged Brass
Full Port Ball Valve, Gland
Follower Design**

Traditional & no lead forged brass
Third-party tested and certified;
NSF/ANSI 61 (T/S-1002NL)
Conforms to MSS SP-110
600 CWP (3/8" – 3")
150 WSP



101-082	3/8"	Sweat x Sweat	S-1002	180	10
101-082NL	3/8"	Sweat x Sweat	S-1002NL	180	10
101-083	1/2"	Sweat x Sweat	S-1002	120	10
101-083NL	1/2"	Sweat x Sweat	S-1002NL	120	10
101-084	3/4"	Sweat x Sweat	S-1002	90	10
101-084NL	3/4"	Sweat x Sweat	S-1002NL	90	10
101-085	1"	Sweat x Sweat	S-1002	60	6
101-085NL	1"	Sweat x Sweat	S-1002NL	60	6
101-086	1-1/4"	Sweat x Sweat	S-1002	36	4
101-086NL	1-1/4"	Sweat x Sweat	S-1002NL	36	4
101-087	1-1/2"	Sweat x Sweat	S-1002	24	4
101-087NL	1-1/2"	Sweat x Sweat	S-1002NL	24	4
101-088	2"	Sweat x Sweat	S-1002	12	2
101-088NL	2"	Sweat x Sweat	S-1002NL	12	2
101-089	2-1/2"	Sweat x Sweat	S-1002	8	2
101-089NL	2-1/2"	Sweat x Sweat	S-1002NL	8	2
101-090	3"	Sweat x Sweat	S-1002	6	2
101-090NL	3"	Sweat x Sweat	S-1002NL	6	2

T-2000NL

**No Lead DZR Forged Brass
Full Port Ball Valve**

Third-party tested and certified;
NSF/ANSI 61 (T/S-2000NL)
CSA 1/2, 5, 175 PSIG certified
UL listed (1/2" - 2" T-2000 / T-2000NL)
FM approved (1/2" - 2" T-1002 / T-2000NL)
Conforms to MSS SP-110
600 CWP (1/4" – 2")
400 CWP (2-1/2" – 4")
150 WSP



101-411	1/4"	FNPT x FNPT	T-2000	120	12
101-411NL	1/4"	FNPT x FNPT	T-2000NL	120	12
101-412	3/8"	FNPT x FNPT	T-2000	120	12
101-412NL	3/8"	FNPT x FNPT	T-2000NL	120	12
101-413	1/2"	FNPT x FNPT	T-2000	100	10
101-413NL	1/2"	FNPT x FNPT	T-2000NL	100	10
101-414	3/4"	FNPT x FNPT	T-2000	64	8
101-414NL	3/4"	FNPT x FNPT	T-2000NL	64	8
101-415	1"	FNPT x FNPT	T-2000	30	6
101-415NL	1"	FNPT x FNPT	T-2000NL	30	6
101-416	1-1/4"	FNPT x FNPT	T-2000	24	6
101-416NL	1-1/4"	FNPT x FNPT	T-2000NL	24	6
101-417	1-1/2"	FNPT x FNPT	T-2000	16	4
101-417NL	1-1/2"	FNPT x FNPT	T-2000NL	16	4
101-418	2"	FNPT x FNPT	T-2000	8	2
101-418NL	2"	FNPT x FNPT	T-2000NL	8	2

Certifications	Part No.	Size	Configuration	Model	Cs.	Ct.
T-2000NL ...Continued	101-419	2-1/2"	FNPT x FNPT	T-2000	4	2
	101-419NL	2-1/2"	FNPT x FNPT	T-2000NL	4	2
	101-420	3"	FNPT x FNPT	T-2000	4	2
	101-420NL	3"	FNPT x FNPT	T-2000NL	4	2
	101-421	4"	FNPT x FNPT	T-2000	2	1
	101-421NL	4"	FNPT x FNPT	T-2000NL	2	1

S-2000NL**No Lead DZR Forged Brass
Full Port Ball Valve**

Third-party tested and certified;
NSF/ANSI 61 (T/S-2000NL)
Conforms to MSS SP-110
600 CWP (1/4" – 2")
400 CWP (2-1/2" – 4")
150 WSP



101-423	1/2"	Sweat x Sweat	S-2000	100	10
101-423NL	1/2"	Sweat x Sweat	S-2000NL	100	10
101-424	3/4"	Sweat x Sweat	S-2000	64	8
101-424NL	3/4"	Sweat x Sweat	S-2000NL	64	8
101-425	1"	Sweat x Sweat	S-2000	30	6
101-425NL	1"	Sweat x Sweat	S-2000NL	30	6
101-426	1-1/4"	Sweat x Sweat	S-2000	24	6
101-426NL	1-1/4"	Sweat x Sweat	S-2000NL	24	6
101-427	1-1/2"	Sweat x Sweat	S-2000	16	4
101-427NL	1-1/2"	Sweat x Sweat	S-2000NL	16	4
101-428	2"	Sweat x Sweat	S-2000	8	2
101-428NL	2"	Sweat x Sweat	S-2000NL	8	2
101-429	2-1/2"	Sweat x Sweat	S-2000	4	2
101-429NL	2-1/2"	Sweat x Sweat	S-2000NL	4	2
101-430	3"	Sweat x Sweat	S-2000	4	2
101-430NL	3"	Sweat x Sweat	S-2000NL	4	2
101-431	4"	Sweat x Sweat	S-2000	2	1
101-431NL	4"	Sweat x Sweat	S-2000NL	2	1

T-2000MxSNL**No Lead DZR Forged Brass
Full Port MNPT x Sweat
Transition Ball Valve**

Third-party tested and certified;
NSF/ANSI 61 (T/S-2000NL)
600 CWP
150 WSP



101-684NL	3/4"	MNPT x Sweat	T-2000MxSNL	64	8
-----------	------	--------------	-------------	----	---

T-2001NL**No Lead DZR Forged Brass Full Port Ball Valve**

Third-party tested and certified;
NSF/ANSI 61 (T/S-2001NL)
CSA 1/2, 5, 125 PSIG certified
600 CWP



Certifications	Part No.	Size	Configuration	Model	Cs.	Ct.
	101-323NL	1/2"	FNPT x FNPT	T-2001NL	30	6
	101-324NL	3/4"	FNPT x FNPT	T-2001NL	30	6
	101-325NL	1"	FNPT x FNPT	T-2001NL	30	6
	101-326NL	1-1/4"	FNPT x FNPT	T-2001NL	30	6
	101-327NL	1-1/2"	FNPT x FNPT	T-2001NL	30	6
	101-328NL	2"	FNPT x FNPT	T-2001NL	6	2

S-2001NL**No Lead DZR Forged Brass Full Port Ball Valve**

Third-party tested and certified;
NSF/ANSI 61 (T/S-1001NL)
Conforms to MSS SP-110
600 CWP (1/2" – 2")



	101-333NL	1/2"	Sweat x Sweat	S-2001NL	30	6
	101-334NL	3/4"	Sweat x Sweat	S-2001NL	30	6
	101-335NL	1"	Sweat x Sweat	S-2001NL	30	6
	101-336NL	1-1/4"	Sweat x Sweat	S-2001NL	30	6
	101-337NL	1-1/2"	Sweat x Sweat	S-2001NL	30	6
	101-338NL	2"	Sweat x Sweat	S-2001NL	30	6

T-901NL**No Lead Cast Bronze Full Port Ball Valve**

Third-party tested and certified;
NSF/ANSI 61 (T/S-901NL)
Conforms to MSS SP-110
600 CWP
150 WSP



	101-221	1/4"	FNPT x FNPT	T-901	180	10
	101-221NL	1/4"	FNPT x FNPT	T-901NL	180	10
	101-222	3/8"	FNPT x FNPT	T-901	180	10
	101-222NL	3/8"	FNPT x FNPT	T-901NL	180	10
	101-223	1/2"	FNPT x FNPT	T-901	120	10
	101-223NL	1/2"	FNPT x FNPT	T-901NL	120	10
	101-224	3/4"	FNPT x FNPT	T-901	90	10
	101-224NL	3/4"	FNPT x FNPT	T-901NL	90	10
	101-225	1"	FNPT x FNPT	T-901	60	6
	101-225NL	1"	FNPT x FNPT	T-901NL	60	10
	101-226	1-1/4"	FNPT x FNPT	T-901	36	4
	101-226NL	1-1/4"	FNPT x FNPT	T-901NL	144	4
	101-227	1-1/2"	FNPT x FNPT	T-901	24	4
	101-227NL	1-1/2"	FNPT x FNPT	T-901NL	96	4
	101-228	2"	FNPT x FNPT	T-901	12	2
	101-228NL	2"	FNPT x FNPT	T-901NL	24	2
	101-229	2-1/2"	FNPT x FNPT	T-901	8	2
	101-230	3"	FNPT x FNPT	T-901	6	2

Certifications	Part No.	Size	Configuration	Model	Cs.	Ct.
S-901NL No Lead Cast Bronze Full Port Ball Valve Third-party tested and certified; NSF/ANSI 61 (T/S-901NL) Conforms to MSS SP-110 600 CWP 150 WSP	101-233	1/2"	Sweat x Sweat	S-901	120	10
	101-233NL	1/2"	Sweat x Sweat	S-901NL	120	10
	101-234	3/4"	Sweat x Sweat	S-901	90	10
	101-234NL	3/4"	Sweat x Sweat	S-901NL	90	10
	101-235	1"	Sweat x Sweat	S-901	60	6
	101-235NL	1"	Sweat x Sweat	S-901NL	60	6
	101-236	1-1/4"	Sweat x Sweat	S-901	36	4
	101-236NL	1-1/4"	Sweat x Sweat	S-901NL	36	4
	101-237	1-1/2"	Sweat x Sweat	S-901	24	4
	101-237NL	1-1/2"	Sweat x Sweat	S-901NL	24	4
	101-238	2"	Sweat x Sweat	S-901	12	2
	101-238NL	2"	Sweat x Sweat	S-901NL	12	2



Commercial - Stainless Steel Ball Valves

T-717

316 Stainless Steel Three-Piece Full Port Ball Valve with Locking Device

1000 CWP
150 WSP
Naturally lead free



113-161	1/4"	FNPT x FNPT	T-717	48	12
113-162	3/8"	FNPT x FNPT	T-717	48	12
113-163	1/2"	FNPT x FNPT	T-717	36	9
113-164	3/4"	FNPT x FNPT	T-717	32	8
113-165	1"	FNPT x FNPT	T-717	24	6
113-166	1-1/4"	FNPT x FNPT	T-717	16	4
113-167	1-1/2"	FNPT x FNPT	T-717	8	2
113-168	2"	FNPT x FNPT	T-717	8	2

T-712

316 Stainless Steel Two-Piece Full Port Ball Valve with Locking Device

1000 CWP
150 WSP
Naturally lead free



113-141	1/4"	FNPT x FNPT	T-712	80	10
113-142	3/8"	FNPT x FNPT	T-712	80	10
113-143	1/2"	FNPT x FNPT	T-712	60	10
113-144	3/4"	FNPT x FNPT	T-712	60	10
113-145	1"	FNPT x FNPT	T-712	36	6
113-146	1-1/4"	FNPT x FNPT	T-712	24	6
113-147	1-1/2"	FNPT x FNPT	T-712	12	2
113-148	2"	FNPT x FNPT	T-712	8	2
113-109	2-1/2"	FNPT x FNPT; Dual Pads	T-712	2	1
113-110	3"	FNPT x FNPT; Dual Pads	T-712	2	1
113-111	4"	FNPT x FNPT; Dual Pads	T-712	1	1

T-715

316 Stainless Steel Two-Piece Large Port Ball Valve with Locking Device

2000 CWP (1/4" - 1")
1500 CWP (1-1/4" - 2")
150 WSP
Naturally lead free



113-101	1/4"	FNPT x FNPT	T-715	80	10
113-102	3/8"	FNPT x FNPT	T-715	80	10
113-103	1/2"	FNPT x FNPT	T-715	60	10
113-104	3/4"	FNPT x FNPT	T-715	60	10
113-105	1"	FNPT x FNPT	T-715	36	6
113-106	1-1/4"	FNPT x FNPT	T-715	24	4
113-107	1-1/2"	FNPT x FNPT	T-715	16	4
113-108	2"	FNPT x FNPT	T-715	8	2

Certifications	Part No.	Size	Configuration	Model	Cs.	Ct.
T-710 316 Stainless Steel One-Piece Conventional Port Ball Valve with Locking Device 800 CWP 150 WSP Naturally lead free	113-120	1/8"	FNPT x FNPT; No Lock	T-710	160	10
	113-121	1/4"	FNPT x FNPT	T-710	160	10
	113-122	3/8"	FNPT x FNPT	T-710	160	10
	113-123	1/2"	FNPT x FNPT	T-710	100	10
	113-124	3/4"	FNPT x FNPT	T-710	80	10
	113-125	1"	FNPT x FNPT	T-710	48	6
	113-126	1-1/4"	FNPT x FNPT	T-710	24	6
	113-127	1-1/2"	FNPT x FNPT	T-710	12	4
	113-128	2"	FNPT x FNPT	T-710	8	2



Commercial - Carbon Steel Ball Valves

T-730 Carbon Steel Two-Piece Full Port Ball Valve Naturally Lead Free 2000 CWP (1/4" - 1") 1500 CWP (1-1/4" - 2") 150 WSP Conforms to MSS SP-110	113-221	1/4"	FNPT x FNPT	T-730	80	10
	113-222	3/8"	FNPT x FNPT	T-730	80	10
	113-223	1/2"	FNPT x FNPT	T-730	60	10
	113-224	3/4"	FNPT x FNPT	T-730	60	10
	113-225	1"	FNPT x FNPT	T-730	36	6
	113-226	1-1/4"	FNPT x FNPT	T-730	24	6
	113-227	1-1/2"	FNPT x FNPT	T-730	12	2
	113-228	2"	FNPT x FNPT	T-730	8	2



T-725 Carbon Steel Two-Piece Large Port Ball Valve Naturally Lead Free 2000 CWP (1/4" - 1") 1500 CWP (1-1/4" - 2") 150 WSP	113-211	1/4"	FNPT x FNPT	T-725	80	10
	113-212	3/8"	FNPT x FNPT	T-725	80	10
	113-213	1/2"	FNPT x FNPT	T-725	60	10
	113-214	3/4"	FNPT x FNPT	T-725	60	10
	113-215	1"	FNPT x FNPT	T-725	36	6
	113-216	1-1/4"	FNPT x FNPT	T-725	24	4
	113-217	1-1/2"	FNPT x FNPT	T-725	16	4
	113-218	2"	FNPT x FNPT	T-725	8	2



T-720 Carbon Steel One-Piece Conventional Port Ball Valve Naturally Lead Free 2000 CWP 150 WSP	113-201	1/4"	FNPT x FNPT	T-720	160	10
	113-202	3/8"	FNPT x FNPT	T-720	160	10
	113-203	1/2"	FNPT x FNPT	T-720	60	10
	113-204	3/4"	FNPT x FNPT	T-720	40	10
	113-205	1"	FNPT x FNPT	T-720	36	6
	113-206	1-1/4"	FNPT x FNPT	T-720	24	6
	113-207	1-1/2"	FNPT x FNPT	T-720	16	4
	113-208	2"	FNPT x FNPT	T-720	8	2



1



3

4

6

7

○

0

10

14

11



T-2102N

P: 800.752.2082 | **LEGEND**[®] | 13

Certifications	Part No.	Size	Configuration	Model	Cs.	Ct.
----------------	----------	------	---------------	-------	-----	-----

S-2102NL

...Continued



S-2102NL

101-706NL	1/2"	Sweat x Sweat	S-2102NL	120	10
101-707NL	3/4"	Sweat x Sweat	S-2102NL	60	10
101-708NL	1"	Sweat x Sweat	S-2102NL	36	6

T-1002ST

Forged Brass Full Port Ball Valve with Stainless Steel Ball and Stem

Third-party tested and certified;
CSA 1/2, 5, 175 PSIG certified
UL listed, FM approved
600 CWP
150 WSP



101-723	1/2"	FNPT x FNPT	T-1002ST	120	10
101-724	3/4"	FNPT x FNPT	T-1002ST	90	10
101-725	1"	FNPT x FNPT	T-1002ST	60	6
101-726	1-1/4"	FNPT x FNPT	T-1002ST	36	4
101-727	1-1/2"	FNPT x FNPT	T-1002ST	24	4
101-728	2"	FNPT x FNPT	T-1002ST	12	2

.304 Stainless steel ball and stem. Stainless steel handle sold separately.

T-1002STLD

Forged Brass Full Port Ball Valve with Stainless Steel Ball and Stem with Locking Device

Third-party tested and certified;
CSA 1/2, 5, 175 PSIG certified
UL listed, FM approved
600 CWP
150 WSP



101-733	1/2"	FNPT x FNPT	T-1002STLD	120	10
101-734	3/4"	FNPT x FNPT	T-1002STLD	90	10
101-735	1"	FNPT x FNPT	T-1002STLD	60	6
101-736	1-1/4"	FNPT x FNPT	T-1002STLD	4	1
101-737	1-1/2"	FNPT x FNPT	T-1002STLD	24	4
101-738	2"	FNPT x FNPT	T-1002STLD	12	2

.304 Stainless steel ball and stem.

T-1002CC

Forged Brass Full Port Ball Valve with Cap and Chain

Third-party tested and certified;
600 CWP
Garden Hose Thread



101-570	3/4"	FNPT x MGHT	T-1002CC	50	10
---------	------	-------------	----------	----	----

T-1002LD

Forged Brass Full Port Ball Valve with Locking Device

Third-party tested and certified;
CSA 1/2, 5, 175 PSIG certified
UL listed (1/2" - 2")
FM approved (1/2" - 2")
600 CWP
150 WSP



101-611	1/4"	FNPT x FNPT	T-1002LD	180	10
101-612	3/8"	FNPT x FNPT	T-1002LD	180	10
101-613	1/2"	FNPT x FNPT	T-1002LD	120	10
101-614	3/4"	FNPT x FNPT	T-1002LD	90	10
101-615	1"	FNPT x FNPT	T-1002LD	60	6
101-616	1-1/4"	FNPT x FNPT	T-1002LD	36	4
101-617	1-1/2"	FNPT x FNPT	T-1002LD	24	4
101-618	2"	FNPT x FNPT	T-1002LD	12	2

Certifications	Part No.	Size	Configuration	Model	Cs.	Ct.
T-1007 Forged Brass Full Port FNPT x Sweat Ball Valve 600 CWP 150 WSP	101-623	1/2"	FNPT x Sweat	T-1007	120	10
	101-624	3/4"	FNPT x Sweat	T-1007	90	10
	101-625	1"	FNPT x Sweat	T-1007	60	6



For connecting boilers to copper tube.

T-1001LDNL

No Lead Forged Brass Full Port Ball Valve with Locking Device

Third-party tested and certified;
 NSF/ANSI 61 (T/S-1001LDNL)
 CSA 1/2, 5, 175 PSIG certified
 UL listed (1/2" - 2" T-1001LD / T-1001LDNL)
 FM approved (1/2"-2" T-1001LD / T-1001LDNL)
 Conforms to MSS SP-110
 600 CWP
 150 WSP



101-053	1/2"	FNPT x FNPT	T-1001LD	100	10
101-053NL	1/2"	FNPT x FNPT	T-1001LDNL	100	10
101-054	3/4"	FNPT x FNPT	T-1001LD	100	10
101-054NL	3/4"	FNPT x FNPT	T-1001LDNL	100	10
101-055	1"	FNPT x FNPT	T-1001LD	50	10
101-055NL	1"	FNPT x FNPT	T-1001LDNL	50	10
101-056	1-1/4"	FNPT x FNPT	T-1001LD	20	10
101-056NL	1-1/4"	FNPT x FNPT	T-1001LDNL	20	10
101-057	1-1/2"	FNPT x FNPT	T-1001LD	20	4
101-057NL	1-1/2"	FNPT x FNPT	T-1001LDNL	20	4
101-058	2"	FNPT x FNPT	T-1001LD	20	4
101-058NL	2"	FNPT x FNPT	T-1001LDNL	20	4

T-1001TNL / S-1001TNL

No Lead Forged Brass Full Port Ball Valve with Tee Handle

Third-party tested and certified;
 NSF/ANSI 61 (T/S-1001TNL)
 CSA 1/2, 5, 175 PSIG certified (T-1001TNL)
 UL listed (1/2"- 1" T-1001T / T- 1001TNL)
 FM approved (T-1001T / T-1001TNL)
 Conforms to MSS SP-110
 600 CWP, 150 WSP



T-1001TNL



S-1001TNL

101-653	1/2"	FNPT x FNPT	T-1001T	100	10
101-653NL	1/2"	FNPT x FNPT	T-1001TNL	100	10
101-654	3/4"	FNPT x FNPT	T-1001T	100	10
101-654NL	3/4"	FNPT x FNPT	T-1001TNL	100	10
101-655	1"	FNPT x FNPT	T-1001T	50	5
101-655NL	1"	FNPT x FNPT	T-1001TNL	50	5
101-633	1/2"	Sweat x Sweat	S-1001T	100	10
101-633NL	1/2"	Sweat x Sweat	S-1001TNL	100	10
101-634	3/4"	Sweat x Sweat	S-1001T	60	10
101-634NL	3/4"	Sweat x Sweat	S-1001TNL	60	10
101-635	1"	Sweat x Sweat	S-1001T	36	6
101-635NL	1"	Sweat x Sweat	S-1001TNL	36	6

Certifications	Part No.	Size	Configuration	Model	Cs.	Ct.
----------------	----------	------	---------------	-------	-----	-----

T-1009NL

No Lead Forged Brass Full Port Compression Ball Valve

Third-party tested and certified;
NSF/ANSI 61
600 CWP



101-643NL	1/2"	Comp. (CTS) x Comp. (CTS)	T-1009NL	100	10
101-644NL	3/4"	Comp. (CTS) x Comp. (CTS)	T-1009NL	60	10
101-645NL	1"	Comp. (CTS) x Comp. (CTS)	T-1009NL	36	6

T-2009NL

No Lead Forged Brass Full Port Compression Ball Valve

Third-party tested and certified;
NSF/ANSI 61
600 CWP



101-453NL	1/2"	Comp. (CTS) x Comp. (CTS)	T-2009NL	96	12
101-454NL	3/4"	Comp. (CTS) x Comp. (CTS)	T-2009NL	64	8
101-455NL	1"	Comp. (CTS) x Comp. (CTS)	T-2009NL	36	6

T-2002NL

No Lead Forged Brass Full Port Compression Ball Valve with Drain

Third-party tested and certified;
NSF/ANSI 61
600 CWP



101-433NL	1/2"	Comp. (CTS) x Comp. (CTS)	T-2002NL	80	10
101-434NL	3/4"	Comp. (CTS) x Comp. (CTS)	T-2002NL	48	6
101-435NL	1"	Comp. (CTS) x Comp. (CTS)	T-2002NL	24	6

T-2100

Forged Brass Full Port Three-Way Ball Valve

600 CWP, 150 WSP
L-port style



101-441	1/4"	FNPT x FNPT x FNPT	T-2100	100	10
101-442	3/8"	FNPT x FNPT x FNPT	T-2100	100	10
101-443	1/2"	FNPT x FNPT x FNPT	T-2100	60	6
101-444	3/4"	FNPT x FNPT x FNPT	T-2100	48	6
101-445	1"	FNPT x FNPT x FNPT	T-2100	24	6
101-446	1-1/4"	FNPT x FNPT x FNPT	T-2100	16	2
101-447	1-1/2"	FNPT x FNPT x FNPT	T-2100	12	2
101-448	2"	FNPT x FNPT x FNPT	T-2100	6	2

Certifications	Part No.	Size	Configuration	Model	Cs.	Ct.
T-2010NL No Lead DZR Forged Brass Full Port FNPT x Insert Transition Ball Valve Third-party tested and certified; NSF/ANSI 61 600 CWP	101-314NL	3/4"	FNPT x Insert	T-2010NL	48	8
	101-315NL	1"	FNPT x Insert	T-2010NL	36	6
	101-316NL	1-1/4"	FNPT x Insert	T-2010NL	24	4

For connecting polyethylene pipe (SIDR 7 & 11) on well systems.



Insta-Loc II® Push-Fit Ball Valves

P-2200NL

Insta-Loc II® No Lead DZR Forged Push Fit Ball Valve

Third-party tested and certified;
NSF/ANSI 14 / 61
ASSE 1061
200 CWP



456-003NL	1/2"	Rmv. Push x Rmv. Push	P-2200NL	100	10
456-004NL	3/4"	Rmv. Push x Rmv. Push	P-2200NL	100	10
456-005NL	1"	Rmv. Push x Rmv. Push	P-2200NL	50	5

P-2200NL Push x FNPT

Insta-Loc II® No Lead DZR Forged Push Fit x FNPT Ball Valve

Third-party tested and certified;
NSF/ANSI 14 / 61
ASSE 1061
200 CWP



456-013NL	1/2"	Rmv. Push x FNPT	P-2200NL	100	10
456-014NL	3/4"	Rmv. Push x FNPT	P-2200NL	100	10
456-015NL	1"	Rmv. Push x FNPT	P-2200NL	50	5

P-2200NL Drop Ear

Insta-Loc II® No Lead DZR Forged Push Fit Drop Ear Ball Valve

Third-party tested and certified;
NSF/ANSI 14 / 61
ASSE 1061
200 CWP




456-023NL	1/2"	Rmv. Push x Rmv. Push	P-2200NL	100	10
456-024NL	3/4"	Rmv. Push x Rmv. Push	P-2200NL	100	10
456-025NL	1"	Rmv. Push x Rmv. Push	P-2200NL	50	5

F1807 & F1960 PEX Ball Valves



Legend offers a wide range of PEX ball valves that are compatible with both residential and commercial PE-RT and PEX plumbing systems. We offer both crimp/cinch PEX and cold expansion PEX configurations to suit either need.

Our PEX ball valves are constructed with no lead DZR forged brass, making them an ideal choice for potable water systems.




Certifications	Part No.	Size	Configuration	Model	Cs.	Ct.
----------------	----------	------	---------------	-------	-----	-----

T-805NL / T-806NL

No Lead Forged Brass Crimp/Cinch PEX Ball Valves

Third-party tested and certified;
NSF/ANSI 61
400 CWP



T-806NL Ball Valve with Lever Handle

101-582NL	3/8"	PEX (F1807) x PEX (F1807)	T-806NL	100	10
101-585NL	1/2"	PEX (F1807) x PEX (F1807)	T-806NL	100	10
101-586NL	3/4"	PEX (F1807) x PEX (F1807)	T-806NL	100	10
101-587NL	1"	PEX (F1807) x PEX (F1807)	T-806NL	50	5

T-805NL Sweat x F1807 PEX Transition Ball Valve with Tee Handle

101-583NL	1/2"	Sweat x PEX (F1807)	T-805NL	100	50
101-584NL	3/4"	Sweat x PEX (F1807)	T-805NL	100	50

T-805NL MNPT x F1807 PEX Transition Ball Valve with Tee Handle

101-580NL	1/2"	MNPT x PEX (F1807)	T-805NL	100	1
101-581NL	3/4"	MNPT x PEX (F1807)	T-805NL	100	50

T-2005NL / T-2006NL T-2007NL / T-2008NL

No Lead DZR Forged Brass Crimp/Cinch PEX Ball Valves

Third-party tested and certified;
NSF/ANSI 61 & 14
ASTM F1807
400 CWP



T-2006NL F1807 PEX Ball Valve

101-593NL	1/2"	PEX (F1807) x PEX (F1807)	T-2006NL	100	10
101-594NL	3/4"	PEX (F1807) x PEX (F1807)	T-2006NL	100	10
101-595NL	1"	PEX (F1807) x PEX (F1807)	T-2006NL	60	12
101-588NL	1-1/4"	PEX (F1807) x PEX (F1807)	T-2006NL	40	10
101-573NL	1-1/2"	PEX (F1807) x PEX (F1807)	T-2006NL	16	4
101-574NL	2"	PEX (F1807) x PEX (F1807)	T-2006NL	8	2

T-2006NL F1807 PEX Ball Valve with Tee Handle

101-579NL	1/2"	PEX (F1807) x PEX (F1807)	T-2006NL	100	10
101-589NL	3/4"	PEX (F1807) x PEX (F1807)	T-2006NL	100	10

T-2007NL F1807 PEX Ball Valve with Tee Handle and Drain

101-596NL	1/2"	PEX (F1807) x PEX (F1807)	T-2007NL	80	8
101-597NL	3/4"	PEX (F1807) x PEX (F1807)	T-2007NL	80	8
101-598NL	1"	PEX (F1807) x PEX (F1807)	T-2007NL	64	8

Certifications	Part No.	Size	Configuration	Model	Cs.	Ct.
----------------	----------	------	---------------	-------	-----	-----

T-2005NL / T-2006NL T-2007NL / T-2008NL

...Continued



T-2008NL



T-2005NL
F1807 PEX x MNPT



T-2007NL
F1807 PEX x Sweat



T-2007NL
F1807 x Sweat w/Drain

T-2008NL F1807 PEX Drop Ear Ball Valve

101-576NL	1/2"	PEX (F1807) x PEX (F1807)	T-2008NL	80	8
101-577NL	3/4"	PEX (F1807) x PEX (F1807)	T-2008NL	64	8
101-578NL	1"	PEX (F1807) x PEX (F1807)	T-2008NL	36	6

T-2005NL F1807 PEX x MNPT Transition Ball Valve

101-590NL	1/2"	PEX (F1807) x MNPT	T-2005NL	100	10
101-591NL	3/4"	PEX (F1807) x MNPT	T-2005NL	80	8
101-592NL	1"	PEX (F1807) x MNPT	T-2005NL	48	6

T-2007NL F1807 PEX x Sweat Transition Ball Valve

101-500NL	1/2"	PEX (F1807) x Sweat	T-2007NL	100	10
101-501NL	3/4"	PEX (F1807) x Sweat	T-2007NL	80	8
101-502NL	1"	PEX (F1807) x Sweat	T-2007NL	50	5

T-2007NL F1807 PEX x Sweat Transition Ball Valve with Drain

101-600NL	1/2"	PEX (F1807) x Sweat	T-2007NL	100	10
101-601NL	3/4"	PEX (F1807) x Sweat	T-2007NL	80	8
101-602NL	1"	PEX (F1807) x Sweat	T-2007NL	48	6

P-2006NL

LegendPress® No Lead Forged Brass Crimp/Cinch PEX Transition Ball Valve

Third-party tested and certified;
NSF/ANSI 61
200 CWP



101-383NL	1/2"	Press x PEX (F1807)	P-2006NL	80	10
101-384NL	3/4"	Press x PEX (F1807)	P-2006NL	64	8
101-385NL	1"	Press x PEX (F1807)	P-2006NL	48	6
101-386NL	1-1/4"	Press x PEX (F1807)	P-2006NL	24	6
101-387NL	1-1/2"	Press x PEX (F1807)	P-2006NL	16	4
101-388NL	2"	Press x PEX (F1807)	P-2006NL	8	2

P-1960NL

LegendPress® No Lead Forged Brass Cold Expansion PEX Transition Ball Valve

Third-party tested and certified;
NSF/ANSI 61
200 CWP



101-393NL	1/2"	Press x PEX (F1960)	P-1960NL	80	10
101-394NL	3/4"	Press x PEX (F1960)	P-1960NL	64	8
101-395NL	1"	Press x PEX (F1960)	P-1960NL	48	6
101-396NL	1-1/4"	Press x PEX (F1960)	P-1960NL	24	6
101-397NL	1-1/2"	Press x PEX (F1960)	P-1960NL	16	4
101-398NL	2"	Press x PEX (F1960)	P-1960NL	8	2

T-1960NL

No Lead DZR Forged Brass Cold Expansion PEX Ball Valve

Third-party tested and certified;
NSF/ANSI 61 & 14
ASTM F1960
400 CWP



T-2006NL

T-1960NL
Drop EarT-1960NL
Drop Ear w/DrainT-1960NL
F1960 PEX x MNPTT-1960NL
F1960 PEX x Sweat

T-1960NL F1960 PEX Ball Valve

101-543NL	1/2"	PEX (F1960) x PEX (F1960)	T-1960NL	100	10
101-544NL	3/4"	PEX (F1960) x PEX (F1960)	T-1960NL	100	10
101-545NL	1"	PEX (F1960) x PEX (F1960)	T-1960NL	60	12
101-546NL	1-1/4"	PEX (F1960) x PEX (F1960)	T-1960NL	24	6
101-547NL	1-1/2"	PEX (F1960) x PEX (F1960)	T-1960NL	16	4
101-548NL	2"	PEX (F1960) x PEX (F1960)	T-1960NL	8	2
101-549NL	2-1/2"	PEX (F1960) x PEX (F1960)	T-1960NL	4	2
101-560NL	3"	PEX (F1960) x PEX (F1960)	T-1960NL	4	2

T-1960NL F1960 PEX Drop Ear Ball Valve

101-483NL	1/2"	PEX (F1960) x PEX (F1960)	T-1960NL	48	6
101-484NL	3/4"	PEX (F1960) x PEX (F1960)	T-1960NL	48	6
101-485NL	1"	PEX (F1960) x PEX (F1960)	T-1960NL	36	6

T-1960NL F1960 PEX Drop Ear Ball Valve with Drain

101-563NL	1/2"	PEX (F1960) x PEX (F1960)	T-1960NL	48	6
101-564NL	3/4"	PEX (F1960) x PEX (F1960)	T-1960NL	48	6
101-565NL	1"	PEX (F1960) x PEX (F1960)	T-1960NL	36	6

T-1960NL F1960 PEX x MNPT Transition Ball Valve

101-463NL	1/2"	PEX (F1960) x MNPT	T-1960NL	100	10
101-464NL	3/4"	PEX (F1960) x MNPT	T-1960NL	80	8
101-465NL	1"	PEX (F1960) x MNPT	T-1960NL	48	6

T-1960NL F1960 PEX x Sweat Transition Ball Valve

101-473NL	1/2"	PEX (F1960) x Sweat	T-1960NL	100	10
101-474NL	3/4"	PEX (F1960) x Sweat	T-1960NL	80	8
101-475NL	1"	PEX (F1960) x Sweat	T-1960NL	48	6

Isolation Ball Valves

T-1002FLG / S-1002FLG

Forged Brass Flanged Isolation Ball Valve

600 CWP
Bolt set included



T-1002FLG



S-1002FLG

101-074	3/4"	FNPT x Flange	T-1002FLG	36	6
101-075	1"	FNPT x Flange	T-1002FLG	32	4
101-076	1-1/4"	FNPT x Flange	T-1002FLG	24	4
101-094	3/4"	Sweat x Flange	S-1002FLG	36	6
101-095	1"	Sweat x Flange	S-1002FLG	32	4
101-096	1-1/4"	Sweat x Flange	S-1002FLG	24	4

Certifications	Part No.	Size	Configuration	Model	Cs.	Ct.
T-2011RFLG / S-2011RFLG / P-2011 Forged Brass Isolation Ball Valve with Rotating Flange 600 CWP Bolt set included	101-274	3/4"	FNPT x Flange	T-2011RFLG	24	1
	101-275	1"	FNPT x Flange	T-2011RFLG	18	1
	101-276	1-1/4"	FNPT x Flange	T-2011RFLG	12	1
	101-294	3/4"	Sweat x Flange	S-2011RFLG	24	1
	101-295	1"	Sweat x Flange	S-2011RFLG	18	1
	101-296	1-1/4"	Sweat x Flange	S-2011RFLG	12	1
	LegendPress® Isolation Ball Valve with Rotating Flange					
	101-284	3/4"	Press x Flange	P-2011		
	101-285	1"	Press x Flange	P-2011		
	101-286	1-1/4"	Press x Flange	P-2011		
<i>Rotating flange allows for ease of installation.</i>						
T-2012RFLG / S-2012RFLG Forged Brass Isolation Ball Valve with Rotating Flange & Purge 600 CWP Bolt set included	101-174	3/4"	FNPT x Flange	T-2012RFLG	24	1
	101-175	1"	FNPT x Flange	T-2012RFLG	18	1
	101-176	1-1/4"	FNPT x Flange	T-2012RFLG	12	1
	101-194	3/4"	Sweat x Flange	S-2012RFLG	24	1
	101-195	1"	Sweat x Flange	S-2012RFLG	18	1
	101-196	1-1/4"	Sweat x Flange	S-2012RFLG	12	1
	<i>Rotating flange allows for ease of installation; purge saves system downtime.</i>					
P-2012RFLG LegendPress® No Lead Forged Brass Full Port Isolation Ball Valve with Rotating Flange Purge 600 CWP Bolt set included	101-174P	3/4"	Press x Flange	P-2012RFLG	24	1
	101-175P	1"	Press x Flange	P-2012RFLG	18	1
	101-176P	1-1/4"	Press x Flange	P-2012RFLG	12	1



Tankless Water Heater Valve Kits

Traditional & no lead forged brass
Third-party tested and certified;
NSF/ANSI 61 (NL only)
600 CWP



NL FNPT TWHV Kit



NL Sweat TWHV Kit



NL F1807 PEX TWHV Kit



NL F1960 PEX TWHV Kit



NL Press TWHV Kit



200K BTU Pressure Relief Valve

Legend's tankless water heater valve kits include a pair of valves: one with blue handles, one with red. We offer kits with an optional 200K BTU pressure relief valve to make ordering parts fast and simple.

NL FNPT Tankless Water Heater Valve Kit

101-150NL	3/4"	FNPT Union x FNPT	16	1
101-156NL	1"	FNPT Union x FNPT	12	1

NL FNPT Tankless Water Heater Valve Kit with Pressure Reducing Valve

101-149NL	3/4"	FNPT Union x FNPT	16	1
101-155NL	1"	FNPT Union x FNPT	12	1

NL Sweat Tankless Water Heater Valve Kit

101-151NL	3/4"	FNPT Union x Sweat	16	1
101-157NL	1"	FNPT Union x Sweat	12	1

NL Sweat Tankless Water Heater Valve Kit with Pressure Reducing Valve

101-154NL	3/4"	FNPT Union x Sweat	16	1
101-160NL	1"	FNPT Union x Sweat	12	1

NL F1807 PEX Tankless Water Heater Valve Kit

101-249NL	3/4"	FNPT Union x PEX (F1807)	16	1
101-250NL	1"	FNPT Union x PEX (F1807)	12	1

NL F1807 PEX Tankless Water Heater Valve Kit with Pressure Reducing Valve

101-251NL	3/4"	FNPT Union x PEX (F1807)	16	1
101-252NL	1"	FNPT Union x PEX (F1807)	12	1

NL F1960 PEX Tankless Water Heater Valve Kit

101-259NL	3/4"	FNPT Union x PEX (F1960)	16	1
101-260NL	1"	FNPT Union x PEX (F1960)	12	1

NL F1960 PEX Tankless Water Heater Valve Kit with Pressure Reducing Valve

101-261NL	3/4"	FNPT Union x PEX (F1960)	16	1
101-262NL	1"	FNPT Union x PEX (F1960)	12	1

NL LegendPress® Tankless Water Heater Valve Kit

101-269NL	3/4"	FNPT Union x Press	16	1
101-270NL	1"	FNPT Union x Press	12	1

NL LegendPress® Tankless Water Heater Valve Kit with Pressure Reducing Valve

101-271NL	3/4"	FNPT Union x Press	16	1
101-272NL	1"	FNPT Union x Press	12	1

No Lead Forged Brass 200K BTU Pressure Relief Valve

111-301NL	3/4"	MNPT	100	1
-----------	------	------	-----	---

Certifications	Part No.	Size	Configuration	Model	Cs.	Ct.
T-565 / T-566 Forged Brass 1/4-Turn Ball-Type Oil Tank Valve						
						
T-565 1/4-Turn Ball-Type MNPT Oil Tank Valve 111-205 1/2" x 3/8" MNPT x MNPT T-565 72 12						
T-566 1/4-Turn Ball-Type Flare x MNPT Oil Tank Valve 111-206 1/2" x 3/8" MNPT x Flare* T-566 72 12						
*Includes flare nut.						
Mini Ball Valves						
T-900NL MNPT x FNPT No Lead Forged Brass Mini Large Port MNPT x FNPT Transition Ball Valve						
Third-party tested and certified; NSF/ANSI 14 / 61 (T-900 MxFNL) CSA 1/2 PSIG certified UL listed (1/2" - 1") - T-900 MNPT x FNPT only; 600 CWP (1/8" - 3/4"), 500 CWP (1" only) 150 WSP						
						
101-520 1/8" MNPT x FNPT T-900 200 20 101-520NL 1/8" MNPT x FNPT T-900NL 200 20 101-521 1/4" MNPT x FNPT T-900 200 20 101-521NL 1/4" MNPT x FNPT T-900NL 200 20 101-522 3/8" MNPT x FNPT T-900 100 10 101-522NL 3/8" MNPT x FNPT T-900NL 100 10 101-523 1/2" MNPT x FNPT T-900 100 10 101-523NL 1/2" MNPT x FNPT T-900NL 100 10 101-524 3/4" MNPT x FNPT T-900 50 5 101-524NL 3/4" MNPT x FNPT T-900NL 50 5 101-525 1" MNPT x FNPT T-900 36 6 101-525NL 1" MNPT x FNPT T-900NL 36 6						
T-900TNL MNPT x FNPT No Lead Forged Brass Mini Large Port MNPT x FNPT Transition Ball Valve with Tee Handle						
Third-party tested and certified; NSF/ANSI 14 / 61 (T-900 MxFNL) CSA 1/2 PSIG certified UL listed (1/2" - 1") - T-900 MNPT x FNPT only; 600 CWP (1/8" - 3/4"), 500 CWP (1" only) 150 WSP						
						
101-530 1/8" MNPT x FNPT T-900T 200 20 101-530NL 1/8" MNPT x FNPT T-900TNL 200 20 101-531 1/4" MNPT x FNPT T-900T 200 20 101-531NL 1/4" MNPT x FNPT T-900TNL 200 20 101-532 3/8" MNPT x FNPT T-900T 100 10 101-532NL 3/8" MNPT x FNPT T-900TNL 100 10 101-533 1/2" MNPT x FNPT T-900T 100 10 101-533NL 1/2" MNPT x FNPT T-900TNL 100 10 101-534 3/4" MNPT x FNPT T-900T 50 5 101-534NL 3/4" MNPT x FNPT T-900TNL 50 10 101-535 1" MNPT x FNPT T-900T 36 6 101-535NL 1" MNPT x FNPT T-900TNL 36 6						

Certifications	Part No.	Size	Configuration	Model	Cs.	Ct.
----------------	----------	------	---------------	-------	-----	-----

T-810

Forged Brass MICRO BALL™ Full Port Small Body Valve

400 CWP, 125 WSP



101-000	1/8"	FNPT x FNPT	T-810	200	20
101-001	1/4"	FNPT x FNPT	T-810	200	20

T-800TNL

Forged Brass MICRO BALL™ Conventional Port Ball Valve

Third-party tested and certified;
NSF/ANSI 61 (T-800TNL)
400 CWP, 125 WSP



101-540	1/8"	FNPT x FNPT	T-800TNL	200	20
101-540NL	1/8"	FNPT x FNPT	T-800TNL	200	20
101-541	1/4"	FNPT x FNPT	T-800TNL	200	20
101-541NL	1/4"	FNPT x FNPT	T-800TNL	200	20

T-801NL

No Lead Cast Brass Conventional Port Ball Valve Test Cock with Screwdriver Slot

Third-party tested and certified;
NSF/ANSI 61 (T-800TNL)
600 CWP



101-550NL	1/4" x 1/8"	FNPT x MNPT	T-801NL	200	20
101-551NL	1/4"	FNPT x MNPT	T-801NL	200	20

Mini Ball Valves

Chrome Plated Forged Brass Mini Ball Valve

Third party certified
Threaded end connections conform to ANSI / ASME
B1.20.1
400 CWP



FNPT x FNPT

Mini Ball Valve

101-340	1/8"	FNPT x FNPT	120	30
101-341	1/4"	FNPT x FNPT	120	30
101-342	3/8"	FNPT x FNPT	80	20
101-343	1/2"	FNPT x FNPT	80	20

MNPT x FNPT Mini Ball Valve

101-346	1/8"	FNPT x MNPT	120	30
101-347	1/4"	FNPT x MNPT	120	30
101-348	3/8"	FNPT x MNPT	80	20
101-349	1/2"	FNPT x MNPT	80	20

FNPT x MNPT

Certifications	Part No.	Size	Configuration	Model	Cs.	Ct.
T-710T 316 Stainless Steel Mini Ball Valve with Tee Handle Naturally lead free 800 CWP 150 WSP	T-710T Mini Ball Valve with Tee Handle					
	113-301	1/4"	FNPT x FNPT	T-710T	120	10
	T-710T Mini MNPT x FNPT Transition Ball Valve with Tee Handle					
	113-311	1/4"	MNPT x FNPT	T-710T	120	10



EVERYTHING YOU NEED BEHIND THE WALL.®


- ☰
- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- #

Gas Ball Valves



The T-3000 Blue Top™ Gas Ball Valve features a patented one-piece forged brass body design, which eliminates the possibility of seam leaks that are common with two-piece body designs.

The design features a compact quarter-turn operation, a chrome-plated ball and soft seats, which resist contaminant buildup and assures a positive seal in low or moderate pressure gas applications.



Certifications	Part No.	Size	Configuration	Model	Cs.	Ct.
----------------	----------	------	---------------	-------	-----	-----

T-3000 / T-3000A

Blue Top® Forged Brass One-Piece Gas Ball Valve

Third-party tested and certified;
CSA 1/2, 5 PSIG certified
UL listed (1/2" & 3/4" only)
125 CWP



T-3000 FNPT x FNPT

102-102	3/8"	FNPT x FNPT	T-3000	100	10
102-103	1/2"	FNPT x FNPT	T-3000	100	10
102-104	3/4"	FNPT x FNPT	T-3000	100	10

T-3000 Flare x FNPT

102-112	3/8" x 1/2"	Flare x FNPT	T-3000	100	10
102-113	1/2" x 1/2"	Flare x FNPT	T-3000	100	10
102-118	1/2" x 3/4"	Flare x FNPT	T-3000	100	10
102-121	5/8" x 1/2"	Flare x FNPT (Fine)	T-3000	100	10
102-114	5/8" x 3/4"	Flare x FNPT (Coarse)	T-3000	100	10
102-115	5/8" x 3/4"	Flare x FNPT (Fine)	T-3000	100	10

T-3000 Flare x MNPT

102-212	3/8" x 1/2"	Flare x MNPT	T-3000	100	10
102-213	1/2" x 1/2"	Flare x MNPT	T-3000	100	10

T-3000 Flare x Flare

102-312	3/8" x 3/8"	Flare x Flare	T-3000	100	10
102-313	1/2" x 1/2"	Flare x Flare	T-3000	100	10
102-314	5/8" x 5/8"	Flare x Flare	T-3000	100	10

T-3000 FNPT x Texas

102-413	1/2" x 1/8"	FNPT x Texas	T-3000	100	10
102-414	3/4" x 1/8"	FNPT x Texas	T-3000	100	10

T-3000 Heater Valve

102-119	3/8" x 1/2"	Flare x FNPT (Fine)	T-3000	100	10
---------	-------------	---------------------	--------	-----	----

T-3000A Flare x FNPT Angle Ball Valve

102-122	3/8" x 1/2"	Flare x FNPT (Fine)	T-3000A	100	10
102-120	5/8" x 3/4"	Flare x FNPT (Fine)	T-3000A	100	10

Certifications	Part No.	Size	Configuration	Model	Cs.	Ct.
T-3001 / T-3002 / T-3100 Blue Top® Forged Brass One-Piece Gas Ball Valve Third-party tested and certified; CSA 1/2, 5 PSIG certified UL listed (1/2" & 3/4" only) 125 CWP						
   						
T-3001 Tee Handle 102-612 3/8" FNPT x FNPT T-3001 100 10 102-613 1/2" FNPT x FNPT T-3001 100 10 102-614 3/4" FNPT x FNPT T-3001 100 10 102-616 1-1/4" FNPT x FNPT T-3001 24 4 T-3001 Lever Handle 102-615 1" FNPT x FNPT T-3001 36 6 102-617 1-1/2" FNPT x FNPT T-3001 24 4 102-618 2" FNPT x FNPT T-3001 12 2 T-3002 Flathead 102-713 1/2" Flare x Flare T-3002 100 10 T-3100 Sidetap FNPT x FNPT 102-513 1/2" FNPT x FNPT T-3100 100 10 102-514 3/4" FNPT x FNPT T-3100 100 10 102-515 1" FNPT x FNPT T-3100 36 6 T-3100 Sidetap Flare x Flare 102-522 3/8" Flare x Flare T-3100 100 10 102-523 1/2" Flare x Flare T-3100 100 10						

Economy Gas Ball Valves

T-3005**Red Top™ Forged Brass Economy Gas Ball Valve**

Third-party tested and certified;
 CSA 1/2, 5 PSIG certified
 UL listed (1/2" & 3/4" only)
 Massachusetts Commonwealth approved
 400 CWP



102-903	1/2"	FNPT x FNPT	T-3005	144	12
102-904	3/4"	FNPT x FNPT	T-3005	144	12
102-905	1"	FNPT x FNPT	T-3005	60	6

Drip Leg Hookup Kits

A drip leg hookup kit includes a gas ball valve, two black iron pipe nipples (1/2" x 6" & 1/2" x 3"), one 1/2" tee, one 1/2" union, and one 1/2" cap.

**T-3000 Drip Leg Hookup Kit**

102-836	1/2"	N/A	T-3000	25	1
---------	------	-----	--------	----	---

T-3005 Drip Leg Hookup Kit

102-837	1/2"	N/A	T-3005	1	1
---------	------	-----	--------	---	---

Certifications	Part No.	Size	Configuration	Model	Cs.	Ct.
T-3500 / T-3500PB / T-3501 / T-3501PB Forged Brass 1/4-Turn Ball- Type Log Lighter Valves Third-party tested and certified; CSA 1/2 PSIG certified Maximum Service Temperature: 180°F 125 psi max air pressure, non-shock 125 CWP	T-3500 Straight Pattern Valve with Chrome-Plated Escutcheon & Key					
	102-863	1/2"	FNPT x FNPT	T-3500	25	1
	T-3500PB Straight Pattern Valve with Polished Brass Escutcheon & Key					
	102-864	1/2"	FNPT x FNPT	T-3500PB	25	1
	T-3501 Angle Pattern Valve with Chrome-Plated Escutcheon & Key					
	102-873	1/2"	FNPT x FNPT	T-3501	25	1
	T-3501PB Angle Pattern Valve with Polished Brass Escutcheon & Key					
	102-874	1/2"	FNPT x FNPT	T-3501PB	25	1
 T-3500						
 T-3501						
T-3200 / T-3200PB / T-3201 / T-3201PB Forged Brass Multi-Turn Globe-Type Log Lighter Valves Third-party tested and certified; CSA 1/2 PSIG certified 100 psi max air pressure, non-shock 10 CWP	T-3200 Straight Pattern Valve with Chrome-Plated Escutcheon & Key					
	102-803	1/2"	FNPT x FNPT	T-3200	25	1
	T-3200PB Straight Pattern Valve with Polished Brass Escutcheon & Key					
	102-804	1/2"	FNPT x FNPT	T-3200PB	25	1
	T-3201 Angle Pattern Valve with Chrome-Plated Escutcheon & Key					
	102-813	1/2"	FNPT x FNPT	T-3201	25	1
	T-3201PB Angle Pattern Valve with Polished Brass Escutcheon & Key					
	102-814	1/2"	FNPT x FNPT	T-3201PB	25	1
 T-3200						
 T-3201						
T-3205 Black Cast Iron T-Style Natural Gas Burner Bar Not for use with LP gas						
	102-830	1/2"	FNPT x FNPT x FNPT	T-3205	20	1
						

Certifications	Part No.	Size	Configuration	Model	Cs.	Ct.
----------------	----------	------	---------------	-------	-----	-----

Log Lighter Kits

Not for use with LP gas
Third-party tested and certified;
CSA 1/2 PSIG certified



T-3500PB Log Lighter Kit
102-884

Log lighter kits include a log lighter valve, one T-3205 burner bar, an escutcheon, and a key.

T-3500 Log Lighter Kit with Burner Bar, Chrome-Plated Escutcheon, and Key

102-883	1/2"	FNPT x FNPT; Straight	T-3501	1	1
---------	------	-----------------------	--------	---	---

T-3500PB Log Lighter Kit with Burner Bar, Polished Brass Escutcheon, and Key

102-884	1/2"	FNPT x FNPT; Straight	T-3501PB	1	1
---------	------	-----------------------	----------	---	---

T-3502 Log Lighter Kit with Burner Bar, Chrome-Plated Escutcheon, and Key

102-893	1/2"	FNPT x FNPT; Angle	T-3200	1	1
---------	------	--------------------	--------	---	---

T-3502PB Log Lighter Kit with Burner Bar, Polished Brass Escutcheon, and Key

102-894	1/2"	FNPT x FNPT; Angle	T-3200PB	1	1
---------	------	--------------------	----------	---	---

T-3200 Log Lighter Kit with Burner Bar, Chrome-Plated Escutcheon, and Key

102-833	1/2"	FNPT x FNPT; Straight	T-3500	1	1
---------	------	-----------------------	--------	---	---

T-3200PB Log Lighter Kit with Burner Bar, Polished Brass Escutcheon, and Key

102-834	1/2"	FNPT x FNPT; Straight	T-3500PB	1	1
---------	------	-----------------------	----------	---	---

T-3201 Log Lighter Kit with Burner Bar, Chrome-Plated Escutcheon, and Key

102-843	1/2"	FNPT x FNPT; Angle	T-3201	1	1
---------	------	--------------------	--------	---	---

T-3201PB Log Lighter Kit with Burner Bar, Polished Brass Escutcheon, and Key

102-844	1/2"	FNPT x FNPT; Angle	T-3201PB	1	1
---------	------	--------------------	----------	---	---

Log Lighter Valve Accessories

Log Lighter Valve Accessories



Chrome-Plated Escutcheons



Chrome Key



12" Chrome Key

Escutcheons for T-3500 & T-3501 Log Lighter Valves

102-840	One-Size	1/4-Turn Chrome-Plated Escutcheon	50	1
102-841	One-Size	1/4-Turn Polished Brass Escutcheon	100	1

Escutcheons for T-3200 & T-3201 Log Lighter Valves

102-820	One-Size	Chrome-Plated Escutcheon	100	1
102-821	One-Size	Polished Brass Escutcheon	1	1


Chrome-Plated Key for T-3200, T-3201, T-3500, & T-3501 Log Lighter Valves

102-850	2-5/8"	Chrome-Plated Log Lighter Key	400	50
102-823	5/16" - 8"	Chrome-Plated Log Lighter Key	160	1
102-824	8"	Chrome-Plated Log Lighter Key	160	1
102-852	12"	Chrome-Plated Log Lighter Key	120	60

Certifications	Part No.	Size	Configuration	Model	Cs.	Ct.
Log Lighter Valve Accessories						
...Continued						
Polished Brass Key for T-3200, T-3201, T-3500, & T-3501 Log Lighter Valves						
	102-851	2-3/4"	Polished Brass Log Lighter Key		400	50
	102-825	8"	Polished Brass Log Lighter Key		160	1
	102-827	10"	Polished Brass Log Lighter Key		100	25
	102-853	12"	Polished Brass Log Lighter Key		120	60

Ball Valve Accessories

Ball Valve Accessories

T/S-1001
4" Locking DeviceT/S-1001
Locking DeviceT/S-1001
Memory StopBall Valve Stem
ExtensionT/S-1002
Stem ExtensionT/S-2000
Stem ExtensionT/S-2006NL
Stem Extension

T/S-1001 Locking Device

101-954	One-size	For 3/8" to 1/2" Valves	100	10
101-955	One-size	For 3/4" to 1-1/4" Valves	999	100
101-956	One-size	For 1-1/2" to 2" Valves	10	1
101-957	One-size	For 2-1/2" to 3" Valves	1000	100
101-950	One-size	For 4" Valves	1000	100

T/S-1001 Memory Stop

101-951	One-size	For 1/4" to 1/2" Valves	500	50
101-952	One-size	For 3/4" to 1-1/4" Valves	500	50

Ball Valve Stem Extension for T/S-1001, T-1004, T/S-1100, T-1009, T-805, T-806, T-900, & P-200NL Valves

101-958	One-size	For 1/4" to 1/2" Valves*	25	25
101-959	One-size	For 3/4" to 1-1/4" Valves	100	10
101-960	One-size	For 1-1/2" to 2" Valves	50	10
101-964	One-size	For 2-1/2" to 3" Valves	10	5
101-965	One-size	For 4" Valves	5	1

*Also fits 1/2" & 3/4" T-806 PEX Ball Valves.

T/S-1002 Stem Extension; Includes Stem Extension, Handle, & Nut

101-913	One-size	For 1/4" to 1/2" Valves	100	1
101-914	One-size	For 3/4" to 1" Valves	100	1
101-915	One-size	For 1-1/4" to 1-1/2" Valves	50	1
101-916	One-size	For 2" to 3" Valves	30	1

T/S-2000 Stem Extension

101-993	One-size	For 1/2" to 3/4" Valves	100	10
101-994	One-size	For 1" Valves	80	8
101-995	One-size	For 1/2" to 3/4" Valves	40	4
101-996	One-size	For 2" Valves	20	5

PEX Ball Valve Stem Extension for T-2005, T-2006, T-2007, & T-2008 Valves

101-903	One-size	For 1/2" to 3/4" Valves	100	10
101-904	One-size	For 1" Valves	80	8
101-905	One-size	For 1-1/4" to 1-1/2" Valves	40	4
101-906	One-size	For 2" Valves	20	5

Certifications	Part No.	Size	Configuration	Model	Cs.	Ct.
Ball Valve Accessories ...Continued						
 T-1960NL Stem Extension	T-1960NL Stem Extension					
	101-907	One-size	For 1/2" to 3/4" Valves		100	25
	101-908	One-size	For 1" to 1-1/4" Valves		80	20
 Plastic Extension Handle	Plastic Extension T-Handle for T/S-1001, T-1004, T-1009, T/S-1100, T-805, T-806, & P-200NL Valves					
	101-931	One-size	For 3/8" to 1/2" Valves		50	1
	101-932	One-size	For 3/4" to 1-1/4" Valves		50	1
 Tee Handle	Tee Handle for T/S-1001, T-1004, T/S-1100, T-1009, 806, 805, & P-200NL Ball Valves					
	101-961	One-size	For 1/8" to 1/4" Valves		1000	100
	101-962	One-size	For 3/8" to 1/2" Valves		1000	100
 T/S-2001 Stainless Steel Tee Handle	Stainless Steel Tee Handle for T/S-2001 Ball Valves					
	101-943	1/2"	SS Tee Handle		10	10
	101-944	3/4"	SS Tee Handle		100	10
 T/S-2000 Lever Handle	T/S-2000 Lever Handle					
	101-922	One-size	For 1/2" to 3/4" Valves		300	5
	101-923	One-size	For 1" Valves		250	5
 T/S-1002 Stainless Steel Lever Handle and Nut	Stainless Steel Tee Handle for T/S-2001 Ball Valves					
	101-924	One-size	For 1-1/4" to 1-1/2" Valves		1	1
	101-925	One-size	For 2" Valves		1	1
 T/S-1002 Stainless Steel Lever Handle and Nut	Stainless Steel Lever Handle and Nut for T/S-1002 Ball Valves					
	101-982	One-size	For 1/4" to 1/2" Valves		999	1
	101-983	One-size	For 3/4" to 1" Valves		300	1
 PTFE Packing Gland and Seats for T-717 Stainless Steel Ball Valves	101-984	One-size	For 1-1/4" to 1-1/2" Valves		999	1
	101-985	One-size	For 2" to 3" Valves		999	1
	113-991	One-size	For 1/4" Valves		25	1
 PTFE Packing Gland and Seats for T-717 Stainless Steel Ball Valves	113-992	One-size	For 3/8" Valves		25	1
	113-993	One-size	For 1/2" Valves		25	1
	113-994	One-size	For 3/4" Valves		25	1
	113-995	One-size	For 1" Valves		25	1
	113-996	One-size	For 1-1/4" Valves		25	1
	113-997	One-size	For 1-1/2" Valves		25	1
	113-998	One-size	For 2" Valves		25	1