


Ductile Iron Butterfly Valves



T-335AB

The T-335AB Ductile Iron Butterfly Valve is a 100% factory-tested heavy-duty commercial-industrial valve offering bidirectional flow. The T-335 series is designed with extended necks, which clear most piping insulation applications, the raised seat face also eliminates the need for companion flange gaskets. The rigid phenolic-backed seat ensures a bubble-tight seal when closed, and the sturdy lever handle is lockable in ten different positions and is also available as a gear and handwheel (T-335AB-G).



Certifications	Part No.	Size	Configuration	Model	Cs.	Ct.
----------------	----------	------	---------------	-------	-----	-----

T-335AB / T-335AB-G

Ductile Iron Wafer-Type Butterfly Valve with Aluminum Bronze Disc & EPDM Seat

Ductile Iron Body & Aluminum Bronze Disc
416 SS Stem
Meets API 609, EN 593
MSS SP-67 & AWWA C504
300 CWP



T-335AB



T-335AB-G

T-335AB Butterfly Valve with 10-Position Lever Handle

116-401	2"	Wafer x Wafer; EPDM Seat	T-335AB	1	1
116-402	2-1/2"	Wafer x Wafer; EPDM Seat	T-335AB	1	1
116-403	3"	Wafer x Wafer; EPDM Seat	T-335AB	1	1
116-404	4"	Wafer x Wafer; EPDM Seat	T-335AB	1	1
116-405	5"	Wafer x Wafer; EPDM Seat	T-335AB	1	1
116-406	6"	Wafer x Wafer; EPDM Seat	T-335AB	1	1
116-407	8"	Wafer x Wafer; EPDM Seat	T-335AB	1	1
116-408	10"	Wafer x Wafer; EPDM Seat	T-335AB	1	1
116-409	12"	Wafer x Wafer; EPDM Seat	T-335AB	1	1

T-335AB-G with Gear Operator Handle

116-441	2"	Wafer x Wafer; EPDM Seat	T-335AB-G	1	1
116-442	2-1/2"	Wafer x Wafer; EPDM Seat	T-335AB-G	1	1
116-443	3"	Wafer x Wafer; EPDM Seat	T-335AB-G	1	1
116-444	4"	Wafer x Wafer; EPDM Seat	T-335AB-G	1	1
116-445	5"	Wafer x Wafer; EPDM Seat	T-335AB-G	1	1
116-446	6"	Wafer x Wafer; EPDM Seat	T-335AB-G	1	1
116-447	8"	Wafer x Wafer; EPDM Seat	T-335AB-G	1	1
116-448	10"	Wafer x Wafer; EPDM Seat	T-335AB-G	1	1
116-449	12"	Wafer x Wafer; EPDM Seat	T-335AB-G	1	1

T-335DI / T-335DI-G

Ductile Iron Wafer-Type Butterfly Valve with Ductile Iron Disc & EPDM Seat

Ductile Iron Body & Ductile Iron Disc
416 SS Stem
Meets API 609, EN 593
MSS SP-67 & AWWA C504
300 CWP

T-335DI with 10-Position Lever Handle

116-451	2"	Wafer x Wafer; EPDM Seat	T-335DI	1	1
116-452	2-1/2"	Wafer x Wafer; EPDM Seat	T-335DI	1	1
116-453	3"	Wafer x Wafer; EPDM Seat	T-335DI	1	1
116-454	4"	Wafer x Wafer; EPDM Seat	T-335DI	1	1
116-455	5"	Wafer x Wafer; EPDM Seat	T-335DI	1	1
116-456	6"	Wafer x Wafer; EPDM Seat	T-335DI	1	1
116-457	8"	Wafer x Wafer; EPDM Seat	T-335DI	1	1
116-458	10"	Wafer x Wafer; EPDM Seat	T-335DI	1	1
116-459	12"	Wafer x Wafer; EPDM Seat	T-335DI	1	1

Certifications	Part No.	Size	Configuration	Model	Cs.	Ct.
----------------	----------	------	---------------	-------	-----	-----

T-335DI / T-335DI-G

...Continued



T-335DI-G with Gear Operator Handle

116-481	2"	Wafer x Wafer; EPDM Seat	T-335DI-G	1	1
116-482	2-1/2"	Wafer x Wafer; EPDM Seat	T-335DI-G	1	1
116-483	3"	Wafer x Wafer; EPDM Seat	T-335DI-G	1	1
116-484	4"	Wafer x Wafer; EPDM Seat	T-335DI-G	1	1
116-485	5"	Wafer x Wafer; EPDM Seat	T-335DI-G	1	1
116-486	6"	Wafer x Wafer; EPDM Seat	T-335DI-G	1	1
116-487	8"	Wafer x Wafer; EPDM Seat	T-335DI-G	1	1
116-488	10"	Wafer x Wafer; EPDM Seat	T-335DI-G	1	1
116-489	12"	Wafer x Wafer; EPDM Seat	T-335DI-G	1	1

T-335SS

Ductile Iron Wafer-Type Butterfly Valve with Stainless Steel Disc & EPDM Seat

Ductile Iron Body & 316 Stainless Steel Disc
416 SS Stem
Meets API 609, EN 593
MSS SP-67 & AWWA C504
300 CWP



T-335SS with 10-Position Lever Handle

116-411	2"	Wafer x Wafer; EPDM Seat	T-335SS	1	1
116-412	2-1/2"	Wafer x Wafer; EPDM Seat	T-335SS	1	1
116-413	3"	Wafer x Wafer; EPDM Seat	T-335SS	1	1
116-414	4"	Wafer x Wafer; EPDM Seat	T-335SS	1	1
116-415	5"	Wafer x Wafer; EPDM Seat	T-335SS	1	1
116-416	6"	Wafer x Wafer; EPDM Seat	T-335SS	1	1
116-417	8"	Wafer x Wafer; EPDM Seat	T-335SS	1	1
116-418	10"	Wafer x Wafer; EPDM Seat	T-335SS	1	1
116-419	12"	Wafer x Wafer; EPDM Seat	T-335SS	1	1

T-337AB / T-337AB-G

Ductile Iron Wafer-Type Butterfly Valve with Aluminum Bronze Disc & Buna-N Seat

Ductile Iron Body & Aluminum Bronze Disc
416 SS Stem
Meets API 609, EN 593
MSS SP-67 & AWWA C504
300 CWP



T-337AB with 10-Position Lever Handle

116-421	2"	Wafer x Wafer; Buna-N Seat	T-337AB	1	1
116-422	2-1/2"	Wafer x Wafer; Buna-N Seat	T-337AB	1	1
116-423	3"	Wafer x Wafer; Buna-N Seat	T-337AB	1	1
116-424	4"	Wafer x Wafer; Buna-N Seat	T-337AB	1	1
116-425	5"	Wafer x Wafer; Buna-N Seat	T-337AB	1	1
116-426	6"	Wafer x Wafer; Buna-N Seat	T-337AB	1	1
116-427	8"	Wafer x Wafer; Buna-N Seat	T-337AB	1	1
116-428	10"	Wafer x Wafer; Buna-N Seat	T-337AB	1	1
116-429	12"	Wafer x Wafer; Buna-N Seat	T-337AB	1	1

T-337AB-G with Gear Operator Handle

116-461	2"	Wafer x Wafer; Buna-N Seat	T-337AB-G	1	1
116-462	2-1/2"	Wafer x Wafer; Buna-N Seat	T-337AB-G	1	1
116-463	3"	Wafer x Wafer; Buna-N Seat	T-337AB-G	1	1

Certifications	Part No.	Size	Configuration	Model	Cs.	Ct.
T-337AB / T-337AB-G ...Continued	116-464	4"	Wafer x Wafer; Buna-N Seat	T-337AB-G	1	1
	116-465	5"	Wafer x Wafer; Buna-N Seat	T-337AB-G	1	1
	116-466	6"	Wafer x Wafer; Buna-N Seat	T-337AB-G	1	1
	116-467	8"	Wafer x Wafer; Buna-N Seat	T-337AB-G	1	1
	116-468	10"	Wafer x Wafer; Buna-N Seat	T-337AB-G	1	1
	116-469	12"	Wafer x Wafer; Buna-N Seat	T-337AB-G	1	1



T-337AB-G

T-337DI / T-337DI-G

Ductile Iron Wafer-Type Butterfly Valve with Ductile Iron Disc & Buna-N Seat

Ductile Iron Body & Ductile Iron Disc
416 SS Stem
Meets API 609, EN 593
MSS SP-67 & AWWA C504
300 CWP



T-337DI



T-337DI-G

T-337DI with 10-Position Lever Handle

116-471	2"	Wafer x Wafer; Buna-N Seat	T-337DI	1	1
116-472	2-1/2"	Wafer x Wafer; Buna-N Seat	T-337DI	1	1
116-473	3"	Wafer x Wafer; Buna-N Seat	T-337DI	1	1
116-474	4"	Wafer x Wafer; Buna-N Seat	T-337DI	1	1
116-475	5"	Wafer x Wafer; Buna-N Seat	T-337DI	1	1
116-476	6"	Wafer x Wafer; Buna-N Seat	T-337DI	1	1
116-477	8"	Wafer x Wafer; Buna-N Seat	T-337DI	1	1
116-478	10"	Wafer x Wafer; Buna-N Seat	T-337DI	1	1
116-479	12"	Wafer x Wafer; Buna-N Seat	T-337DI	1	1

T-337DI-G with Gear Operator Handle

116-491	2"	Wafer x Wafer; Buna-N Seat	T-337DI-G	1	1
116-492	2-1/2"	Wafer x Wafer; Buna-N Seat	T-337DI-G	1	1
116-493	3"	Wafer x Wafer; Buna-N Seat	T-337DI-G	1	1
116-494	4"	Wafer x Wafer; Buna-N Seat	T-337DI-G	1	1
116-495	5"	Wafer x Wafer; Buna-N Seat	T-337DI-G	1	1
116-496	6"	Wafer x Wafer; Buna-N Seat	T-337DI-G	1	1
116-497	8"	Wafer x Wafer; Buna-N Seat	T-337DI-G	1	1
116-498	10"	Wafer x Wafer; Buna-N Seat	T-337DI-G	1	1
116-499	12"	Wafer x Wafer; Buna-N Seat	T-337DI-G	1	1

T-337SS

Ductile Iron Wafer-Type Butterfly Valve with Stainless Steel Disc & Buna-N Seat

Ductile Iron Body & 316 Stainless Steel Disc
416 SS Stem
Meets API 609, EN 593
MSS SP-67 & AWWA C504
300 CWP



T-337SS with 10-Position Lever Handle

116-431	2"	Wafer x Wafer; Buna-N Seat	T-337SS	1	1
116-432	2-1/2"	Wafer x Wafer; Buna-N Seat	T-337SS	1	1
116-433	3"	Wafer x Wafer; Buna-N Seat	T-337SS	1	1
116-434	4"	Wafer x Wafer; Buna-N Seat	T-337SS	1	1
116-435	5"	Wafer x Wafer; Buna-N Seat	T-337SS	1	1
116-436	6"	Wafer x Wafer; Buna-N Seat	T-337SS	1	1
116-437	8"	Wafer x Wafer; Buna-N Seat	T-337SS	1	1
116-438	10"	Wafer x Wafer; Buna-N Seat	T-337SS	1	1
116-439	12"	Wafer x Wafer; Buna-N Seat	T-337SS	1	1

Certifications	Part No.	Size	Configuration	Model	Cs.	Ct.
----------------	----------	------	---------------	-------	-----	-----

T-365AB / T-365AB-G

Ductile Iron Lug-Type Butterfly Valve with Aluminum Bronze Disc & EPDM Seat

Ductile Iron Body & Aluminum Bronze Disc
416 SS Stem
Meets API 609, EN 593
MSS SP-67 & AWWA C504
300 CWP



T-365AB-G

T-365AB

T-365AB with 10-Position Lever Handle

116-601	2"	Lug x Lug; EPDM Seat	T-365AB	1	1
116-602	2-1/2"	Lug x Lug; EPDM Seat	T-365AB	1	1
116-603	3"	Lug x Lug; EPDM Seat	T-365AB	1	1
116-604	4"	Lug x Lug; EPDM Seat	T-365AB	1	1
116-605	5"	Lug x Lug; EPDM Seat	T-365AB	1	1
116-606	6"	Lug x Lug; EPDM Seat	T-365AB	1	1
116-607	8"	Lug x Lug; EPDM Seat	T-365AB	1	1
116-608	10"	Lug x Lug; EPDM Seat	T-365AB	1	1
116-609	12"	Lug x Lug; EPDM Seat	T-365AB	1	1

T-365AB-G with Gear Operator Handle

116-641	2"	Lug x Lug; EPDM Seat	T-365AB-G	1	1
116-642	2-1/2"	Lug x Lug; EPDM Seat	T-365AB-G	1	1
116-643	3"	Lug x Lug; EPDM Seat	T-365AB-G	1	1
116-644	4"	Lug x Lug; EPDM Seat	T-365AB-G	1	1
116-645	5"	Lug x Lug; EPDM Seat	T-365AB-G	1	1
116-646	6"	Lug x Lug; EPDM Seat	T-365AB-G	1	1
116-647	8"	Lug x Lug; EPDM Seat	T-365AB-G	1	1
116-648	10"	Lug x Lug; EPDM Seat	T-365AB-G	1	1
116-649	12"	Lug x Lug; EPDM Seat	T-365AB-G	1	1

T-365DI / T-365DI-G

Ductile Iron Lug-Type Butterfly Valve with Ductile Iron Disc & EPDM Seat

Ductile Iron Body & Ductile Iron Disc
416 SS Stem
Meets API 609, EN 593
MSS SP-67 & AWWA C504
300 CWP



T-365DI-G

T-365DI

T-365DI with 10-Position Lever Handle

116-651	2"	Lug x Lug; Buna-N Seat	T-365DI	1	1
116-652	2-1/2"	Lug x Lug; Buna-N Seat	T-365DI	1	1
116-653	3"	Lug x Lug; Buna-N Seat	T-365DI	1	1
116-654	4"	Lug x Lug; Buna-N Seat	T-365DI	1	1
116-655	5"	Lug x Lug; Buna-N Seat	T-365DI	1	1
116-656	6"	Lug x Lug; Buna-N Seat	T-365DI	1	1
116-657	8"	Lug x Lug; Buna-N Seat	T-365DI	1	1
116-658	10"	Lug x Lug; Buna-N Seat	T-365DI	1	1
116-659	12"	Lug x Lug; Buna-N Seat	T-365DI	1	1

T-365DI-G with Gear Operator Handle

116-681	2"	Lug x Lug; EPDM Seat	T-365DI-G	1	1
116-682	2-1/2"	Lug x Lug; EPDM Seat	T-365DI-G	1	1
116-683	3"	Lug x Lug; EPDM Seat	T-365DI-G	1	1
116-684	4"	Lug x Lug; EPDM Seat	T-365DI-G	1	1
116-685	5"	Lug x Lug; EPDM Seat	T-365DI-G	1	1
116-686	6"	Lug x Lug; EPDM Seat	T-365DI-G	1	1
116-687	8"	Lug x Lug; EPDM Seat	T-365DI-G	1	1
116-688	10"	Lug x Lug; EPDM Seat	T-365DI-G	1	1
116-689	12"	Lug x Lug; EPDM Seat	T-365DI-G	1	1

Certifications	Part No.	Size	Configuration	Model	Cs.	Ct.
----------------	----------	------	---------------	-------	-----	-----

T-365SS

Ductile Iron Lug-Type Butterfly Valve with Stainless Steel Disc & EPDM Seat

Ductile Iron Body & 316 Stainless Steel Disc
416 SS Stem
Meets API 609, EN 593
MSS SP-67 & AWWA C504
300 CWP



T-365SS with 10-Position Lever Handle

116-611	2"	Lug x Lug; EPDM Seat	T-365SS	1	1
116-612	2-1/2"	Lug x Lug; EPDM Seat	T-365SS	1	1
116-613	3"	Lug x Lug; EPDM Seat	T-365SS	1	1
116-614	4"	Lug x Lug; EPDM Seat	T-365SS	1	1
116-615	5"	Lug x Lug; EPDM Seat	T-365SS	1	1
116-616	6"	Lug x Lug; EPDM Seat	T-365SS	1	1
116-617	8"	Lug x Lug; EPDM Seat	T-365SS	1	1
116-618	10"	Lug x Lug; EPDM Seat	T-365SS	1	1
116-619	12"	Lug x Lug; EPDM Seat	T-365SS	1	1

T-367AB / T-367AB-G

Ductile Iron Lug-Type Butterfly Valve with Stainless Steel Disc & Buna-N Seat

Ductile Iron Body & Aluminum Bronze Disc
416 SS Stem
Meets API 609, EN 593
MSS SP-67 & AWWA C504
300 CWP



T-367AB

T-367AB with 10-Position Lever Handle

116-621	2"	Lug x Lug; Buna-N Seat	T-367AB	1	1
116-622	2-1/2"	Lug x Lug; Buna-N Seat	T-367AB	1	1
116-623	3"	Lug x Lug; Buna-N Seat	T-367AB	1	1
116-624	4"	Lug x Lug; Buna-N Seat	T-367AB	1	1
116-625	5"	Lug x Lug; Buna-N Seat	T-367AB	1	1
116-626	6"	Lug x Lug; Buna-N Seat	T-367AB	1	1
116-627	8"	Lug x Lug; Buna-N Seat	T-367AB	1	1
116-628	10"	Lug x Lug; Buna-N Seat	T-367AB	1	1
116-629	12"	Lug x Lug; Buna-N Seat	T-367AB	1	1

T-367AB-G with Gear Operator Handle

116-661	2"	Lug x Lug; Buna-N Seat	T-367AB-G	1	1
116-662	2-1/2"	Lug x Lug; Buna-N Seat	T-367AB-G	1	1
116-663	3"	Lug x Lug; Buna-N Seat	T-367AB-G	1	1
116-664	4"	Lug x Lug; Buna-N Seat	T-367AB-G	1	1
116-665	5"	Lug x Lug; Buna-N Seat	T-367AB-G	1	1
116-666	6"	Lug x Lug; Buna-N Seat	T-367AB-G	1	1
116-667	8"	Lug x Lug; Buna-N Seat	T-367AB-G	1	1
116-668	10"	Lug x Lug; Buna-N Seat	T-367AB-G	1	1
116-669	12"	Lug x Lug; Buna-N Seat	T-367AB-G	1	1

T-367DI / T-367DI-G

Ductile Iron Lug-Type Butterfly Valve with Ductile Iron Disc & Buna-N Seat

Ductile Iron Body & Ductile Iron Disc
416 SS Stem
Meets API 609, EN 593
MSS SP-67 & AWWA C504
300 CWP



T-367AB-G

T-367DI with 10-Position Lever Handle

116-671	2"	Lug x Lug; Buna-N Seat	T-367DI	1	1
116-672	2-1/2"	Lug x Lug; Buna-N Seat	T-367DI	1	1
116-673	3"	Lug x Lug; Buna-N Seat	T-367DI	1	1
116-674	4"	Lug x Lug; Buna-N Seat	T-367DI	1	1
116-675	5"	Lug x Lug; Buna-N Seat	T-367DI	1	1
116-676	6"	Lug x Lug; Buna-N Seat	T-367DI	1	1
116-677	8"	Lug x Lug; Buna-N Seat	T-367DI	1	1

Certifications	Part No.	Size	Configuration	Model	Cs.	Ct.
T-367DI / T-367DI-G ...Continued	116-678	10"	Lug x Lug; Buna-N Seat	T-367DI	1	1
	116-679	12"	Lug x Lug; Buna-N Seat	T-367DI	1	1
T-367DI-G with Gear Operator Handle						
 T-367DI T-367DI-G	116-691	2"	Lug x Lug; Buna-N Seat	T-367DI-G	1	1
	116-692	2-1/2"	Lug x Lug; Buna-N Seat	T-367DI-G	1	1
	116-693	3"	Lug x Lug; Buna-N Seat	T-367DI-G	1	1
	116-694	4"	Lug x Lug; Buna-N Seat	T-367DI-G	1	1
	116-695	5"	Lug x Lug; Buna-N Seat	T-367DI-G	1	1
	116-696	6"	Lug x Lug; Buna-N Seat	T-367DI-G	1	1
	116-697	8"	Lug x Lug; Buna-N Seat	T-367DI-G	1	1
	116-698	10"	Lug x Lug; Buna-N Seat	T-367DI-G	1	1
	116-699	12"	Lug x Lug; Buna-N Seat	T-367DI-G	1	1

T-367SS

Ductile Iron Lug-Type Butterfly Valve with Stainless Steel Disc & Buna-N Seat

Ductile Iron Body & 316 Stainless Steel Disc
416 SS Stem
Meets API 609, EN 593
MSS SP-67 & AWWA C504
300 CWP



T-367SS with 10-Position Lever Handle

116-631	2"	Lug x Lug; Buna-N Seat	T-367SS	1	1
116-632	2-1/2"	Lug x Lug; Buna-N Seat	T-367SS	1	1
116-633	3"	Lug x Lug; Buna-N Seat	T-367SS	1	1
116-634	4"	Lug x Lug; Buna-N Seat	T-367SS	1	1
116-635	5"	Lug x Lug; Buna-N Seat	T-367SS	1	1
116-636	6"	Lug x Lug; Buna-N Seat	T-367SS	1	1
116-637	8"	Lug x Lug; Buna-N Seat	T-367SS	1	1
116-638	10"	Lug x Lug; Buna-N Seat	T-367SS	1	1
116-639	12"	Lug x Lug; Buna-N Seat	T-367SS	1	1

Butterfly Valve Accessories

10-Position Lever Handle



For T-335, T-337, T-365, & T-367 Ductile Iron Butterfly Valves

900-187	One-size	For 2" to 3" Valves	20	1
900-188	One-size	For 5" to 6" Valves	999	1
900-189	One-size	For 8" to 12" Valves	999	1
900-190	One-size	For 4" Valves	999	1

Gear Operator Handle



For T-335, T-337, T-365, & T-367 Ductile Iron Butterfly Valves

116-381	One-size	For 2" to 3" Valves	6	1
116-382	One-size	For 4" Valves	1	1
116-383	One-size	For 5" to 6" Valves	1	1
116-384	One-size	For 8" Valves	2	1
116-385	One-size	For 10" to 12" Valves	1	1