


# Wrot Copper Sweat Fittings



Copper sweat is a proven connection system that has been around for decades and requires great skill to master. Legend offers a comprehensive range of copper sweat fittings to help you complete your job.

| Certifications | Part No. | I.D. Size | O.D. Size | X-Ref. | X-Ref. | Cs. | Ct. |
|----------------|----------|-----------|-----------|--------|--------|-----|-----|
|----------------|----------|-----------|-----------|--------|--------|-----|-----|

## Wrot Copper Sweat x FNPT Adapter

Third-party tested and certified;  
NSF/ANSI 61



|         |        |        |         |     |     |    |
|---------|--------|--------|---------|-----|-----|----|
| 450-700 | 1/8"   | 1/4"   | W01207  | 603 | 50  | 1  |
| 450-701 | 1/4"   | 3/8"   | W01215  | 603 | 50  | 1  |
| 450-702 | 3/8"   | 1/2"   | W01225  | 603 | 900 | 25 |
| 450-703 | 1/2"   | 5/8"   | WB01231 | 603 | 450 | 25 |
| 450-704 | 3/4"   | 7/8"   | WB01246 | 603 | 250 | 25 |
| 450-705 | 1"     | 1-1/8" | WB01263 | 603 | 120 | 10 |
| 450-706 | 1-1/4" | 1-3/8" | W01271  | 603 | 90  | 1  |
| 450-707 | 1-1/2" | 1-5/8" | W01279  | 603 | 70  | 1  |
| 450-708 | 2"     | 2-1/8" | W01287  | 603 | 40  | 1  |
| 450-709 | 2-1/2" | 2-5/8" | W01296  | 603 | 20  | 1  |
| 450-710 | 3"     | 3-1/8" | W01297  | 603 | 16  | 1  |

## Wrot Copper Sweat x FNPT Reducing Adapter

Third-party tested and certified;  
NSF/ANSI 61



|         |                 |                 |         |      |      |    |
|---------|-----------------|-----------------|---------|------|------|----|
| 450-715 | 1/8" x 1/4"     | 1/4" x 3/8"     | W01206  | 603R | 2500 | 1  |
| 450-717 | 1/4" x 1/8"     | 3/8" x 1/4"     | W01216  | 603R | 1000 | 1  |
| 450-718 | 1/4" x 3/8"     | 3/8" x 1/2"     | W01214  | 603R | 1000 | 25 |
| 450-719 | 1/4" x 1/2"     | 3/8" x 5/8"     | N/A     | 603R | 500  | 1  |
| 450-720 | 3/8" x 1/4"     | 1/2" x 3/8"     | W01226  | 603R | 500  | 1  |
| 450-721 | 3/8" x 1/2"     | 1/2" x 5/8"     | W01224  | 603R | 1000 | 25 |
| 450-722 | 3/8" x 3/4"     | 1/2" x 5/8"     | W01223  | 603R | 500  | 50 |
| 450-724 | 1/2" x 1/4"     | 5/8" x 3/8"     | W01233  | 603R | 25   | 1  |
| 450-725 | 1/2" x 3/8"     | 5/8" x 1/2"     | W01232  | 603R | 600  | 25 |
| 450-726 | 1/2" x 3/4"     | 5/8" x 7/8"     | WB01230 | 603R | 600  | 25 |
| 450-728 | 5/8" x 1/2"     | 3/4" x 5/8"     | W01239  | 603R | 180  | 10 |
| 450-729 | 5/8" x 3/4"     | 3/4" x 7/8"     | W01238  | 603R | 50   | 1  |
| 450-731 | 3/4" x 1/2"     | 7/8" x 5/8"     | W01247  | 603R | 300  | 25 |
| 450-732 | 3/4" x 1"       | 5/8" x 1-1/8"   | W01245  | 603R | 180  | 10 |
| 450-733 | 1" x 1/2"       | 1-1/8" x 5/8"   | W01265  | 603R | 180  | 10 |
| 450-734 | 1" x 3/4"       | 1-1/8" x 7/8"   | W01264  | 603R | 120  | 10 |
| 450-735 | 1" x 1-1/4"     | 1-1/8" x 1-3/8" | W01261  | 603R | 200  | 10 |
| 450-737 | 1-1/4" x 1"     | 1-3/8" x 1-1/8" | W01272  | 603R | 130  | 1  |
| 450-738 | 1-1/4" x 1-1/2" | 1-3/8" x 1-5/8" | W01270  | 603R | 120  | 1  |
| 450-739 | 1-1/2" x 1-1/4" | 1-5/8" x 1-3/8" | W01280  | 603R | 80   | 1  |
| 450-740 | 1-1/2" x 2"     | 1-5/8" x 2-1/8" | W01278  | 603R | 40   | 1  |
| 450-741 | 2" x 1-1/2"     | 2-1/8" x 1-5/8" | W01288  | 603R | 45   | 1  |

| Certifications | Part No. | I.D. Size | O.D. Size | X-Ref. | X-Ref. | Cs. | Ct. |
|----------------|----------|-----------|-----------|--------|--------|-----|-----|
|----------------|----------|-----------|-----------|--------|--------|-----|-----|

## Wrot Copper Fitting x FNPT Adapter

Third-party tested and certified;  
NSF/ANSI 61



|         |        |        |        |       |      |    |
|---------|--------|--------|--------|-------|------|----|
| 450-821 | 1/4"   | 3/8"   | N/A    | 603-2 | 1500 | 25 |
| 450-822 | 3/8"   | 1/2"   | W01525 | 603-2 | 900  | 25 |
| 450-823 | 1/2"   | 5/8"   | W01531 | 603-2 | 600  | 25 |
| 450-824 | 3/4"   | 7/8"   | W01546 | 603-2 | 250  | 25 |
| 450-825 | 1"     | 1-1/8" | W01563 | 603-2 | 160  | 10 |
| 450-826 | 1-1/4" | 1-3/8" | W01571 | 603-2 | 100  | 1  |
| 450-827 | 1-1/2" | 1-5/8" | W01579 | 603-2 | 85   | 1  |
| 450-828 | 2"     | 2-1/8" | W01587 | 603-2 | 45   | 1  |

## Wrot Copper Fitting x FNPT Reducing Adapter

Third-party tested and certified;  
NSF/ANSI 61



|         |             |             |        |        |     |    |
|---------|-------------|-------------|--------|--------|-----|----|
| 450-834 | 1/2" x 3/8" | 5/8" x 1/2" | W01532 | 603-2R | 750 | 25 |
|---------|-------------|-------------|--------|--------|-----|----|

## Wrot Copper Sweat x MNPT Adapter

Third-party tested and certified;  
NSF/ANSI 61



|         |        |        |         |     |     |    |
|---------|--------|--------|---------|-----|-----|----|
| 450-750 | 1/8"   | 1/4"   | W01107  | 604 | 20  | 20 |
| 450-751 | 1/4"   | 3/8"   | W01115  | 604 | 999 | 25 |
| 450-752 | 3/8"   | 1/2"   | W01125  | 604 | 50  | 1  |
| 450-753 | 1/2"   | 5/8"   | WB01131 | 604 | 700 | 25 |
| 450-754 | 3/4"   | 7/8"   | WB01146 | 604 | 300 | 25 |
| 450-755 | 1"     | 1-1/8" | WB01163 | 604 | 160 | 10 |
| 450-756 | 1-1/4" | 1-3/8" | W01171  | 604 | 120 | 1  |
| 450-757 | 1-1/2" | 1-5/8" | W01179  | 604 | 70  | 1  |
| 450-758 | 2"     | 2-1/8" | W01187  | 604 | 45  | 1  |
| 450-759 | 2-1/2" | 2-5/8" | W01196  | 604 | 25  | 1  |
| 450-760 | 3"     | 3-1/8" | W01199  | 604 | 16  | 1  |
| 450-761 | 4"     | 4-1/8" | W01150  | 604 | 5   | 1  |

## Wrot Copper Sweat x MNPT Reducing Adapter

Third-party tested and certified;  
NSF/ANSI 61



|         |             |               |         |      |      |    |
|---------|-------------|---------------|---------|------|------|----|
| 450-772 | 1/4" x 1/2" | 3/8" x 5/8"   | N/A     | N/A  | 1    | 1  |
| 450-776 | 3/8" x 1/2" | 1/2" x 5/8"   | W01124  | 604R | 700  | 25 |
| 450-778 | 1/2" x 1/4" | 5/8" x 3/8"   | W01133  | 604R | 1100 | 25 |
| 450-779 | 1/2" x 3/8" | 5/8" x 1/2"   | W01132  | 604R | 900  | 25 |
| 450-780 | 1/2" x 3/4" | 5/8" x 7/8"   | WB01130 | 604R | 300  | 25 |
| 450-781 | 1/2" x 1"   | 5/8" x 1-1/8" | W01129  | 604R | 200  | 10 |
| 450-782 | 5/8" x 1/2" | 3/4" x 5/8"   | W01139  | 604R | 200  | 25 |
| 450-783 | 5/8" x 3/4" | 3/4" x 7/8"   | W01138  | 604R | 300  | 25 |
| 450-784 | 3/4" x 1/2" | 7/8" x 5/8"   | W01147  | 604R | 350  | 25 |
| 450-785 | 3/4" x 1"   | 5/8" x 1-1/8" | W01145  | 604R | 180  | 10 |

| Certifications | Part No. | I.D. Size | O.D. Size | X-Ref. | X-Ref. | Cs. | Ct. |
|----------------|----------|-----------|-----------|--------|--------|-----|-----|
|----------------|----------|-----------|-----------|--------|--------|-----|-----|

## Wrot Copper Sweat x MNPT Reducing Adapter

...Continued



|         |                 |                 |        |      |     |    |
|---------|-----------------|-----------------|--------|------|-----|----|
| 450-786 | 1" x 1/2"       | 1-1/8" x 5/8"   | W01165 | 604R | 170 | 10 |
| 450-787 | 1" x 3/4"       | 1-1/8" x 7/8"   | W01164 | 604R | 170 | 10 |
| 450-788 | 1" x 1-1/4"     | 1-1/8" x 1-3/8" | W01162 | 604R | 120 | 1  |
| 450-789 | 1" x 1-1/2"     | 1-1/8" x 2-5/8" | W01161 | 604R | 80  | 1  |
| 450-790 | 1-1/4" x 3/4"   | 1-3/8" x 1-7/8" | W01173 | 604R | 130 | 1  |
| 450-791 | 1-1/4" x 1"     | 1-3/8" x 1-1/8" | W01172 | 604R | 120 | 1  |
| 450-792 | 1-1/4" x 1-1/2" | 1-3/8" x 1-5/8" | W01170 | 604R | 90  | 1  |
| 450-793 | 1-1/2" x 1"     | 1-5/8" x 1-1/8" | W01181 | 604R | 120 | 1  |
| 450-794 | 1-1/2" x 1-1/4" | 1-5/8" x 1-3/8" | W01180 | 604R | 65  | 1  |
| 450-795 | 1-1/2" x 2"     | 1-5/8" x 2-1/8" | W01178 | 604R | 50  | 1  |
| 450-796 | 2" x 1-1/4"     | 2-1/8" x 1-3/8" | W01189 | 604R | 50  | 1  |
| 450-797 | 2" x 1-1/2"     | 2-1/8" x 1-5/8" | W01188 | 604R | 70  | 1  |
| 450-798 | 2-1/2" x 2"     | 2-5/8" x 2-1/8" | W01197 | 604R | 40  | 1  |

## Wrot Copper Fitting x MNPT Adapter

Third-party tested and certified;  
NSF/ANSI 61



|         |        |        |        |       |     |    |
|---------|--------|--------|--------|-------|-----|----|
| 450-802 | 3/8"   | 1/2"   | N/A    | N/A   | 1   | 1  |
| 450-803 | 1/2"   | 5/8"   | W01431 | 604-2 | 550 | 25 |
| 450-804 | 3/4"   | 7/8"   | W01446 | 604-2 | 275 | 25 |
| 450-805 | 1"     | 1-1/8" | W01463 | 604-2 | 150 | 10 |
| 450-806 | 1-1/4" | 1-3/8" | W01471 | 604-2 | 100 | 1  |
| 450-807 | 1-1/2" | 1-5/8" | W01479 | 604-2 | 55  | 1  |
| 450-808 | 2"     | 2-1/8" | W01487 | 604-2 | 40  | 1  |

### Copper FTG x MIP Adapter

|         |      |      |     |     |   |   |
|---------|------|------|-----|-----|---|---|
| 450-802 | 3/8" | 1/2" | N/A | N/A | 1 | 1 |
|---------|------|------|-----|-----|---|---|

## Wrot Copper Fitting x MNPT Reducing Adapter

Third-party tested and certified;  
NSF/ANSI 61



|         |             |             |     |       |     |    |
|---------|-------------|-------------|-----|-------|-----|----|
| 450-815 | 1/2" x 3/4" | 5/8" x 7/8" | N/A | 604-2 | 300 | 25 |
|---------|-------------|-------------|-----|-------|-----|----|

## Wrot Copper Coupling with Stop Dimple

Third-party tested and certified;  
NSF/ANSI 61



|         |        |        |        |       |     |    |
|---------|--------|--------|--------|-------|-----|----|
| 450-630 | 1/8"   | 1/4"   | N/A    | 600DS | 1   | 1  |
| 450-631 | 1/4"   | 3/8"   | W10143 | 600DS | 1   | 1  |
| 450-632 | 3/8"   | 1/2"   | N/A    | 600DS | 1   | 1  |
| 450-633 | 1/2"   | 5/8"   | W10145 | 600DS | 800 | 25 |
| 450-645 | 5/8"   | 3/4"   | N/A    | 600DS | 550 | 25 |
| 450-634 | 3/4"   | 7/8"   | W10157 | 600DS | 300 | 25 |
| 450-635 | 1"     | 1-1/8" | W10146 | 600DS | 160 | 10 |
| 450-636 | 1-1/4" | 1-3/8" | W10148 | 600DS | 120 | 1  |
| 450-637 | 1-1/2" | 1-5/8" | W10149 | 600DS | 85  | 1  |
| 450-638 | 2"     | 2-1/8" | W10150 | 600DS | 38  | 1  |

| Certifications                                               | Part No. | I.D. Size | O.D. Size | X-Ref. | X-Ref. | Cs. | Ct. |
|--------------------------------------------------------------|----------|-----------|-----------|--------|--------|-----|-----|
| <b>Wrot Copper Coupling with Stop Dimple</b><br>...Continued | 450-639  | 2-1/2"    | 2-5/8"    | W10151 | 600DS  | 20  | 1   |
|                                                              | 450-640  | 3"        | 3-1/8"    | W10152 | 600DS  | 16  | 1   |
|                                                              | 450-641  | 4"        | 4-1/8"    | W10154 | 600DS  | 6   | 1   |
|                                                              | 450-642  | 5"        | 5-1/8"    | N/A    | 600DS  | 1   | 1   |

## Wrot Copper Repair Coupling without Stop

Third-party tested and certified;  
NSF/ANSI 61



|         |        |        |        |     |      |    |
|---------|--------|--------|--------|-----|------|----|
| 450-581 | 1/4"   | 3/8"   | W06901 | 601 | 2500 | 25 |
| 450-582 | 3/8"   | 1/2"   | W01902 | 601 | 1500 | 25 |
| 450-583 | 1/2"   | 5/8"   | W01903 | 601 | 800  | 25 |
| 450-595 | 5/8"   | 3/4"   | N/A    | N/A | 1    | 1  |
| 450-584 | 3/4"   | 7/8"   | W01905 | 601 | 300  | 25 |
| 450-585 | 1"     | 1-1/8" | W01906 | 601 | 160  | 10 |
| 450-586 | 1-1/4" | 1-3/8" | W01907 | 601 | 120  | 1  |
| 450-587 | 1-1/2" | 1-5/8" | W01908 | 601 | 85   | 1  |
| 450-588 | 2"     | 2-1/8" | W01909 | 601 | 38   | 1  |
| 450-589 | 2-1/2" | 2-5/8" | W01910 | 601 | 20   | 1  |
| 450-590 | 3"     | 3-1/8" | W01911 | 601 | 16   | 1  |
| 450-591 | 4"     | 4-1/8" | W01913 | 601 | 6    | 1  |

## Wrot Copper Reducing Coupling

Third-party tested and certified;  
NSF/ANSI 61



|         |                 |                 |         |      |      |    |
|---------|-----------------|-----------------|---------|------|------|----|
| 450-517 | 1/4" x 1/8"     | 3/8" x 1/4"     | N/A     | N/A  | 1    | 1  |
| 450-519 | 3/8" x 1/8"     | 1/2" x 1/4"     | N/A     | N/A  | 1    | 1  |
| 450-520 | 3/8" x 1/4"     | 1/2" x 3/8"     | N/A     | N/A  | 1500 | 25 |
| 450-521 | 1/2" x 1/8"     | 5/8" x 1/4"     | N/A     | N/A  | 1    | 1  |
| 450-522 | 1/2" x 1/4"     | 5/8" x 3/8"     | N/A     | N/A  | 1    | 1  |
| 450-523 | 1/2" x 3/8"     | 5/8" x 1/2"     | W01023  | 611R | 999  | 25 |
| 450-526 | 5/8" x 1/2"     | 3/4" x 5/8"     | W01029  | 600R | 600  | 25 |
| 450-527 | 3/4" x 1/4"     | 7/8" x 3/8"     | W01038  | 600R | 500  | 25 |
| 450-528 | 3/4" x 3/8"     | 7/8" x 1/2"     | W01037  | 600R | 500  | 25 |
| 450-529 | 3/4" x 1/2"     | 7/8" x 5/8"     | WB01036 | 600R | 450  | 25 |
| 450-530 | 3/4" x 5/8"     | 7/8" x 3/4"     | W01035  | 600R | 350  | 25 |
| 450-532 | 1" x 1/2"       | 1-1/8" x 5/8"   | W01051  | 600R | 250  | 10 |
| 450-531 | 1" x 5/8"       | 1-1/8" x 3/4"   | W01050  | 600R | 200  | 10 |
| 450-533 | 1" x 3/4"       | 1-1/8" x 3/4"   | W01049  | 600R | 200  | 10 |
| 450-535 | 1-1/4" x 1/2"   | 1-3/8" x 5/8"   | W01060  | 600R | 180  | 1  |
| 450-536 | 1-1/4" x 3/4"   | 1-3/8" x 7/8"   | W01058  | 600R | 140  | 1  |
| 450-537 | 1-1/4" x 1"     | 1-3/8" x 1-1/8" | W01056  | 600R | 130  | 1  |
| 450-539 | 1-1/2" x 1/2"   | 1-5/8" x 5/8"   | W01069  | 600R | 200  | 10 |
| 450-540 | 1-1/2" x 3/4"   | 1-5/8" x 7/8"   | W01067  | 600R | 100  | 1  |
| 450-541 | 1-1/2" x 1"     | 1-5/8" x 1-1/8" | W01065  | 600R | 70   | 1  |
| 450-542 | 1-1/2" x 1-1/4" | 1-5/8" x 1-3/8" | W01064  | 600R | 80   | 1  |
| 450-544 | 2" x 1/2"       | 2-1/8" x 5/8"   | W01079  | 600R | 80   | 1  |
| 450-545 | 2" x 3/4"       | 2-1/8" x 7/8"   | W01077  | 600R | 80   | 1  |
| 450-546 | 2" x 1"         | 2-1/8" x 1-1/8" | W01075  | 600R | 70   | 1  |
| 450-547 | 2" x 1-1/4"     | 2-1/8" x 1-3/8" | W01074  | 600R | 70   | 1  |
| 450-548 | 2" x 1-1/2"     | 2-1/8" x 1-5/8" | W01073  | 600R | 70   | 1  |

| Certifications | Part No. | I.D. Size | O.D. Size | X-Ref. | X-Ref. | Cs. | Ct. |
|----------------|----------|-----------|-----------|--------|--------|-----|-----|
|----------------|----------|-----------|-----------|--------|--------|-----|-----|

## Wrot Copper Reducing Coupling

...Continued



|         |                 |                 |        |      |    |   |
|---------|-----------------|-----------------|--------|------|----|---|
| 450-549 | 2-1/2" x 1"     | 2-5/8" x 1-1/8" | W01086 | 600R | 45 | 1 |
| 450-550 | 2-1/2" x 1-1/4" | 2-5/8" x 1-3/8" | W01085 | 600R | 45 | 1 |
| 450-551 | 2-1/2" x 1-1/2" | 2-5/8" x 1-5/8" | W01084 | 600R | 30 | 1 |
| 450-552 | 2-1/2" x 2"     | 2-5/8" x 2-1/8" | W01083 | 600R | 35 | 1 |
| 450-553 | 3" x 1-1/2"     | 3-1/8" x 1-5/8" | W01095 | 600R | 28 | 1 |
| 450-554 | 3" x 2"         | 3-1/8" x 2-1/8" | W01094 | 600R | 28 | 1 |
| 450-555 | 3" x 2-1/2"     | 3-1/8" x 2-5/8" | W01093 | 600R | 28 | 1 |
| 450-557 | 4" x 2"         | 4-1/8" x 2-1/8" | W10111 | 600R | 12 | 1 |
| 450-558 | 4" x 2-1/2"     | 4-1/8" x 2-5/8" | W10110 | 600R | 10 | 1 |
| 450-559 | 4" x 3"         | 4-1/8" x 3-1/8" | W10109 | 600R | 10 | 1 |
| 450-561 | 6" x 3"         | 6-1/8" x 3-1/8" | N/A    | N/A  | 1  | 1 |
| 450-562 | 6" x 4"         | 6-1/8" x 4-1/8" | N/A    | N/A  | 1  | 1 |

## Wrot Copper Fitting Reducing Coupling

Third-party tested and certified;  
NSF/ANSI 61



|         |                 |                 |         |       |      |    |
|---------|-----------------|-----------------|---------|-------|------|----|
| 450-410 | 1/4" x 1/8"     | 3/8" x 1/4"     | N/A     | N/A   | 1    | 1  |
| 450-411 | 3/8" x 1/8"     | 1/2" x 1/4"     | N/A     | N/A   | 1    | 1  |
| 450-412 | 3/8" x 1/4"     | 1/2" x 3/8"     | N/A     | N/A   | 2500 | 10 |
| 450-413 | 1/2" x 1/4"     | 5/8" x 3/8"     | N/A     | N/A   | 1    | 25 |
| 450-414 | 1/2" x 3/8"     | 5/8" x 1/2"     | N/A     | N/A   | 1    | 1  |
| 450-415 | 5/8" x 1/2"     | 3/4" x 5/8"     | N/A     | N/A   | 1    | 1  |
| 450-418 | 3/4" x 1/4"     | 7/8" x 3/8"     | N/A     | N/A   | 1    | 1  |
| 450-419 | 3/4" x 3/8"     | 7/8" x 1/2"     | N/A     | N/A   | 1    | 1  |
| 450-420 | 3/4" x 1/2"     | 7/8" x 5/8"     | WB01326 | 600-2 | 500  | 25 |
| 450-421 | 3/4" x 5/8"     | 7/8" x 3/4"     | W01325  | 600-2 | 500  | 25 |
| 450-422 | 1" x 3/8"       | 1" x 1-1/2"     | N/A     | N/A   | 1    | 1  |
| 450-423 | 1" x 1/2"       | 1" x 1-5/8"     | W01339  | 600-2 | 250  | 10 |
| 450-424 | 1" x 5/8"       | 1" x 3/4"       | N/A     | N/A   | 200  | 10 |
| 450-425 | 1" x 3/4"       | 1" x 7/8"       | W01337  | 600-2 | 200  | 10 |
| 450-426 | 1-1/4" x 1/2"   | 1-3/8" x 5/8"   | W01347  | 600-2 | 1    | 1  |
| 450-427 | 1-1/4" x 3/4"   | 1-3/8" x 7/8"   | W01345  | 600-2 | 150  | 1  |
| 450-428 | 1-1/4" x 1"     | 1-3/8" x 1-1/8" | W01343  | 600-2 | 150  | 1  |
| 450-429 | 1-1/2" x 1/2"   | 1-5/8" x 5/8"   | W01355  | 600-2 | 130  | 1  |
| 450-430 | 1-1/2" x 3/4"   | 1-5/8" x 7/8"   | W01353  | 600-2 | 110  | 1  |
| 450-431 | 1-1/2" x 1"     | 1-5/8" x 1-1/8" | W01351  | 600-2 | 100  | 1  |
| 450-432 | 1-1/2" x 1-1/4" | 1-5/8" x 1-3/8" | W01350  | 600-2 | 100  | 1  |
| 450-433 | 2" x 1/2"       | 2-1/8" x 5/8"   | W01364  | 600-2 | 80   | 1  |
| 450-434 | 2" x 3/4"       | 2-1/8" x 7/8"   | W01362  | 600-2 | 55   | 1  |
| 450-435 | 2" x 1"         | 2-1/8" x 1-1/8" | W01360  | 600-2 | 57   | 1  |
| 450-436 | 2" x 1-1/4"     | 2-1/8" x 1-3/8" | W01359  | 600-2 | 50   | 1  |
| 450-437 | 2" x 1-1/2"     | 2-1/8" x 1-5/8" | W01358  | 600-2 | 50   | 1  |
| 450-438 | 2-1/2" x 1"     | 2-5/8" x 1-1/8" | W01370  | 600-2 | 20   | 1  |
| 450-439 | 2-1/2" x 1-1/4" | 2-5/8" x 1-3/8" | W01369  | 600-2 | 48   | 1  |
| 450-440 | 2-1/2" x 1-1/2" | 2-5/8" x 1-5/8" | W01368  | 600-2 | 40   | 1  |
| 450-441 | 2-1/2" x 2"     | 2-5/8" x 2-1/8" | W01367  | 600-2 | 40   | 1  |
| 450-442 | 3" x 1-1/4"     | 3-1/8" x 1-3/8" | W01379  | 600-2 | 24   | 1  |
| 450-443 | 3" x 1-1/2"     | 3-1/8" x 1-5/8" | W01378  | 600-2 | 20   | 1  |

| Certifications                                       | Part No. | I.D. Size   | O.D. Size       | X-Ref. | X-Ref. | Cs. | Ct. |
|------------------------------------------------------|----------|-------------|-----------------|--------|--------|-----|-----|
| <b>Wrot Copper Reducing Coupling</b><br>...Continued | 450-444  | 3" x 2"     | 3-1/8" x 2-1/8" | W01377 | 600-2  | 20  | 1   |
|                                                      | 450-445  | 3" x 2-1/2" | 3-1/8" x 2-5/8" | W01376 | 600-2  | 24  | 1   |
|                                                      | 450-447  | 4" x 2"     | 4-1/8" x 2-1/8" | W01389 | 600-2  | 12  | 1   |
|                                                      | 450-448  | 4" x 2-1/2" | 4-1/8" x 2-5/8" | W01388 | 600-2  | 10  | 1   |
|                                                      | 450-449  | 4" x 3"     | 4-1/8" x 3-1/8" | W01387 | 600-2  | 10  | 1   |

## Wrot Copper Coupling with Rolled Stop

Third-party tested and certified;  
NSF/ANSI 61



|         |        |        |         |       |      |    |
|---------|--------|--------|---------|-------|------|----|
| 450-500 | 1/8"   | 1/4"   | N/A     | N/A   | 1    | 1  |
| 450-501 | 1/4"   | 3/8"   | W 01009 | 600RS | 999  | 25 |
| 450-502 | 3/8"   | 1/2"   | W 01017 | 600RS | 1500 | 25 |
| 450-503 | 1/2"   | 5/8"   | WB01022 | 600RS | 800  | 25 |
| 450-516 | 5/8"   | 3/4"   | W 01028 | 600RS | 550  | 25 |
| 450-504 | 3/4"   | 7/8"   | WB01034 | 600RS | 300  | 25 |
| 450-505 | 1"     | 1-1/8" | WB01047 | 600RS | 160  | 10 |
| 450-506 | 1-1/4" | 1-3/8" | W 01055 | 600RS | 120  | 1  |
| 450-507 | 1-1/2" | 1-5/8" | W 01063 | 600RS | 85   | 1  |
| 450-508 | 2"     | 2-1/8" | W 01072 | 600RS | 38   | 1  |
| 450-509 | 2-1/2" | 2-5/8" | W 01082 | 600RS | 20   | 1  |
| 450-510 | 3"     | 3-1/8" | W 01092 | 600RS | 16   | 1  |
| 450-511 | 4"     | 4-1/8" | W 10107 | 600RS | 6    | 1  |

## Wrot Copper 45° Elbow

Third-party tested and certified;  
NSF/ANSI 61



|         |        |        |         |     |      |    |
|---------|--------|--------|---------|-----|------|----|
| 450-020 | 1/8"   | 1/4"   | N/A     | N/A | 1    | 25 |
| 450-021 | 1/4"   | 3/8"   | W 03012 | 606 | 2500 | 25 |
| 450-022 | 3/8"   | 1/2"   | W 03021 | 606 | 1200 | 25 |
| 450-023 | 1/2"   | 5/8"   | WB03026 | 606 | 650  | 25 |
| 450-035 | 5/8"   | 3/4"   | W 03030 | 606 | 400  | 25 |
| 450-024 | 3/4"   | 7/8"   | WB03034 | 606 | 250  | 25 |
| 450-025 | 1"     | 1-1/8" | WB03044 | 606 | 120  | 10 |
| 450-026 | 1-1/4" | 1-3/8" | W 03050 | 606 | 80   | 1  |
| 450-027 | 1-1/2" | 1-5/8" | W 03055 | 606 | 50   | 1  |
| 450-028 | 2"     | 2-1/8" | W 03059 | 606 | 20   | 1  |
| 450-029 | 2-1/2" | 2-5/8" | W 03063 | 606 | 12   | 1  |
| 450-030 | 3"     | 3-1/8" | W 03067 | 606 | 8    | 1  |
| 450-031 | 4"     | 4-1/8" | W 03073 | 606 | 3    | 1  |
| 450-032 | 5"     | 5-1/8" | N/A     | N/A | 1    | 1  |
| 450-033 | 6"     | 6-1/8" | N/A     | N/A | 1    | 1  |

## Wrot Copper 45° Street Elbow

Third-party tested and certified;  
NSF/ANSI 61



|         |        |        |         |       |      |    |
|---------|--------|--------|---------|-------|------|----|
| 450-061 | 1/4"   | 3/8"   | N/A     | N/A   | 1    | 1  |
| 450-062 | 3/8"   | 1/2"   | N/A     | N/A   | 1200 | 25 |
| 450-063 | 1/2"   | 5/8"   | WB03326 | 606-2 | 650  | 25 |
| 450-075 | 5/8"   | 3/4"   | W03330  | 606-2 | 400  | 25 |
| 450-064 | 3/4"   | 7/8"   | WB03334 | 606-2 | 250  | 25 |
| 450-065 | 1"     | 1-1/8" | W03344  | 606-2 | 120  | 10 |
| 450-066 | 1-1/4" | 1-3/8" | W03350  | 606-2 | 80   | 1  |
| 450-067 | 1-1/2" | 1-5/8" | W03355  | 606-2 | 50   | 1  |

| Certifications | Part No. | I.D. Size | O.D. Size | X-Ref. | X-Ref. | Cs. | Ct. |
|----------------|----------|-----------|-----------|--------|--------|-----|-----|
|----------------|----------|-----------|-----------|--------|--------|-----|-----|

## Wrot Copper 45° Street Elbow

...Continued



|         |        |        |        |       |    |   |
|---------|--------|--------|--------|-------|----|---|
| 450-068 | 2"     | 2-1/8" | W03359 | 606-2 | 20 | 1 |
| 450-069 | 2-1/2" | 2-5/8" | W03363 | 606-2 | 12 | 1 |
| 450-070 | 3"     | 3-1/8" | W03368 | 606-2 | 8  | 1 |

## Wrot Copper 90° Long Turn Elbow

Third-party tested and certified;  
NSF/ANSI 61



|         |        |        |        |       |     |    |
|---------|--------|--------|--------|-------|-----|----|
| 450-130 | 1/8"   | 1/4"   | N/A    | N/A   | 1   | 1  |
| 450-131 | 1/4"   | 3/8"   | W02716 | 607LT | 999 | 25 |
| 450-132 | 3/8"   | 1/2"   | W02717 | 607LT | 800 | 25 |
| 450-133 | 1/2"   | 5/8"   | W02722 | 607LT | 500 | 25 |
| 450-128 | 5/8"   | 3/4"   | W02734 | 607LT | 250 | 25 |
| 450-134 | 3/4"   | 7/8"   | W02728 | 607LT | 180 | 10 |
| 450-135 | 1"     | 1-1/8" | W02747 | 607LT | 80  | 10 |
| 450-136 | 1-1/4" | 1-3/8" | W02055 | 607LT | 45  | 1  |
| 450-137 | 1-1/2" | 1-5/8" | W02063 | 607LT | 30  | 1  |
| 450-138 | 2"     | 2-1/8" | W02072 | 607LT | 15  | 1  |
| 450-139 | 2-1/2" | 2-5/8" | W02082 | 607LT | 8   | 1  |
| 450-140 | 3"     | 3-1/8" | W02092 | 607LT | 5   | 1  |

## Wrot Copper 90° Long Turn Street Elbow

Third-party tested and certified;  
NSF/ANSI 61



|         |        |        |        |         |      |    |
|---------|--------|--------|--------|---------|------|----|
| 450-081 | 1/4"   | 3/8"   | W02809 | 607-2LT | 1500 | 25 |
| 450-082 | 3/8"   | 1/2"   | W02817 | 607-2LT | 800  | 25 |
| 450-083 | 1/2"   | 5/8"   | W02822 | 607-2LT | 500  | 25 |
| 450-095 | 5/8"   | 3/4"   | W02834 | 607-2LT | 250  | 25 |
| 450-084 | 3/4"   | 7/8"   | W02828 | 607-2LT | 180  | 10 |
| 450-085 | 1"     | 1-1/8" | W02847 | 607-2LT | 80   | 10 |
| 450-086 | 1-1/4" | 1-3/8" | W02350 | 607-2LT | 45   | 1  |
| 450-087 | 1-1/2" | 1-5/8" | W02355 | 607-2LT | 30   | 1  |
| 450-088 | 2"     | 2-1/8" | W02359 | 607-2LT | 15   | 1  |
| 450-089 | 2-1/2" | 2-5/8" | W02363 | 607-2LT | 8    | 1  |
| 450-090 | 3"     | 3-1/8" | W02368 | 607-2LT | 5    | 1  |

## Wrot Copper 90° Elbow

Third-party tested and certified;  
NSF/ANSI 61



|         |        |        |         |     |      |     |
|---------|--------|--------|---------|-----|------|-----|
| 450-000 | 1/8"   | 1/4"   | W02003  | 607 | 2000 | 25  |
| 450-001 | 1/4"   | 3/8"   | W02009  | 607 | 1000 | 100 |
| 450-002 | 3/8"   | 1/2"   | W01617  | 607 | 1000 | 25  |
| 450-003 | 1/2"   | 5/8"   | WB01622 | 607 | 650  | 25  |
| 450-004 | 3/4"   | 7/8"   | WB01634 | 607 | 250  | 25  |
| 450-005 | 1"     | 1-1/8" | WB01647 | 607 | 120  | 10  |
| 450-006 | 1-1/4" | 1-3/8" | W02084  | 607 | 80   | 1   |
| 450-007 | 1-1/2" | 1-5/8" | W02085  | 607 | 50   | 1   |

| Certifications                               | Part No. | I.D. Size | O.D. Size | X-Ref. | X-Ref. | Cs. | Ct. |
|----------------------------------------------|----------|-----------|-----------|--------|--------|-----|-----|
| <b>Wrot Copper 90° Elbow</b><br>...Continued | 450-008  | 2"        | 2-1/8"    | W02086 | 607    | 20  | 1   |
|                                              | 450-009  | 2-1/2"    | 2-5/8"    | W02087 | 607    | 10  | 1   |
|                                              | 450-010  | 3"        | 3-1/8"    | W02088 | 607    | 8   | 1   |
|                                              | 450-011  | 4"        | 4-1/8"    | W02090 | 607    | 3   | 1   |
|                                              | 450-012  | 5"        | 5-1/8"    |        |        | 1   | 1   |
|                                              | 450-013  | 6"        | 6-1/8"    |        |        | 1   | 1   |
|                                              | 450-014  | 8"        | 8-1/8"    |        |        | 1   | 1   |

## Wrot Copper 90° Reducing Elbow

Third-party tested and certified;  
NSF/ANSI 61



|         |             |               |        |      |     |    |
|---------|-------------|---------------|--------|------|-----|----|
| 450-105 | 1/2" x 3/8" | 5/8" x 1/2"   | N/A    | N/A  | 1   | 1  |
| 450-109 | 3/4" x 1/2" | 1/2" x 5/8"   | W02036 | 607R | 200 | 10 |
| 450-112 | 1" x 1/2"   | 1-1/8" x 5/8" | W02051 | 607R | 100 | 10 |
| 450-113 | 1" x 3/4"   | 1-1/8" x 7/8" | W02049 | 607R | 80  | 10 |

## Wrot Copper 90° Street Elbow

Third-party tested and certified;  
NSF/ANSI 61



|         |        |        |         |       |      |    |
|---------|--------|--------|---------|-------|------|----|
| 450-041 | 1/4"   | 3/8"   | W02312  | 607-2 | 2000 | 25 |
| 450-042 | 3/8"   | 1/2"   | W02321  | 607-2 | 1000 | 25 |
| 450-043 | 1/2"   | 5/8"   | WB01652 | 607-2 | 650  | 25 |
| 450-044 | 3/4"   | 7/8"   | WB01654 | 607-2 | 250  | 25 |
| 450-045 | 1"     | 1-1/8" | WB02344 | 607-2 | 120  | 10 |
| 450-046 | 1-1/4" | 1-3/8" | W02384  | 607-2 | 80   | 1  |
| 450-047 | 1-1/2" | 1-5/8" | W02385  | 607-2 | 50   | 1  |
| 450-048 | 2"     | 2-1/8" | W02386  | 607-2 | 20   | 1  |
| 450-049 | 2-1/2" | 2-5/8" | W02387  | 607-2 | 10   | 1  |
| 450-050 | 3"     | 3-1/8" | W02388  | 607-2 | 8    | 1  |
| 450-051 | 4"     | 4-1/8" | W02390  | 607-2 | 3    | 1  |

## Wrot Copper Flush Bushing

Third-party tested and certified;  
NSF/ANSI 61



|         |             |             |        |     |     |    |
|---------|-------------|-------------|--------|-----|-----|----|
| 450-600 | 1/4" x 1/8" | 3/8" x 1/4" | W01706 | 618 | 1   | 1  |
| 450-601 | 3/8" x 1/4" | 1/2" x 3/8" | W01712 | 618 | 1   | 1  |
| 450-602 | 1/2" x 1/4" | 5/8" x 3/8" | W01717 | 618 | 999 | 25 |
| 450-603 | 1/2" x 3/8" | 5/8" x 1/2" | W01715 | 618 | 1   | 1  |
| 450-609 | 3/4" x 3/8" | 7/8" x 1/2" | W01727 | 618 | 1   | 1  |
| 450-610 | 3/4" x 1/2" | 7/8" x 5/8" | W01726 | 618 | 500 | 25 |
| 450-611 | 3/4" x 5/8" | 7/8" x 3/4" | W01725 | 618 | 1   | 1  |
| 450-612 | 1" x 1/2"   | 1" x 1-5/8" | W01739 | 618 | 1   | 1  |
| 450-614 | 1" x 3/4"   | 1" x 7/8"   | W01737 | 618 | 330 | 10 |

| Certifications | Part No. | I.D. Size | O.D. Size | X-Ref. | X-Ref. | Cs. | Ct. |
|----------------|----------|-----------|-----------|--------|--------|-----|-----|
|----------------|----------|-----------|-----------|--------|--------|-----|-----|

## Wrot Copper Tee

Third-party tested and certified;  
NSF/ANSI 61



|         |        |        |         |     |      |    |
|---------|--------|--------|---------|-----|------|----|
| 450-150 | 1/8"   | 1/4"   | W40306  | 611 | 999  | 25 |
| 450-151 | 1/4"   | 3/8"   | W04000  | 611 | 1300 | 25 |
| 450-152 | 3/8"   | 1/2"   | W04001  | 611 | 800  | 25 |
| 450-153 | 1/2"   | 5/8"   | WB04006 | 611 | 400  | 25 |
| 450-165 | 5/8"   | 3/4"   | W04017  | 611 | 200  | 25 |
| 450-154 | 3/4"   | 7/8"   | WB04031 | 611 | 140  | 10 |
| 450-155 | 1"     | 1-1/8" | WB04048 | 611 | 70   | 10 |
| 450-156 | 1-1/4" | 1-3/8" | W04068  | 611 | 45   | 1  |
| 450-157 | 1-1/2" | 1-5/8" | W04084  | 611 | 25   | 1  |
| 450-158 | 2"     | 2-1/8" | W40102  | 611 | 14   | 1  |
| 450-159 | 2-1/2" | 2-5/8" | W40123  | 611 | 9    | 1  |
| 450-160 | 3"     | 3-1/8" | W40152  | 611 | 5    | 1  |
| 450-161 | 4"     | 4-1/8" | W40200  | 611 | 2    | 1  |
| 450-162 | 5"     | 5-1/8" | N/A     | N/A | 1    | 1  |
| 450-163 | 6"     | 6-1/8" | N/A     | N/A | 1    | 1  |
| 450-164 | 8"     | 8-1/8" | N/A     | N/A | 1    | 1  |

## Wrot Copper Reducing Tee

Third-party tested and certified;  
NSF/ANSI 61



|         |                    |                        |         |       |     |    |
|---------|--------------------|------------------------|---------|-------|-----|----|
| 450-170 | 1/4" x 1/8" x 1/8" | 3/8" x 1/4" x 1/4"     | N/A     | N/A   | 1   | 1  |
| 450-172 | 1/4" x 1/4" x 3/8" | 3/8" x 3/8" x 1/2"     | N/A     | N/A   | 1   | 1  |
| 450-180 | 3/8" x 3/8" x 1/4" | 1/2" x 1/2" x 3/8"     | N/A     | N/A   | 1   | 1  |
| 450-181 | 3/8" x 3/8" x 1/2" | 1/2" x 1/2" x 5/8"     | N/A     | N/A   | 1   | 1  |
| 450-185 | 1/2" x 3/8" x 3/8" | 5/8" x 1/2" x 1/2"     | N/A     | N/A   | 1   | 1  |
| 450-186 | 1/2" x 3/8" x 1/2" | 5/8" x 1/2" x 5/8"     | N/A     | N/A   | 1   | 1  |
| 450-187 | 1/2" x 1/2" x 1/8" | 5/8" x 5/8" x 1/4"     | N/A     | N/A   | 1   | 1  |
| 450-188 | 1/2" x 1/2" x 1/4" | 5/8" x 5/8" x 3/8"     | N/A     | N/A   | 1   | 1  |
| 450-189 | 1/2" x 1/2" x 3/8" | 5/8" x 5/8" x 1/2"     | N/A     | N/A   | 1   | 1  |
| 450-259 | 1/2" x 1/2" x 3/4" | 5/8" x 5/8" x 7/8"     | W04047  | 611BH | 240 | 10 |
| 450-190 | 1/2" x 1/2" x 1"   | 5/8" x 5/8" x 1-1/8"   | W04067  | 611BH | 80  | 10 |
| 450-193 | 5/8" x 1/2" x 1/2" | 3/4" x 5/8" x 5/8"     | N/A     | N/A   | 1   | 1  |
| 450-195 | 5/8" x 5/8" x 1/4" | 3/4" x 3/4" x 3/8"     | N/A     | N/A   | 1   | 1  |
| 450-250 | 3/4" x 1/2" x 1/2" | 7/8" x 5/8" x 5/8"     | WB04043 | 611RR | 200 | 10 |
| 450-251 | 3/4" x 1/2" x 3/4" | 7/8" x 5/8" x 7/8"     | WB04041 | 611RR | 150 | 10 |
| 450-198 | 3/4" x 3/4" x 1/4" | 7/8" x 7/8" x 3/8"     | N/A     | N/A   | 1   | 1  |
| 450-199 | 3/4" x 3/4" x 3/8" | 7/8" x 7/8" x 1/2"     | N/A     | N/A   | 1   | 1  |
| 450-208 | 3/4" x 3/4" x 1/2" | 7/8" x 7/8" x 5/8"     | WB04033 | 611R  | 200 | 10 |
| 450-200 | 3/4" x 3/4" x 5/8" | 7/8" x 7/8" x 3/4"     | W04032  | 611R  | 150 | 10 |
| 450-201 | 3/4" x 3/4" x 1"   | 7/8" x 7/8" x 1-1/8"   | W04065  | 611BH | 90  | 10 |
| 450-202 | 1" x 1/2" x 1/2"   | 1-1/8" x 5/8" x 5/8"   | N/A     | N/A   | 100 | 10 |
| 450-203 | 1" x 1/2" x 3/4"   | 1-1/8" x 5/8" x 7/8"   | W04062  | 611RR | 100 | 10 |
| 450-204 | 1" x 1/2" x 1"     | 1-1/8" x 5/8" x 1-1/8" | W04061  | 611RR | 80  | 10 |
| 450-205 | 1" x 3/4" x 1/2"   | 1-1/8" x 7/8" x 5/8"   | W04058  | 611RR | 100 | 10 |
| 450-206 | 1" x 3/4" x 3/4"   | 1-1/8" x 7/8" x 7/8"   | W04056  | 611RR | 80  | 10 |
| 450-207 | 1" x 3/4" x 1"     | 1-1/8" x 7/8" x 1-1/8" | W04055  | 611RR | 70  | 10 |
| 450-210 | 1" x 1" x 3/8"     | 1-1/8" x 1-1/8" x 1/2" | W04052  | 611R  | 120 | 10 |
| 450-211 | 1" x 1" x 1/2"     | 1-1/8" x 1-1/8" x 5/8" | WB04051 | 611R  | 100 | 10 |

| Certifications                                                                                                                       | Part No. | I.D. Size                | O.D. Size                | X-Ref.  | X-Ref. | Cs. | Ct. |
|--------------------------------------------------------------------------------------------------------------------------------------|----------|--------------------------|--------------------------|---------|--------|-----|-----|
| <b>Wrot Copper Reducing Tee</b><br>...Continued<br> | 450-213  | 1" x 1" x 5/8"           | 1-1/8" x 1-1/8" x 3/4"   | W04050  | 611R   | 100 | 10  |
|                                                                                                                                      | 450-212  | 1" x 1" x 3/4"           | 1-1/8" x 1-1/8" x 7/8"   | WB04049 | 611R   | 90  | 10  |
|                                                                                                                                      | 450-217  | 1" x 1" x 1-1/4"         | 1-1/8" x 1-1/8" x 1-3/8" | W04082  | 611R   | 50  | 1   |
|                                                                                                                                      | 450-222  | 1" x 1" x 1-1/2"         | 1-1/8" x 1-1/8" x 1-5/8" | W40101  | 611R   | 40  | 1   |
|                                                                                                                                      | 450-231  | 1-1/4" x 1/2" x 1-1/4"   | 1-3/8" x 5/8" x 1-3/8"   | W04083  | 611RR  | 50  | 1   |
|                                                                                                                                      | 450-232  | 1-1/4" x 3/4" x 1/2"     | 1-3/8" x 7/8" x 5/8"     | W04081  | 611RR  | 70  | 1   |
|                                                                                                                                      | 450-233  | 1-1/4" x 3/4" x 3/4"     | 1-3/8" x 7/8" x 7/8"     | W04080  | 611RR  | 72  | 1   |
|                                                                                                                                      | 450-234  | 1-1/4" x 3/4" x 1"       | 1-3/8" x 7/8" x 1-1/8"   | W04079  | 611RR  | 60  | 1   |
|                                                                                                                                      | 450-235  | 1-1/4" x 3/4" x 1-1/4"   | 1-3/8" x 7/8" x 1-3/8"   | W04078  | 611RR  | 45  | 1   |
|                                                                                                                                      | 450-236  | 1-1/4" x 1" x 1/2"       | 1-3/8" x 1-1/8" x 5/8"   | W04076  | 611RR  | 75  | 1   |
|                                                                                                                                      | 450-237  | 1-1/4" x 1" x 3/4"       | 1-3/8" x 1-1/8" x 7/8"   | W04075  | 611RR  | 60  | 1   |
|                                                                                                                                      | 450-238  | 1-1/4" x 1" x 1"         | 1-3/8" x 1-1/8" x 1-1/8" | W04074  | 611RR  | 55  | 1   |
|                                                                                                                                      | 450-239  | 1-1/4" x 1" x 1-1/4"     | 1-3/8" x 1-1/8" x 1-3/8" | W04073  | 611RR  | 45  | 1   |
|                                                                                                                                      | 450-214  | 1-1/4" x 1-1/4" x 1/2"   | 1-3/8" x 1-3/8" x 5/8"   | W04071  | 611R   | 80  | 1   |
|                                                                                                                                      | 450-215  | 1-1/4" x 1-1/4" x 3/4"   | 1-3/8" x 1-3/8" x 7/8"   | W04070  | 611R   | 70  | 1   |
|                                                                                                                                      | 450-216  | 1-1/4" x 1-1/4" x 1"     | 1-3/8" x 1-3/8" x 1-1/8" | W04069  | 611R   | 60  | 1   |
|                                                                                                                                      | 450-240  | 1-1/4" x 1-1/4" x 1-1/2" | 1-3/8" x 1-3/8" x 1-5/8" | W40100  | 611BH  | 25  | 1   |
|                                                                                                                                      | 450-241  | 1-1/4" x 1-1/4" x 2"     | 1-3/8" x 1-3/8" x 2-1/8" | W40122  | 611BH  | 15  | 1   |
|                                                                                                                                      | 450-244  | 1-1/2" x 1/2" x 1-1/2"   | 1-5/8" x 5/8" x 1-5/8"   | W40244  | 611RR  | 35  | 1   |
|                                                                                                                                      | 450-245  | 1-1/2" x 3/4" x 1/2"     | 1-5/8" x 7/8" x 5/8"     | W40243  | 611RR  | 45  | 1   |
|                                                                                                                                      | 450-246  | 1-1/2" x 3/4" x 3/4"     | 1-5/8" x 7/8" x 5/8"     | W40238  | 611RR  | 50  | 1   |
|                                                                                                                                      | 450-247  | 1-1/2" x 3/4" x 1"       | 1-5/8" x 7/8" x 1-1/8"   | W40240  | 611RR  | 50  | 1   |
|                                                                                                                                      | 450-248  | 1-1/2" x 1/2" x 1-1/4"   | 1-5/8" x 5/8" x 1-3/8"   | W40239  | 611RR  | 35  | 1   |
|                                                                                                                                      | 450-249  | 1-1/2" x 1/2" x 1-1/2"   | 1-5/8" x 5/8" x 1-5/8"   | W04099  | 611RR  | 35  | 1   |
|                                                                                                                                      | 450-252  | 1-1/2" x 1" x 1/2"       | 1-5/8" x 1-1/8" x 5/8"   | W40237  | 611RR  | 45  | 1   |
|                                                                                                                                      | 450-253  | 1-1/2" x 1" x 3/4"       | 1-5/8" x 1-1/8" x 7/8"   | W04098  | 611RR  | 50  | 1   |
|                                                                                                                                      | 450-254  | 1-1/2" x 1" x 1"         | 1-5/8" x 1-1/8" x 1-1/8" | W04097  | 611RR  | 35  | 1   |
|                                                                                                                                      | 450-255  | 1-1/2" x 1" x 1-1/4"     | 1-5/8" x 1-1/8" x 1-3/8" | W04096  | 611RR  | 35  | 1   |
|                                                                                                                                      | 450-256  | 1-1/2" x 1" x 1-1/2"     | 1-5/8" x 1-1/8" x 1-5/8" | W04095  | 611RR  | 30  | 1   |
|                                                                                                                                      | 450-257  | 1-1/2" x 1-1/4" x 1/2"   | 1-5/8" x 1-3/8" x 5/8"   | W04094  | 611RR  | 50  | 1   |
|                                                                                                                                      | 450-258  | 1-1/2" x 1-1/4" x 3/4"   | 1-5/8" x 1-3/8" x 7/8"   | W04093  | 611RR  | 50  | 1   |
|                                                                                                                                      | 450-260  | 1-1/2" x 1-1/4" x 1"     | 1-5/8" x 1-3/8" x 1-1/8" | W04092  | 611RR  | 40  | 1   |
|                                                                                                                                      | 450-261  | 1-1/2" x 1-1/4" x 1-1/4" | 1-5/8" x 1-3/8" x 1-3/8" | W04091  | 611RR  | 35  | 1   |
|                                                                                                                                      | 450-262  | 1-1/2" x 1-1/4" x 1-1/2" | 1-5/8" x 1-3/8" x 1-5/8" | W04090  | 611RR  | 40  | 1   |
|                                                                                                                                      | 450-218  | 1-1/2" x 1-1/2" x 1/2"   | 1-5/8" x 1-5/8" x 5/8"   | W04088  | 611R   | 50  | 1   |
|                                                                                                                                      | 450-219  | 1-1/2" x 1-1/2" x 3/4"   | 1-5/8" x 1-5/8" x 7/8"   | W04087  | 611R   | 40  | 1   |
|                                                                                                                                      | 450-220  | 1-1/2" x 1-1/2" x 1"     | 1-5/8" x 1-5/8" x 1-1/8" | W04086  | 611R   | 40  | 1   |
|                                                                                                                                      | 450-221  | 1-1/2" x 1-1/2" x 1-1/4" | 1-5/8" x 1-5/8" x 1-3/8" | W04085  | 611R   | 30  | 1   |
|                                                                                                                                      | 450-263  | 1-1/2" x 1-1/2" x 2"     | 1-5/8" x 1-5/8" x 2-1/8" | W40121  | 611R   | 12  | 1   |
|                                                                                                                                      | 450-264  | 2" x 1/2" x 2"           | 2-1/8" x 5/8" x 2-1/8"   | W40249  | 611RR  | 15  | 1   |
|                                                                                                                                      | 450-265  | 2" x 3/4" x 2"           | 2-1/8" x 7/8" x 2-1/8"   | W40248  | 611RR  | 15  | 1   |
|                                                                                                                                      | 450-268  | 2" x 1" x 1"             | 2-1/8" x 1-1/8" x 1-1/8" | W40247  | 611RR  | 30  | 1   |
|                                                                                                                                      | 450-270  | 2" x 1" x 2"             | 2-1/8" x 1-1/8" x 2-1/8" | W40245  | 611RR  | 18  | 1   |
|                                                                                                                                      | 450-271  | 2" x 1-1/4" x 3/4"       | 2-1/8" x 1-3/8" x 7/8"   | W40119  | 611RR  | 30  | 1   |
|                                                                                                                                      | 450-272  | 2" x 1-1/4" x 1"         | 2-1/8" x 1-3/8" x 1-1/8" | W40118  | 611RR  | 24  | 1   |
|                                                                                                                                      | 450-273  | 2" x 1-1/4" x 1-1/4"     | 2-1/8" x 1-3/8" x 1-3/8" | W40117  | 611RR  | 25  | 1   |

## Wrot Copper Reducing Tee

...Continued



| Certifications | Part No. | I.D. Size                | O.D. Size                | X-Ref. | X-Ref. | Cs. | Ct. |
|----------------|----------|--------------------------|--------------------------|--------|--------|-----|-----|
|                | 450-274  | 2" x 1-1/4" x 1-1/2"     | 2-1/8" x 1-3/8" x 1-5/8" | W40116 | 611RR  | 20  | 1   |
|                | 450-275  | 2" x 1-1/4" x 2"         | 2-1/8" x 1-3/8" x 2-1/8" | W40115 | 611RR  | 15  | 1   |
|                | 450-276  | 2" x 1-1/2" x 1/2"       | 2-1/8" x 1-5/8" x 5/8"   | W40114 | 611RR  | 30  | 1   |
|                | 450-277  | 2" x 1-1/2" x 3/4"       | 2-1/8" x 1-5/8" x 7/8"   | W40113 | 611RR  | 30  | 1   |
|                | 450-278  | 2" x 1-1/2" x 1"         | 2-1/8" x 1-5/8" x 1-1/8" | W40112 | 611RR  | 30  | 1   |
|                | 450-279  | 2" x 1-1/2" x 1-1/4"     | 2-1/8" x 1-5/8" x 1-3/8" | W40111 | 611RR  | 20  | 1   |
|                | 450-280  | 2" x 1-1/2" x 1-1/2"     | 2-1/8" x 1-5/8" x 1-5/8" | W40110 | 611RR  | 20  | 1   |
|                | 450-281  | 2" x 1-1/2" x 2"         | 2-1/8" x 1-5/8" x 2-1/8" | W40109 | 611RR  | 15  | 1   |
|                | 450-223  | 2" x 2" x 1/2"           | 2-1/8" x 2-1/8" x 5/8"   | W40107 | 611R   | 30  | 1   |
|                | 450-224  | 2" x 2" x 3/4"           | 2-1/8" x 2-1/8" x 7/8"   | W40106 | 611R   | 30  | 1   |
|                | 450-225  | 2" x 2" x 1"             | 2-1/8" x 2-1/8" x 1-1/8" | W40105 | 611R   | 24  | 1   |
|                | 450-226  | 2" x 2" x 1-1/4"         | 2-1/8" x 2-1/8" x 1-3/8" | W40104 | 611R   | 20  | 1   |
|                | 450-227  | 2" x 2" x 1-1/2"         | 2-1/8" x 2-1/8" x 1-5/8" | W40103 | 611R   | 15  | 1   |
|                | 450-282  | 2" x 2" x 2-1/2"         | 2-1/8" x 2-1/8" x 2-5/8" | W40144 | 611R   | 7   | 1   |
|                | 450-284  | 2-1/2" x 3/4" x 2-1/2"   | 2-5/8" x 7/8" x 2-5/8"   | W40222 | 611RR  | 6   | 1   |
|                | 450-285  | 2-1/2" x 1" x 2-1/2"     | 2-5/8" x 1-1/8" x 2-5/8" | W40221 | 611RR  | 6   | 1   |
|                | 450-288  | 2-1/2" x 1-1/4" x 2-1/2" | 2-5/8" x 1-3/8" x 2-5/8" | W40220 | 611RR  | 10  | 1   |
|                | 450-290  | 2-1/2" x 1-1/2" x 2-1/2" | 2-5/8" x 1-5/8" x 2-5/8" | W40137 | 611RR  | 6   | 1   |
|                | 450-292  | 2-1/2" x 2" x 3/4"       | 2-5/8" x 2-1/8" x 5/8"   | W40135 | 611RR  | 20  | 1   |
|                | 450-293  | 2-1/2" x 2" x 1"         | 2-5/8" x 2-1/8" x 1-1/8" | W40134 | 611RR  | 14  | 1   |
|                | 450-294  | 2-1/2" x 2" x 1-1/4"     | 2-5/8" x 2-1/8" x 1-3/8" | W40133 | 611RR  | 16  | 1   |
|                | 450-295  | 2-1/2" x 2" x 1-1/2"     | 2-5/8" x 2-1/8" x 1-5/8" | W40132 | 611RR  | 12  | 1   |
|                | 450-296  | 2-1/2" x 2" x 2"         | 2-5/8" x 2-1/8" x 2-1/8" | W40131 | 611RR  | 10  | 1   |
|                | 450-297  | 2-1/2" x 2" x 2-1/2"     | 2-5/8" x 2-1/8" x 2-5/8" | W40130 | 611RR  | 8   | 1   |
|                | 450-298  | 2-1/2" x 2-1/2" x 1/2"   | 2-5/8" x 2-5/8" x 5/8"   | W40129 | 611R   | 18  | 1   |
|                | 450-299  | 2-1/2" x 2-1/2" x 3/4"   | 2-5/8" x 2-5/8" x 7/8"   | W40128 | 611R   | 18  | 1   |
|                | 450-300  | 2-1/2" x 2-1/2" x 1"     | 2-5/8" x 2-5/8" x 1-1/8" | W40127 | 611R   | 15  | 1   |
|                | 450-301  | 2-1/2" x 2-1/2" x 1-1/4" | 2-5/8" x 2-5/8" x 1-3/8" | W40126 | 611R   | 14  | 1   |
|                | 450-302  | 2-1/2" x 2-1/2" x 1-1/2" | 2-5/8" x 2-5/8" x 1-5/8" | W40125 | 611R   | 12  | 1   |
|                | 450-303  | 2-1/2" x 2-1/2" x 2"     | 2-5/8" x 2-5/8" x 2-1/8" | W40124 | 611R   | 10  | 1   |
|                | 450-307  | 3" x 1-1/2" x 3"         | 3-1/8" x 1-5/8" x 3-1/8" | W40174 | 611RR  | 5   | 1   |
|                | 450-309  | 3" x 2" x 2"             | 3-1/8" x 2-1/8" x 2-1/8" | W40164 | 611RR  | 8   | 1   |
|                | 450-310  | 3" x 2" x 2-1/2"         | 3-1/8" x 2-1/8" x 2-5/8" | W40165 | 611RR  | 5   | 1   |
|                | 450-311  | 3" x 2" x 3"             | 3-1/8" x 2-1/8" x 3-1/8" | W40167 | 611RR  | 4   | 1   |
|                | 450-316  | 3" x 2-1/2" x 2"         | 3-1/8" x 2-5/8" x 2-1/8" | W40157 | 611RR  | 5   | 1   |
|                | 450-317  | 3" x 2-1/2" x 2-1/2"     | 3-1/8" x 2-5/8" x 2-5/8" | W40158 | 611RR  | 5   | 1   |
|                | 450-318  | 3" x 2-1/2" x 3"         | 3-1/8" x 2-5/8" x 3-1/8" | W40159 | 611RR  | 5   | 1   |
|                | 450-319  | 3" x 3" x 1/2"           | 3-1/8" x 3-1/8" x 5/8"   | W40145 | 611R   | 10  | 1   |
|                | 450-320  | 3" x 3" x 3/4"           | 3-1/8" x 3-1/8" x 7/8"   | W40146 | 611R   | 12  | 1   |
|                | 450-321  | 3" x 3" x 1"             | 3-1/8" x 3-1/8" x 1-1/8" | W40147 | 611R   | 12  | 1   |
|                | 450-322  | 3" x 3" x 1-1/4"         | 3-1/8" x 3-1/8" x 1-3/8" | W40148 | 611R   | 9   | 1   |
|                | 450-323  | 3" x 3" x 1-1/2"         | 3-1/8" x 3-1/8" x 1-5/8" | W40149 | 611R   | 8   | 1   |
|                | 450-324  | 3" x 3" x 2"             | 3-1/8" x 3-1/8" x 2-1/8" | W40150 | 611R   | 5   | 1   |
|                | 450-325  | 3" x 3" x 2-1/2"         | 3-1/8" x 3-1/8" x 2-5/8" | W40151 | 611R   | 6   | 1   |
|                | 450-326  | 4" x 2" x 4"             | 4-1/8" x 2-1/8" x 4-1/8" | W40216 | 611RR  | 2   | 1   |
|                | 450-328  | 4" x 3" x 2"             | 4-1/8" x 3-1/8" x 2-1/8" | W40204 | 611RR  | 2   | 1   |

| Certifications                                  | Part No. | I.D. Size        | O.D. Size                | X-Ref. | X-Ref. | Cs. | Ct. |
|-------------------------------------------------|----------|------------------|--------------------------|--------|--------|-----|-----|
| <b>Wrot Copper Reducing Tee</b><br>...Continued | 450-330  | 4" x 3" x 3"     | 4-1/8" x 3-1/8" x 3-1/8" | W40206 | 611RR  | 2   | 1   |
|                                                 | 450-331  | 4" x 3" x 4"     | 4-1/8" x 3-1/8" x 4-1/8" | W40208 | 611RR  | 2   | 1   |
|                                                 | 450-332  | 4" x 4" x 1/2"   | 4-1/8" x 4-1/8" x 3/8"   | W40191 | 611R   | 5   | 1   |
|                                                 | 450-333  | 4" x 4" x 3/4"   | 4-1/8" x 4-1/8" x 5/8"   | W40192 | 611R   | 4   | 1   |
|                                                 | 450-334  | 4" x 4" x 1"     | 4-1/8" x 4-1/8" x 1-1/8" | W40193 | 611R   | 4   | 4   |
|                                                 | 450-335  | 4" x 4" x 1-1/4" | 4-1/8" x 4-1/8" x 1-3/8" | W40194 | 611R   | 4   | 1   |
|                                                 | 450-336  | 4" x 4" x 1-1/2" | 4-1/8" x 4-1/8" x 1-5/8" | W40195 | 611R   | 4   | 1   |
|                                                 | 450-337  | 4" x 4" x 2"     | 4-1/8" x 4-1/8" x 2-1/8" | W40196 | 611R   | 4   | 1   |
|                                                 | 450-338  | 4" x 4" x 2-1/2" | 4-1/8" x 4-1/8" x 2-5/8" | W40197 | 611R   | 3   | 1   |
|                                                 | 450-339  | 4" x 4" x 3"     | 4-1/8" x 4-1/8" x 3-1/8" | W40198 | 611R   | 3   | 1   |
|                                                 | 450-358  | 6" x 6" x 2"     | 6-1/8" x 6-1/8" x 2-1/8" | N/A    | N/A    | 1   | 1   |
|                                                 | 450-359  | 6" x 6" x 3"     | 6-1/8" x 6-1/8" x 3-1/8" | N/A    | N/A    | 1   | 1   |
|                                                 | 450-360  | 6" x 6" x 4"     | 6-1/8" x 6-1/8" x 4-1/8" | N/A    | N/A    | 1   | 1   |
|                                                 | 450-366  | 8" x 8" x 4"     | 8-1/8" x 8-1/8" x 4-1/8" | N/A    | N/A    | 1   | 1   |



## Wrot Copper Cap

Third-party tested and certified;  
NSF/ANSI 61



|         |        |        |         |     |      |    |
|---------|--------|--------|---------|-----|------|----|
| 450-480 | 3/8"   | 1/2"   | N/A     | N/A | 1    | 1  |
| 450-483 | 1/2"   | 5/8"   | WB07007 | 617 | 1400 | 25 |
| 450-495 | 5/8"   | 3/4"   | W 07008 | 617 | 1    | 25 |
| 450-484 | 3/4"   | 7/8"   | WB07009 | 617 | 700  | 25 |
| 450-485 | 1"     | 1-1/8" | WB07011 | 617 | 360  | 10 |
| 450-486 | 1-1/4" | 1-3/8" | W07012  | 617 | 250  | 1  |
| 450-487 | 1-1/2" | 1-5/8" | W07013  | 617 | 160  | 1  |
| 450-488 | 2"     | 2-1/8" | W07014  | 617 | 75   | 1  |
| 450-489 | 2-1/2" | 2-5/8" | W07015  | 617 | 45   | 1  |
| 450-490 | 3"     | 3-1/8" | W07016  | 617 | 30   | 1  |
| 450-491 | 4"     | 4-1/8" | W07018  | 617 | 10   | 1  |

## Wrot Copper P-Trap

Third-party tested and certified;  
NSF/ANSI 61



|         |        |        |        |     |   |   |
|---------|--------|--------|--------|-----|---|---|
| 450-462 | 1/2"   | 5/8"   | N/A    | N/A | 1 | 1 |
| 450-463 | 5/8"   | 3/4"   | N/A    | N/A | 1 | 1 |
| 450-464 | 3/4"   | 7/8"   | N/A    | N/A | 1 | 1 |
| 450-465 | 1"     | 1-1/8" | N/A    | N/A | 1 | 1 |
| 450-466 | 1-1/4" | 1-3/8" | N/A    | N/A | 1 | 1 |
| 450-467 | 1-1/2" | 1-5/8" | W61003 | N/A | 1 | 1 |
| 450-468 | 2"     | 2-1/8" | N/A    | N/A | 1 | 1 |

## Wrot Copper Tube Strap

Third-party tested and certified;  
NSF/ANSI 61



|         |      |        |        |     |     |    |
|---------|------|--------|--------|-----|-----|----|
| 450-470 | 1/8" | 1/4"   | N/A    | N/A | 1   | 1  |
| 450-471 | 1/4" | 3/8"   | A01278 | 624 | 1   | 25 |
| 450-472 | 3/8" | 1/2"   | N/A    | N/A | 1   | 1  |
| 450-473 | 1/2" | 5/8"   | A02529 | 624 | 999 | 25 |
| 450-474 | 3/4" | 7/8"   | A02574 | 624 | 800 | 25 |
| 450-475 | 1"   | 1-1/8" | A02614 | 624 | 600 | 10 |

| Certifications                                | Part No. | I.D. Size | O.D. Size | X-Ref. | X-Ref. | Cs. | Ct. |
|-----------------------------------------------|----------|-----------|-----------|--------|--------|-----|-----|
| <b>Wrot Copper Tube Strap</b><br>...Continued | 450-476  | 1-1/4"    | 1-3/8"    | A02650 | 624    | 350 | 1   |
|                                               | 450-477  | 1-1/2"    | 1-5/8"    | A02675 | 624    | 300 | 50  |
|                                               | 450-478  | 2"        | 2-1/8"    | A02708 | 624    | 200 | 50  |



Wrot Copper Multi-Port Sweat Tee

Third-party tested and certified;  
NSF/ANSI 61

Copper Multi-Port Sweat Tee; 12 Port  
510-623-12 1"

N/A N/A 10 10



# Cast Pressure Fittings



Cast Pressure Fittings are constructed from corrosion-resistant no-lead brass and can be used in both residential and commercial applications. Legend offers cast pressure fittings in a variety of sizes and configurations so you can find the parts that are the right fit for each job.

| Certifications | Part No. | Size | Configuration | Cs. | Ct. |
|----------------|----------|------|---------------|-----|-----|
|----------------|----------|------|---------------|-----|-----|

## No Lead Cast Brass Elbows

Third-party tested and certified;  
NSF/ANSI 61



Sweat x FNPT



Sweat x MNPT



Drain Elbow

### NL Sweat x FNPT Elbow

|           |             |              |     |    |
|-----------|-------------|--------------|-----|----|
| 302-283   | 1/2"        | Sweat x FNPT | 300 | 25 |
| 302-283NL | 1/2"        | Sweat x FNPT | 300 | 25 |
| 302-284   | 3/4"        | Sweat x FNPT | 100 | 25 |
| 302-284NL | 3/4"        | Sweat x FNPT | 100 | 25 |
| 302-285   | 1"          | Sweat x FNPT | 75  | 25 |
| 302-285NL | 1"          | Sweat x FNPT | 75  | 25 |
| 302-291NL | 1/2" x 3/8" | Sweat x FNPT | 200 | 25 |

### NL Sweat x MNPT Elbow

|           |      |              |     |    |
|-----------|------|--------------|-----|----|
| 302-273   | 1/2" | Sweat x MNPT | 300 | 25 |
| 302-273NL | 1/2" | Sweat x MNPT | 300 | 25 |
| 302-274   | 3/4" | Sweat x MNPT | 200 | 25 |
| 302-274NL | 3/4" | Sweat x MNPT | 200 | 25 |
| 302-275   | 1"   | Sweat x MNPT | 100 | 25 |
| 302-275NL | 1"   | Sweat x MNPT | 100 | 25 |

### 90° NL Brass Drain Elbow

|           |      |               |     |    |
|-----------|------|---------------|-----|----|
| 302-243   | 3/4" | Sweat x Sweat | 300 | 50 |
| 302-243NL | 3/4" | Sweat x Sweat | 300 | 50 |

## No Lead Cast Brass Drop Ear Elbows

Third-party tested and certified;  
NSF/ANSI 61



FNPT x FNPT



Sweat x Sweat

### NL Brass FNPT Drop Ear Elbow

|           |      |             |     |    |
|-----------|------|-------------|-----|----|
| 302-226   | 1/2" | FNPT x FNPT | 100 | 25 |
| 302-226NL | 1/2" | FNPT x FNPT | 100 | 25 |
| 302-228   | 3/4" | FNPT x FNPT | 100 | 25 |
| 302-228NL | 3/4" | FNPT x FNPT | 100 | 25 |

### NL Brass Sweat Drop Ear Elbow

|           |      |               |     |    |
|-----------|------|---------------|-----|----|
| 302-225   | 1/2" | Sweat x Sweat | 300 | 50 |
| 302-225NL | 1/2" | Sweat x Sweat | 300 | 50 |
| 302-232   | 3/4" | Sweat x Sweat | 200 | 25 |
| 302-232NL | 3/4" | Sweat x Sweat | 150 | 25 |

| Certifications | Part No. | Size | Configuration | Cs. | Ct. |
|----------------|----------|------|---------------|-----|-----|
|----------------|----------|------|---------------|-----|-----|

## No Lead Cast Brass Drop Ear Elbows

...Continued



### NL Sweat x FNPT Drop Ear Elbow

|           |      |              |     |    |
|-----------|------|--------------|-----|----|
| 302-224   | 3/4" | Sweat x FNPT | 100 | 25 |
| 302-224NL | 3/4" | Sweat x FNPT | 100 | 25 |

### NL Brass Sweat x FNPT High Ear Elbow

|           |      |              |     |    |
|-----------|------|--------------|-----|----|
| 302-229   | 1/2" | Sweat x FNPT | 150 | 25 |
| 302-229NL | 1/2" | Sweat x FNPT | 150 | 25 |

### CPVC x FNPT 3-Hole Drop Ear Elbow

|           |      |             |     |    |
|-----------|------|-------------|-----|----|
| 302-231   | 1/2" | CPVC x FNPT | 200 | 20 |
| 302-231NL | 1/2" | CPVC x FNPT | 200 | 20 |
| 302-234   | 3/4" | CPVC x FNPT | 100 | 10 |
| 302-234NL | 3/4" | CPVC x FNPT | 100 | 10 |

## Cast Brass 90° Flanged Sink Elbow

Third-party tested and certified;  
NSF/ANSI 61



|         |      |                |     |    |
|---------|------|----------------|-----|----|
| 450-573 | 1/2" | Flange x Sweat | 150 | 25 |
|---------|------|----------------|-----|----|

## Stainless Steel Drop Ear Elbows

Naturally lead free  
Third-party tested and certified;  
NSF/ANSI 61



### Stainless Steel Drop Ear Elbow

|         |      |             |     |    |
|---------|------|-------------|-----|----|
| 302-239 | 1/2" | FNPT x FNPT | 100 | 10 |
|---------|------|-------------|-----|----|

### SS CPVC x FNPT Drop Ear Elbow

|         |      |             |     |    |
|---------|------|-------------|-----|----|
| 302-238 | 1/2" | CPVC x FNPT | 200 | 10 |
|---------|------|-------------|-----|----|

## No Lead Cast Brass Tees

Third-party tested and certified;  
NSF/ANSI 61



### NL Brass SWT x FNPT x SWT Tee

|           |                    |                      |     |    |
|-----------|--------------------|----------------------|-----|----|
| 302-373   | 1/2"               | Sweat x FNPT x Sweat | 300 | 25 |
| 302-373NL | 1/2"               | Sweat x FNPT x Sweat | 300 | 25 |
| 302-384   | 3/4" x 1/2" x 3/4" | Sweat x FNPT x Sweat | 100 | 25 |
| 302-384NL | 3/4" x 1/2" x 3/4" | Sweat x FNPT x Sweat | 100 | 25 |
| 302-385NL | 3/4"               | Sweat x FNPT x Sweat | 100 | 25 |

| Certifications | Part No. | Size | Configuration | Cs. | Ct. |
|----------------|----------|------|---------------|-----|-----|
|----------------|----------|------|---------------|-----|-----|

## No Lead Cast Brass Tees

...Continued



FNPT x FNPT x Sweat



Sweat x Sweat x FNPT



Sweat x Sweat x MNPT

### NL FNPT x FNPT x Sweat Tee

|           |                    |                     |     |    |
|-----------|--------------------|---------------------|-----|----|
| 302-321   | 3/4" x 3/4" x 1/2" | FNPT x FNPT x Sweat | 100 | 25 |
| 302-321NL | 3/4" x 3/4" x 1/2" | FNPT x FNPT x Sweat | 100 | 25 |
| 302-322   | 3/4" x 1/2" x 1/2" | FNPT x FNPT x Sweat | 200 | 25 |
| 302-322NL | 3/4" x 1/2" x 1/2" | FNPT x FNPT x Sweat | 200 | 25 |
| 302-323   | 3/4" x 1/2" x 3/4" | FNPT x FNPT x Sweat | 200 | 25 |
| 302-323NL | 3/4" x 1/2" x 3/4" | FNPT x FNPT x Sweat | 100 | 25 |

### NL Sweat x Sweat x FNPT Tee

|           |                        |                      |     |    |
|-----------|------------------------|----------------------|-----|----|
| 302-342NL | 1/2" x 3/4"            | Sweat x Sweat x FNPT | 200 | 25 |
| 302-343   | 1/2"                   | Sweat x Sweat x FNPT | 200 | 25 |
| 302-343NL | 1/2"                   | Sweat x Sweat x FNPT | 200 | 25 |
| 302-344   | 3/4"                   | Sweat x Sweat x FNPT | 100 | 25 |
| 302-344NL | 3/4"                   | Sweat x Sweat x FNPT | 100 | 25 |
| 302-354   | 3/4" x 3/4" x 1/2"     | Sweat x Sweat x FNPT | 200 | 25 |
| 302-354NL | 3/4" x 3/4" x 1/2"     | Sweat x Sweat x FNPT | 200 | 25 |
| 302-355   | 1" x 1" x 1/2"         | Sweat x Sweat x FNPT | 100 | 10 |
| 302-355NL | 1" x 1" x 1/2"         | Sweat x Sweat x FNPT | 100 | 10 |
| 302-356   | 1" x 1" x 3/4"         | Sweat x Sweat x FNPT | 100 | 10 |
| 302-356NL | 1" x 1" x 3/4"         | Sweat x Sweat x FNPT | 100 | 10 |
| 302-357   | 1-1/4" x 1-1/4" x 1/2" | Sweat x Sweat x FNPT | 50  | 20 |
| 302-357NL | 1-1/4" x 1-1/4" x 1/2" | Sweat x Sweat x FNPT | 50  | 10 |
| 302-358   | 1-1/4" x 1-1/4" x 3/4" | Sweat x Sweat x FNPT | 40  | 10 |
| 302-358NL | 1-1/4" x 1-1/4" x 3/4" | Sweat x Sweat x FNPT | 40  | 10 |

### Brass Sweat x Sweat x MNPT Tee

|           |      |                      |     |    |
|-----------|------|----------------------|-----|----|
| 302-363   | 1/2" | Sweat x Sweat x MNPT | 300 | 50 |
| 302-363NL | 1/2" | Sweat x Sweat x MNPT | 200 | 25 |

## No Lead Cast Brass Drop Ear Tees

Third-party tested and certified;  
NSF/ANSI 61



## No Lead Cast Brass Baseboard Tees

Third-party tested and certified;  
NSF/ANSI 61



### NL Brass Baseboard Tee

|           |                    |                      |     |    |
|-----------|--------------------|----------------------|-----|----|
| 302-252   | 1/2" x 1/8" x 1/2" | Sweat x FNPT x Sweat | 300 | 50 |
| 302-252NL | 1/2" x 1/8" x 1/2" | Sweat x FNPT x Sweat | 300 | 50 |
| 302-253   | 3/4" x 1/8" x 3/4" | Sweat x FNPT x Sweat | 300 | 50 |
| 302-253NL | 3/4" x 1/8" x 3/4" | Sweat x FNPT x Sweat | 300 | 50 |
| 302-254   | 1" x 1/8" x 1"     | Sweat x FNPT x Sweat | 100 | 25 |

| Certifications | Part No. | Size | Configuration | Cs. | Ct. |
|----------------|----------|------|---------------|-----|-----|
|----------------|----------|------|---------------|-----|-----|

## No Lead Cast Brass Baseboard Tees

...Continued



|           |                        |                      |     |    |
|-----------|------------------------|----------------------|-----|----|
| 302-254NL | 1" x 1/8" x 1"         | Sweat x FNPT x Sweat | 100 | 25 |
| 302-255   | 1-1/4" x 1/8" x 1-1/4" | Sweat x FNPT x Sweat | 60  | 10 |
| 302-255NL | 1-1/4" x 1/8" x 1-1/4" | Sweat x FNPT x Sweat | 60  | 10 |

## No Lead Cast Brass Drain Couplings

Third-party tested and certified;  
NSF/ANSI 61



|           |      |               |     |    |
|-----------|------|---------------|-----|----|
| 302-262   | 1/2" | Sweat x Sweat | 300 | 25 |
| 302-262NL | 1/2" | Sweat x Sweat | 300 | 25 |
| 302-263   | 3/4" | Sweat x Sweat | 300 | 50 |
| 302-263NL | 3/4" | Sweat x Sweat | 300 | 50 |
| 302-264   | 1"   | Sweat x Sweat | 100 | 25 |
| 302-264NL | 1"   | Sweat x Sweat | 100 | 25 |

## No Lead Cast Brass Wing Adapter

Third-party tested and certified;  
NSF/ANSI 61



|           |      |              |     |    |
|-----------|------|--------------|-----|----|
| 302-293   | 1/2" | FNPT x Sweat | 250 | 25 |
| 302-293NL | 1/2" | FNPT x Sweat | 250 | 25 |
| 302-295NL | 1"   | FNPT x Sweat | 225 | 25 |

## No Lead Cast Brass Large-Pattern Unions

Third-party tested and certified;  
NSF/ANSI 61



Sweat x Sweat

### NL Brass x Copper Sweat Union

|           |        |               |     |    |
|-----------|--------|---------------|-----|----|
| 302-303NL | 1/2"   | Sweat x Sweat | 250 | 25 |
| 302-304NL | 3/4"   | Sweat x Sweat | 200 | 20 |
| 302-305NL | 1"     | Sweat x Sweat | 100 | 10 |
| 302-300NL | 1-1/4" | Sweat x Sweat | 45  | 5  |
| 302-301NL | 1-1/2" | Sweat x Sweat | 33  | 1  |
| 302-302NL | 2"     | Sweat x Sweat |     |    |

### NL x Copper SWT x MNPT Union

|           |        |              |     |    |
|-----------|--------|--------------|-----|----|
| 302-306NL | 1/2"   | Sweat x MNPT | 100 | 10 |
| 302-307NL | 3/4"   | Sweat x MNPT | 100 | 10 |
| 302-308NL | 1"     | Sweat x MNPT | 60  | 10 |
| 302-309NL | 1-1/4" | Sweat x MNPT | 60  | 6  |
| 302-310NL | 1-1/2" | Sweat x MNPT | 60  | 6  |
| 302-311NL | 2"     | Sweat x MNPT | 20  | 2  |



Sweat x MNPT

| Certifications | Part No. | Size | Configuration | Cs. | Ct. |
|----------------|----------|------|---------------|-----|-----|
|----------------|----------|------|---------------|-----|-----|

## No Lead Cast Brass Large-Pattern Unions

...Continued



Sweat x FNPT

### NL Sweat x FNPT Union

|           |      |              |     |    |
|-----------|------|--------------|-----|----|
| 302-316NL | 1/2" | Sweat x FNPT | 200 | 25 |
| 302-317NL | 3/4" | Sweat x FNPT | 150 | 25 |
| 302-318NL | 1"   | Sweat x FNPT | 100 | 10 |

## No Lead Cast Brass Compact-Pattern Unions

Third-party tested and certified;  
NSF/ANSI 61



Sweat x Sweat



Sweat x MNPT



Sweat x FNPT

### NL x Copper SWT Compact Union

|            |      |               |     |    |
|------------|------|---------------|-----|----|
| 302-303LNL | 1/2" | Sweat x Sweat | 200 | 20 |
| 302-304LNL | 3/4" | Sweat x Sweat | 108 | 9  |
| 302-305LNL | 1"   | Sweat x Sweat | 60  | 5  |

### NL Sweat x MNPT Compact Union

|            |      |              |     |    |
|------------|------|--------------|-----|----|
| 302-306LNL | 1/2" | Sweat x MNPT | 100 | 10 |
| 302-307LNL | 3/4" | Sweat x MNPT | 100 | 10 |
| 302-308LNL | 1"   | Sweat x MNPT | 60  | 10 |

### NL Sweat x FNPT Compact Union

|            |      |                    |     |    |
|------------|------|--------------------|-----|----|
| 302-316LNL | 1/2" | Sweat x FNPT Union | 100 | 10 |
| 302-317LNL | 3/4" | Sweat x FNPT Union | 100 | 10 |
| 302-318LNL | 1"   | Sweat x FNPT Union | 60  | 10 |