


Brass Gate Valves



T-401NL

Legend's Brass Gate Valves are ideal for both residential and commercial potable water applications, featuring durable, all-brass body constructions and heavy-duty cast iron hand wheels.



T-401NL / S-401NL

No Lead Forged Brass Gate Valve

ISO 9002 200 CWP
NSF/ANSI 61-G



S-401NL

Certifications	Part No.	Size	Configuration	Model	Cs.	Ct.
ISO 9002 200 CWP NSF/ANSI 61-G	104-301	1/4"	FNPT x FNPT	T-401	120	10
	104-302	3/8"	FNPT x FNPT	T-401	120	10
	104-303	1/2"	FNPT x FNPT	T-401	120	10
	104-303NL	1/2"	FNPT x FNPT	T-401NL	120	10
	104-304	3/4"	FNPT x FNPT	T-401	90	10
	104-304NL	3/4"	FNPT x FNPT	T-401NL	90	10
	104-305	1"	FNPT x FNPT	T-401	60	5
	104-305NL	1"	FNPT x FNPT	T-401NL	60	5
	104-306	1-1/4"	FNPT x FNPT	T-401	40	5
	104-306NL	1-1/4"	FNPT x FNPT	T-401NL	40	5
	104-307	1-1/2"	FNPT x FNPT	T-401	32	4
	104-307NL	1-1/2"	FNPT x FNPT	T-401NL	32	4
	104-308	2"	FNPT x FNPT	T-401	20	2
	104-308NL	2"	FNPT x FNPT	T-401NL	20	2
	104-309	2-1/2"	FNPT x FNPT	T-401	12	2
	104-310	3"	FNPT x FNPT	T-401	8	1
	104-311	4"	FNPT x FNPT	T-401	4	1
	104-403	1/2"	Sweat x Sweat	S-401	120	10
	104-403NL	1/2"	Sweat x Sweat	S-401NL	120	10
	104-404	3/4"	Sweat x Sweat	S-401	90	10
	104-404NL	3/4"	Sweat x Sweat	S-401NL	90	10
	104-405	1"	Sweat x Sweat	S-401	60	5
	104-405NL	1"	Sweat x Sweat	S-401NL	60	5
	104-406	1-1/4"	Sweat x Sweat	S-401	40	5
	104-406NL	1-1/4"	Sweat x Sweat	S-401NL	40	5
	104-407	1-1/2"	Sweat x Sweat	S-401	32	4
	104-407NL	1-1/2"	Sweat x Sweat	S-401NL	32	4
	104-408	2"	Sweat x Sweat	S-401	20	2
	104-408NL	2"	Sweat x Sweat	S-401NL	20	2
	104-409	2-1/2"	Sweat x Sweat	S-401	12	2
	104-410	3"	Sweat x Sweat	S-401	8	1

Certifications	Part No.	Size	Configuration	Model	Cs.	Ct.
T-408NL / S-408NL No Lead Forged Brass Economy Gate Valve ISO 9002 200 CWP NSF/ANSI 61-G	104-703	1/2"	FNPT x FNPT	T-408	120	12
	104-703NL	1/2"	FNPT x FNPT	T-408NL	120	10
	104-704	3/4"	FNPT x FNPT	T-408	80	10
	104-704NL	3/4"	FNPT x FNPT	T-408NL	80	10
	104-705	1"	FNPT x FNPT	T-408	60	5
	104-705NL	1"	FNPT x FNPT	T-408NL	60	5
	104-706	1-1/4"	FNPT x FNPT	T-408	40	5
	104-706NL	1-1/4"	FNPT x FNPT	T-408NL	40	5
	104-707	1-1/2"	FNPT x FNPT	T-408	30	5
	104-707NL	1-1/2"	FNPT x FNPT	T-408NL	30	5
	104-708	2"	FNPT x FNPT	T-408	24	2
	104-708NL	2"	FNPT x FNPT	T-408NL	24	2
	104-709	2-1/2"	FNPT x FNPT	T-408	10	1
	104-709NL	2-1/2"	FNPT x FNPT	T-408NL	10	1
	104-710	3"	FNPT x FNPT	T-408	6	1
	104-710NL	3"	FNPT x FNPT	T-408NL	6	1
	104-711	4"	FNPT x FNPT	T-408	4	1
	104-711NL	4"	FNPT x FNPT	T-408NL	4	1
	104-723NL	1/2"	Sweat x Sweat	S-408NL	120	10
	104-724NL	3/4"	Sweat x Sweat	S-408NL	80	10
	104-725NL	1"	Sweat x Sweat	S-408NL	60	5
	104-726NL	1-1/4"	Sweat x Sweat	S-408NL	40	5
	104-727NL	1-1/2"	Sweat x Sweat	S-408NL	30	5
	104-728NL	2"	Sweat x Sweat	S-408NL	24	2
T-400NL / S-400NL No Lead Forged Brass Compact-Pattern Conventional Port Gate Valve Third-party tested and certified; ISO 9002 200 CWP NSF/ANSI 61-G	104-463	1/2"	FNPT x FNPT	T-400	160	10
	104-463NL	1/2"	FNPT x FNPT	T-400NL	160	10
	104-464	3/4"	FNPT x FNPT	T-400	100	10
	104-464NL	3/4"	FNPT x FNPT	T-400NL	100	10
	104-465	1"	FNPT x FNPT	T-400	80	8
	104-465NL	1"	FNPT x FNPT	T-400NL	80	8
	104-466	1-1/4"	FNPT x FNPT	T-400	50	5
	104-466NL	1-1/4"	FNPT x FNPT	T-400NL	50	5
	104-467	1-1/2"	FNPT x FNPT	T-400	40	4
	104-467NL	1-1/2"	FNPT x FNPT	T-400NL	40	4
	104-468	2"	FNPT x FNPT	T-400	30	3
	104-468NL	2"	FNPT x FNPT	T-400NL	30	3
	104-469	2-1/2"	FNPT x FNPT	T-400	20	2
	104-470	3"	FNPT x FNPT	T-400	12	2
	104-471	4"	FNPT x FNPT	T-400	8	1



T-400NL / S-400NL

...Continued



S-400NL

Certifications	Part No.	Size	Configuration	Model	Cs.	Ct.
	104-473	1/2"	Sweat x Sweat	S-400	160	10
	104-473NL	1/2"	Sweat x Sweat	S-400NL	160	10
	104-474	3/4"	Sweat x Sweat	S-400	100	10
	104-474NL	3/4"	Sweat x Sweat	S-400NL	100	10
	104-475	1"	Sweat x Sweat	S-400	80	8
	104-475NL	1"	Sweat x Sweat	S-400NL	80	8
	104-476	1-1/4"	Sweat x Sweat	S-400	50	5
	104-476NL	1-1/4"	Sweat x Sweat	S-400NL	50	1
	104-477	1-1/2"	Sweat x Sweat	S-400	40	4
	104-477NL	1-1/2"	Sweat x Sweat	S-400NL	40	4
	104-478	2"	Sweat x Sweat	S-400	30	3
	104-478NL	2"	Sweat x Sweat	S-400NL	30	3

T-408X**Forged Brass Economy Gate Valve with Cross Handle**200 CWP
ISO 9002

	104-733	1/2"	FNPT x FNPT	T-408X	120	10
	104-734	3/4"	FNPT x FNPT	T-408X	8	10
	104-735	1"	FNPT x FNPT	T-408X	40	5
	104-737	1-1/2"	FNPT x FNPT	T-408X	30	5
	104-738	2"	FNPT x FNPT	T-408X	16	2

Gate Valve Accessories

Gate Valve Accessories

Cast Iron Handwheel

Cast Iron Handwheel for T/S-400 & T/S-401NL Gate Valves

900-200	One-size	For 1/4" to 3/4" Valves	999	1
900-201	One-size	For 1" Valves	999	1
900-202	One-size	For 1-1/4" to 1-1/2" Valves	250	1
900-203	One-size	For 2" Valves	999	1
900-204	One-size	For 2-1/2" Valves	100	1
900-205	One-size	For 3" Valves	999	1
900-206	One-size	For 4" Valves	999	1



Brass Cross Handle

Brass Cross Handle for T/S-401, T/S-408, T/S-414, T/S-415 Gate Valves, and the T-501NL Stop Valve


104-451	One-size	For 1/4" to 3/4" Valves	1	1
104-452	One-size	For 1" Valves	999	1
104-453	One-size	For 1-1/4" to 1-1/2" Valves	999	1
104-454	One-size	For 2" Valves	999	1

Multi-Turn Boiler Drains



T-521NL

The T/S-521NL Boiler Drain offers a durable, no lead construction which utilizes electric-induction smelted brass crafting a superior cast body and bonnet components. The packed stem design creates a more effective seal when compared to packless-bonnet designs.



Certifications	Part No.	Size	Configuration	Model	Cs.	Ct.
----------------	----------	------	---------------	-------	-----	-----

T-521NL / S-521NL / P-521NL / S-521PNL

No Lead Forged Brass Multi-Turn Boiler Drain

Third-party tested and certified;
NSF/ANSI 61 (NL only)
125 CWP



S-521PNL

S-521NL

P-521NL

107-143	1/2"	Sweat/MNPT x MGHT	T-521	100	10
107-143NL	1/2"	Sweat/MNPT x MGHT	T-521NL	100	10
107-144	3/4"	MNPT x MGHT	T-521	100	10
107-144NL	3/4"	MNPT x MGHT	T-521NL	100	10
107-146	3/4"	Sweat x MGHT	S-521	144	12
107-146NL	3/4"	Sweat x MGHT	S-521NL	144	12

LegendPress® No Lead Forged Brass Multi-Turn Boiler Drain

107-143PNL	1/2"	Press x MGHT	P-521NL	100	10
107-144PNL	3/4"	Press x MGHT	P-521NL	100	10
107-159NL	1/2"	PEX (F1807) x MGHT	S-521PNL	100	10

T-522NL / S-524NL

No Lead Brass Boiler Drains

Third-party tested and certified;
NSF/ANSI 61 (NL only)
125 CWP



T-522NL

S-524NL

No Lead Forged Brass Boiler Drain

107-154	1/2"	FNPT x MGHT	T-522	100	10
107-154NL	1/2"	FNPT x MGHT	T-522NL	100	10
107-155	3/4"	FNPT x MGHT	T-522	100	10
107-155NL	3/4"	FNPT x MGHT	T-522NL	100	10

No Lead Cast Brass Boiler Drain

107-148	1/2"	Fitting x MGHT	S-524	144	12
107-148NL	1/2"	Fitting x MGHT	S-524NL	144	12

Certifications	Part No.	Size	Configuration	Model	Cs.	Ct.
----------------	----------	------	---------------	-------	-----	-----

T-523NL

No Lead Forged Brass Boiler Drain

Third-party tested and certified;
NSF/ANSI 61 (NL only)
125 CWP



T-523NL

107-157	1/2"	Compression (CTS) x MGHT	T-523	144	12
107-157NL	1/2"	Compression (CTS) x MGHT	T-523NL	144	12

T-206NL

No Lead Forged Brass Boiler Drain without Stuffing Box

Third-party tested and certified;
NSF/ANSI 61
125 CWP



107-327NL	1/2"	MNPT x MGHT	T-206NL	100	10
107-328NL	3/4"	MNPT x MGHT	T-206NL	100	10

Stop Valves

T-501NL / S-501NL / T-501X / S-501PNL

No Lead Cast Brass Straight Stop Valve

Third-party tested and certified;
NSF/ANSI 61
125 CWP



T-501NL

S-501NL



S-501PNL

T-501X


107-103NL	1/2"	FNPT x FNPT	T-501NL	100	10
107-104NL	3/4"	FNPT x FNPT	T-501NL	100	10

107-113NL	1/2"	Sweat x Sweat	S-501NL	100	10
107-114NL	3/4"	Sweat x Sweat	S-501NL	100	10

107-110NL	1/2"	PEX (F1807) x PEX (F1807)	S-501PNL	100	10
107-111NL	3/4"	PEX (F1807) x PEX (F1807)	S-501PNL	100	10

T-501X Straight Stop Valve with Cross Handle

107-106	1/2"	FNPT x FNPT	T-501X	144	12
107-107	3/4"	FNPT x FNPT	T-501X	144	12

Certifications	Part No.	Size	Configuration	Model	Cs.	Ct.
T-503NL / S-503NL No Lead Cast Brass Angle Stop Valve Third-party tested and certified; NSF/ANSI 61 125 CWP	107-116NL	1/2"	FNPT x FNPT	T-503NL	100	10
	107-117NL	3/4"	FNPT x FNPT	T-503NL	100	10
	107-118NL	1/2"	Sweat x Sweat	S-503NL	100	10
	107-119NL	3/4"	Sweat x Sweat	S-503NL	100	10
						
						
T-542NL No Lead Cast Brass Evaporative Cooler Valve Third-party tested and certified; NSF/ANSI 61 (NL Only) 125 CWP	107-247	3/4"	FGHT x MGHT	T-542	144	12
	107-247NL	3/4"	FGHT x MGHT	T-542NL	144	12
T-504NL / S-504NL No Lead Forged Brass Long Bonnet Straight Stop Valve Third-party tested and certified; NSF/ANSI 61 (NL Only) 125 CWP	107-253	1/2"	FNPT x FNPT	T-504	100	10
	107-253NL	1/2"	FNPT x FNPT	T-504NL	100	10
	107-255	1/2"	Sweat x Sweat	S-504	100	10
	107-255NL	1/2"	Sweat x Sweat	S-504NL	100	10
	107-256	3/4"	Sweat x Sweat	S-504	100	10
	107-256NL	3/4"	Sweat x Sweat	S-504NL	100	10
T-505NL / S-505NL No Lead Forged Brass Long Bonnet Angle Stop Valve Third-party tested and certified; NSF/ANSI 61 (NL Only) 125 CWP	107-257	1/2"	FNPT x FNPT	T-505	100	10
	107-257NL	1/2"	FNPT x FNPT	T-505NL	100	10
	107-259NL	1/2"	Sweat x Sweat	S-505NL	100	10

Certifications	Part No.	Size	Configuration	Model	Cs.	Ct.
----------------	----------	------	---------------	-------	-----	-----

T-511NL / S-511NL / S-511PNL

No Lead Forged Brass Stop and Waste Valve

Third-party tested and certified;
NSF/ANSI 61
125 CWP



107-123NL	1/2"	FNPT x FNPT	T-511NL	100	10
107-124NL	3/4"	FNPT x FNPT	T-511NL	100	10

107-133NL	1/2"	Sweat x Sweat	S-511NL	100	10
107-134NL	3/4"	Sweat x Sweat	S-511NL	100	10

107-130NL	1/2"	PEX (F1807) x PEX (F1807)	S-511PNL	100	10
107-131NL	3/4"	PEX (F1807) x PEX (F1807)	S-511PNL	100	10

T-512NL

No Lead Forged Brass Stop and Waste Valve

Third-party tested and certified;
NSF/ANSI 61
125 CWP



107-316NL	1/2"	Comp. (CTS) x Comp. (CTS)	T-512NL	100	10
107-317NL	3/4"	Comp. (CTS) x Comp. (CTS)	T-512NL	100	10

Sillcocks

T-539NL

No Lead Forged Brass Water Heater Drain Valve

Third-party tested and certified;
NSF/ANSI 61 (NL Only)
125 CWP



107-192	3/4"	MNPT x MGHT	T-539	144	12
107-192NL	3/4"	MNPT x MGHT	T-539NL	144	12

T-541NL / S-541NL

No Lead Forged Brass Sillcock

Third-party tested and certified;
NSF/ANSI 61 (NL Only)
125 CWP



107-174	1/2"	FNPT x MGHT	T-541	100	10
107-174NL	1/2"	FNPT x MGHT	T-541NL	100	10
107-175	3/4"	FNPT x MGHT	T-541	100	10
107-175NL	3/4"	FNPT x MGHT	T-541NL	100	10

107-184	1/2"	Sweat x MGHT	S-541	100	10
107-184NL	1/2"	Sweat x MGHT	S-541NL	100	10
107-185	3/4"	Sweat x MGHT	S-541	100	10
107-185NL	3/4"	Sweat x MGHT	S-541NL	100	10

Certifications	Part No.	Size	Configuration	Model	Cs.	Ct.
T-541LSNL / S-541LSNL No Lead Cast Brass Sillcock with Lockshield Third-party tested and certified; NSF/ANSI 61 (NL Only) 125 CWP	107-187	1/2"	FNPT x MGHT	T-541LS	100	10
	107-187NL	1/2"	FNPT x MGHT	T-541LSNL	100	10
	107-188	3/4"	FNPT x MGHT	T-541LS	100	10
	107-188NL	3/4"	FNPT x MGHT	T-541LSNL	100	10
	107-189	1/2"	Sweat x MGHT	S-541LS	100	10
	107-189NL	1/2"	Sweat x MGHT	S-541LSNL	100	10



T-541LSNL

T-514NL / S-514NL / T-514PNL

No Lead Forged Brass Sillcock with Extra-Wide Diamond-Shaped Sill Flange

Third-party tested and certified;
 NSF/ANSI 61 (NL Only)
 125 CWP



← Extra-Wide Flange →

107-179NL	1/2"	FNPT x MGHT	T-514NL	72	12
107-180NL	3/4"	FNPT x MGHT	T-514NL	60	10
107-181NL	1/2"	Sweat x MGHT	S-514NL	72	12
107-182NL	1/2"	Sweat x MGHT	S-514NL	60	10
107-179P	1/2"	PEX (F1807) x MGHT	T-514P	72	12
107-179PNL	1/2"	PEX (F1807) x MGHT	T-514PNL	72	12
107-180P	3/4"	PEX (F1807) x MGHT	T-514P	60	10
107-180PNL	3/4"	PEX (F1807) x MGHT	T-514PNL	60	10
107-181P	1/2"	PEX (F1960) x MGHT	T-514P	72	12
107-181PNL	1/2"	PEX (F1960) x MGHT	T-514PNL	72	12
107-182P	3/4"	PEX (F1960) x MGHT	T-514P	60	10
107-182PNL	3/4"	PEX (F1960) x MGHT	T-514PNL	60	10

T-543NL / T-544NL

No Lead Cast Brass Garden Valves

Third-party tested and certified;
 NSF/ANSI 61 (NL Only)
 125 CWP



T-543NL

T-544NL

T-543NL Bent-Nose Garden Valve

107-243	1/2"	FNPT x MGHT	T-543	10	1
107-243NL	1/2"	FNPT x MGHT	T-543NL	10	10
107-244	3/4"	FNPT x MGHT	T-543	100	10
107-244NL	3/4"	FNPT x MGHT	T-543NL	100	10
107-245	1"	FNPT x MGHT	T-543	72	12
107-245NL	1"	FNPT x MGHT	T-543NL	100	10

T-544NL Inverted Bent-Nose Garden Valve

107-246	3/4"	FNPT x MGHT	T-544	72	12
107-246NL	3/4"	FNPT x MGHT	T-544NL	72	12

Certifications	Part No.	Size	Configuration	Model	Cs.	Ct.
----------------	----------	------	---------------	-------	-----	-----

T-11NL / S-11NL /
T-12NL

No Lead Forged Brass Washing
Machine Valves

Third-party tested and certified;
NSF/ANSI 61 (NL Only)
Max temp 180°F
125 CWP



T/S-11NL Dual Outlet Washing Machine Valve

111-133	1/2"	MNPT/Sweat x MGHT	T-11	40	1
111-133NL	1/2"	MNPT/Sweat x MGHT	T-11NL	40	1
111-134	1/2"	Sweat x MGHT	S-11	40	1
111-134NL	1/2"	Sweat x MGHT	S-11NL	40	1

Repair Kit for T/S-11 Washing Machine Valves

111-136	N/A	N/A		999	1
---------	-----	-----	--	-----	---

T-12NL No Lead Chrome-Plated Forged Brass Washing Machine Valve

111-137	5/8"	Comp. (CTS) x MGHT	T-12	144	12
111-137NL	5/8"	Comp. (CTS) x MGHT	T-12NL	144	12

LEGEND'S CORE

INTEGRITY


At Legend, we operate with integrity. This means that no matter what, we do what we say with both honesty and purpose.

1/4-Turn Ball Valve Boiler Drains



R-670NL

The R-670NL Boiler Drain Ball Valve is a potable water solution that features a quarter-turn ball valve for bubble-tight positive shutoff. This no lead brass valve is more durable than traditional stop-type valves and features a compact design with superior flow characteristics.



Certifications	Part No.	Size	Configuration	Model	Cs.	Ct.
R-670NL No Lead Forged Brass 1/4-Turn Ball Valve Boiler Drain Third-party tested and certified; NSF/ANSI 61 (NL Only) NSF/ANSI 372 (NL Only) 200 CWP	107-543	1/2"	MNPT/Sweat x MGHT	R-670	100	10
	107-543NL	1/2"	MNPT/Sweat x MGHT	R-670NL	100	10
	107-544	3/4"	MNPT x MGHT	R-670	100	10
	107-544NL	3/4"	MNPT x MGHT	R-670NL	100	10

R-670PNL

LegendPress® No Lead Forged Brass 1/4-Turn Boiler Drain Ball Valve

Third-party tested and certified;
 NSF/ANSI 61 (NL Only)
 NSF/ANSI 372 (NL Only)
 200 CWP



R-670PNL

107-543PNL	1/2"	Press x MGHT	R-670PNL	100	10
107-544PNL	3/4"	Press x MGHT	R-670PNL	100	10

R-671NL

No Lead Forged Brass No-Kink 1/4-Turn Ball Valve Hose Bibb

Third-party tested and certified;
 NSF/ANSI 61 (NL Only)
 200 CWP



107-567	1/2"	MNPT x MGHT	R-671	100	10
107-567NL	1/2"	MNPT x MGHT	R-671NL	100	10
107-568	3/4"	MNPT x MGHT	R-671	100	10
107-568NL	3/4"	MNPT x MGHT	R-671NL	100	10

Certifications	Part No.	Size	Configuration	Model	Cs.	Ct.
R-672NL No Lead Forged Brass No-Kink 1/4-Turn Ball Valve Hose Bibb Third-party tested and certified; NSF/ANSI 61 (NL Only) 200 CWP	107-554	1/2"	FNPT x MGHT	R-672	100	10
	107-554NL	1/2"	FNPT x MGHT	R-672NL	100	10
	107-555	3/4"	FNPT x MGHT	R-672	100	10
	107-555NL	3/4"	FNPT x MGHT	R-672NL	100	10



R-673NL / R-674NL

No Lead Forged Brass 1/4-Turn Ball Valve Sillcock

Third-party tested and certified;
 NSF/ANSI 61 (NL Only)
 200 CWP



R-673NL



R-674NL

R-673NL No-Kink 1/4-Turn Ball Valve Hose Bibb

107-574	1/2"	FNPT x MGHT	R-673	100	10
107-574NL	1/2"	FNPT x MGHT	R-673NL	100	10
107-575	3/4"	FNPT x MGHT	R-673	100	10
107-575NL	3/4"	FNPT x MGHT	R-673NL	100	10

R-674NL No-Kink 1/4-Turn Ball Valve Hose Bibb

107-584	1/2"	Sweat x MGHT	R-674	100	10
107-584NL	1/2"	Sweat x MGHT	R-674NL	100	10
107-585	3/4"	Sweat x MGHT	R-674	100	10
107-585NL	3/4"	Sweat x MGHT	R-674NL	100	10

Tankless Water Heater Valves

Tankless Water Heater Valve Kits

Traditional & no lead forged brass
 Third-party tested and certified;
 NSF/ANSI 61
 600 CWP



NL FNPT TWHV Kit

Legend's tankless water heater valve kits include a pair of valves: one with blue handles, one with red. We offer kits with an optional 200K BTU pressure relief valve to make ordering parts fast and simple.

NL FNPT Tankless Water Heater Valve Kit

101-150NL	3/4"	FNPT Union x FNPT	16	1
101-156NL	1"	FNPT Union x FNPT	12	1

NL FNPT Tankless Water Heater Valve Kit with Pressure Reducing Valve

101-149NL	3/4"	FNPT Union x FNPT	16	1
101-155NL	1"	FNPT Union x FNPT	12	1

Certifications	Part No.	Size	Configuration	Model	Cs.	Ct.
Tankless Water Heater Valve Kits ...Continued  NL Sweat TWHV Kit  NL F1807 PEX TWHV Kit  NL F1960 PEX TWHV Kit  NL Press TWHV Kit  200K BTU Pressure Relief Valve	NL Sweat Tankless Water Heater Valve Kit					
	101-151NL	3/4"	FNPT Union x Sweat		16	1
	101-157NL	1"	FNPT Union x Sweat		12	1
	NL Sweat Tankless Water Heater Valve Kit with Pressure Reducing Valve					
	101-154NL	3/4"	FNPT Union x Sweat		16	1
	101-160NL	1"	FNPT Union x Sweat		12	1
	NL F1807 PEX Tankless Water Heater Valve Kit					
	101-249NL	3/4"	FNPT Union x PEX (F1807)		16	1
	101-250NL	1"	FNPT Union x PEX (F1807)		12	1
	NL F1807 PEX Tankless Water Heater Valve Kit with Pressure Reducing Valve					
	101-251NL	3/4"	FNPT Union x PEX (F1807)		16	1
	101-252NL	1"	FNPT Union x PEX (F1807)		12	1
	NL F1960 PEX Tankless Water Heater Valve Kit					
	101-259NL	3/4"	FNPT Union x PEX (F1960)		16	1
	101-260NL	1"	FNPT Union x PEX (F1960)		12	1
	NL F1960 PEX Tankless Water Heater Valve Kit with Pressure Reducing Valve					
	101-261NL	3/4"	FNPT Union x PEX (F1960)		16	1
	101-262NL	1"	FNPT Union x PEX (F1960)		12	1
	NL LegendPress® Tankless Water Heater Valve Kit					
	101-269NL	3/4"	FNPT Union x Press		16	1
	101-270NL	1"	FNPT Union x Press		12	1
	NL LegendPress® Tankless Water Heater Valve Kit with Pressure Reducing Valve					
	101-271NL	3/4"	FNPT Union x Press		16	1
	101-272NL	1"	FNPT Union x Press		12	1
	No Lead Forged Brass 200K BTU Pressure Relief Valve					
	111-301NL	3/4"	MNPT		100	1

LEGEND'S CORE COMPASSION


To us at Legend, it's important to operate with compassion. Without compassion and empathy, we can't understand the perspective of others.

Hose Bibbs



T-533HPNL

The T-533HPNL Heavy Pattern Hose Bibb is designed with frequent use in mind featuring a heavy-duty body, bonnet, stem, and handle. To assure positive seals and connections, this bibb is designed with a superior packed stem and has a no-kink body design. This angles the attached hose outward, reducing the chances for kinking when used with non-reinforced hoses.



Certifications	Part No.	Size	Configuration	Model	Cs.	Ct.
----------------	----------	------	---------------	-------	-----	-----

T-533HPNL / T-534HPNL

No Lead Forged Brass Heavy-Pattern No-Kink Hose Bibb

Third-party tested and certified;
NSF/ANSI 61 (NL only)
125 CWP



T-534HPNL

T-533HPNL Heavy-Pattern No-Kink Hose Bibb

107-267	1/2"	MNPT x MGHT	T-533HP	144	12
107-267NL	1/2"	MNPT x MGHT	T-533HPNL	144	12
107-268	3/4"	MNPT x MGHT	T-533HP	144	12
107-268NL	3/4"	MNPT x MGHT	T-533HPNL	144	12

T-534HPNL Heavy-Pattern No-Kink Hose Bibb

107-270	1/2"	FNPT x MGHT	T-534HP	144	12
107-270NL	1/2"	FNPT x MGHT	T-534HPNL	144	12
107-271	3/4"	FNPT x MGHT	T-534HP	144	12
107-271NL	3/4"	FNPT x MGHT	T-534HPNL	144	12

T-531NL

No Lead Forged Brass Hose Bibb

Third-party tested and certified;
NSF/ANSI 61 (NL only)
125 CWP



107-164	1/2"	MNPT/Sweat x MGHT	T-531	100	10
107-164NL	1/2"	MNPT/Sweat x MGHT	T-531NL	100	10
107-165	3/4"	MNPT x MGHT	T-531	100	10
107-165NL	3/4"	MNPT x MGHT	T-531NL	100	10

T-532NL / T-532CPNL

No Lead Forged Brass Hose Bibb

Third-party tested and certified;
NSF/ANSI 61 (NL only)
125 CWP



T-532NL

T-532NL Plain End Hose Bibb

107-173	1/2"	MNPT/Sweat x Plain	T-532	144	12
107-173NL	1/2"	MNPT/Sweat x Plain	T-532NL	144	12
107-171	3/4"	MNPT x Plain	T-532	144	12
107-171NL	3/4"	MNPT x Plain	T-532NL	144	12

T-532CPNL Chrome-Plated Plain End Hose Bibb

107-423	1/2"	MNPT/Sweat x Plain	T-532CP	144	12
107-423NL	1/2"	MNPT/Sweat x Plain	T-532CPNL	144	12
107-424	3/4"	MNPT x Plain	T-532CP	144	12
107-424NL	3/4"	MNPT x Plain	T-532CPNL	144	12

T-532CPNL

Certifications	Part No.	Size	Configuration	Model	Cs.	Ct.
----------------	----------	------	---------------	-------	-----	-----

T-533NL / T-534NL / S-535NL

No Lead Forged Brass No-Kink Hose Bibb

Third-party tested and certified;
NSF/ANSI 61 (NL only)
125 CWP



T-533NL No-Kink Hose Bibb

107-203	1/2"	MNPT/Sweat x MGHT	T-533	144	12
107-203NL	1/2"	MNPT/Sweat x MGHT	T-533NL	144	12
107-204	3/4"	MNPT x MGHT	T-533	144	12
107-204NL	3/4"	MNPT x MGHT	T-533NL	144	12

T-534NL No-Kink Hose Bibb

107-213	1/2"	FNPT x MGHT	T-534	144	12
107-213NL	1/2"	FNPT x MGHT	T-534NL	144	12
107-214	3/4"	FNPT x MGHT	T-534	144	12
107-214NL	3/4"	FNPT x MGHT	T-534NL	144	12

S-535NL No-Kink Hose Bibb

107-223	3/4" / 1/2"	Fitting/Sweat x MGHT	S-535	144	12
107-223NL	3/4" / 1/2"	Fitting/Sweat x MGHT	S-535NL	144	12

T-531HPNL

No Lead Forged Brass Heavy Pattern Hose Bibb

Third-party tested and certified;
NSF/ANSI 61 (NL only)
125 CWP



107-263	1/2"	MNPT/Sweat x MGHT	T-531HP	72	12
107-263NL	1/2"	MNPT/Sweat x MGHT	T-531HPNL	72	12
107-264	3/4"	MNPT x MGHT	T-531HP	72	12
107-264NL	3/4"	MNPT x MGHT	T-531HPNL	72	12
107-265	1"	MNPT x MGHT	T-531HP	72	12
107-265NL	1"	MNPT x MGHT	T-531HPNL	72	12

S-535HPNL / T-536HPNL

No Lead Forged Brass Heavy-Pattern No-Kink Hose Bibb

Third-party tested and certified;
NSF/ANSI 61 (NL only)
125 CWP



S-535HPNL Heavy Pattern No-Kink Hose Bibb

107-275	3/4" / 1/2"	Fitting/Sweat x MGHT	S-535HP	100	10
107-275NL	3/4" / 1/2"	Fitting/Sweat x MGHT	S-535HPNL	100	10

T-536HPNL Heavy Pattern No-Kink Hose Bibb

107-277	1/2"	Comp. (CTS) x MGHT	T-536HP	100	10
107-277NL	1/2"	Comp. (CTS) x MGHT	T-536HPNL	100	10

Certifications	Part No.	Size	Configuration	Model	Cs.	Ct.
----------------	----------	------	---------------	-------	-----	-----

T-537NL / T-537LNL / T-540NL

No Lead Forged Brass 1/4-Turn Ball-Type Hose Bibb

Third-party tested and certified;
NSF/ANSI 61 (NL only)
200 CWP



T-537NL



T-537LNL



T-540NL

T-537NL 1/4-Turn Ball-Type Hose Bibb with Tee Handle

107-167	1/2"	MNPT/Sweat x MGHT	T-537	100	10
107-167NL	1/2"	MNPT/Sweat x MGHT	T-537NL	100	10
107-168	3/4"	MNPT x MGHT	T-537	100	10
107-168NL	3/4"	MNPT x MGHT	T-537NL	100	10

T-537LNL 1/4-Turn Ball-Type Hose Bibb with Lever Handle

107-162	1/2"	MNPT/Sweat x MGHT	T-537L	100	10
107-162NL	1/2"	MNPT/Sweat x MGHT	T-537LNL	100	10
107-163	3/4"	MNPT x MGHT	T-537L	100	10
107-163NL	3/4"	MNPT x MGHT	T-537LNL	100	10

T-540NL 1/4-Turn Ball-Type Water Heater Drain Valve with Short Lever Handle

107-169	3/4"	MNPT x MGHT	T-540	100	10
107-169NL	3/4"	MNPT x MGHT	T-540NL	60	10

P-537NL

LegendPress® No Lead Forged Brass 1/4-Turn Hose Bibb with Short Lever Handle

Third-party tested and certified;
NSF/ANSI 61
NSF/ANSI 372
200 CWP



P-537NL

107-167PNL	1/2"	Press x MGHT	P-537NL	100	10
------------	------	--------------	---------	-----	----

Frostfree Sillcocks



Our frostfree sillcocks are designed for performance. Available in six end configurations, they feature corrosion-resistant chrome-plated brass bodies, easy-to-turn 1/4-turn and multi-turn handles, integrated vacuum breakers & lockshields, and dual ceramic discs to assure positive shutoff.

The 550-series is available in two operation types, 1/4-turn (T) and multi-turn (TM), while the 552-series is only available in multi-turn. Removing the handle reveals the integrated lockshield. The 552-series frostfree sillcocks ship standard with durable cast zinc handles.

Certifications	Part No.	Size	Configuration	Model	Cs.	Ct.
----------------	----------	------	---------------	-------	-----	-----

T-550NL / T-550PNL / T-550CPVC

**No Lead Forged Brass
1/4-Turn Frostfree Sillcocks
with Softouch Handle &
Integrated Anti-Siphon
Vacuum Breaker**

Third-party tested and certified;
NSF/ANSI 61 (NL only)
ASSE 1019

T-550NL 1/2" MNPT & 1/2" Sweat Combination 1/4-Turn Frostfree Sillcock

108-153A	1/2" x 8"	MNPT/Sweat x MGHT	T-550	20	1
108-153NL	1/2" x 8"	MNPT/Sweat x MGHT	T-550NL	20	1
108-154A	1/2" x 10"	MNPT/Sweat x MGHT	T-550	20	1
108-154NL	1/2" x 10"	MNPT/Sweat x MGHT	T-550NL	20	1
108-155A	1/2" x 12"	MNPT/Sweat x MGHT	T-550	20	1
108-155NL	1/2" x 12"	MNPT/Sweat x MGHT	T-550NL	20	1
108-156A	1/2" x 14"	MNPT/Sweat x MGHT	T-550	20	1
108-156NL	1/2" x 14"	MNPT/Sweat x MGHT	T-550NL	20	1



T-550NL 3/4" MNPT & 3/4" Sweat Combination 1/4-Turn Frostfree Sillcock

108-166A	3/4" x 8"	MNPT/Sweat x MGHT	T-550	20	1
108-167A	3/4" x 10"	MNPT/Sweat x MGHT	T-550	20	1
108-168A	3/4" x 12"	MNPT/Sweat x MGHT	T-550	20	1
108-169A	3/4" x 14"	MNPT/Sweat x MGHT	T-550	20	1



MNPT/Sweat

T-550NL 3/4" MNPT & 3/4" FNPT Combination 1/4-Turn Frostfree Sillcock

108-158A	3/4" x 8"	MNPT/FNPT x MGHT	T-550	20	1
108-158NL	3/4" x 8"	MNPT/FNPT x MGHT	T-550NL	20	1
108-159A	3/4" x 10"	MNPT/FNPT x MGHT	T-550	20	1
108-159NL	3/4" x 10"	MNPT/FNPT x MGHT	T-550NL	20	1
108-160A	3/4" x 12"	MNPT/FNPT x MGHT	T-550	20	1
108-160NL	3/4" x 12"	MNPT/FNPT x MGHT	T-550NL	20	1



MNPT/FNPT

T-550CPVC 1/2" CPVC 1/4-Turn Frostfree Sillcock

108-173A	1/2" x 8"	CPVC x MGHT	T-550CPVC	20	1
108-174A	1/2" x 10"	CPVC x MGHT	T-550CPVC	20	1
108-175A	1/2" x 12"	CPVC x MGHT	T-550CPVC	20	1



CPVC

Certifications	Part No.	Size	Configuration	Model	Cs.	Ct.
----------------	----------	------	---------------	-------	-----	-----

T-550NL / T-550PNL / T-550CPVC

...Continued



PEX (F1807)

T-550PNL 1/2" Crimp/Cinch PEX 1/4-Turn Frostfree Sillcock

108-002NL	1/2" x 6"	PEX (F1807) x MGHT	T-550PNL	20	1
108-003A	1/2" x 8"	PEX (F1807) x MGHT	T-550P	20	1
108-003NL	1/2" x 8"	PEX (F1807) x MGHT	T-550PNL	20	1
108-004A	1/2" x 10"	PEX (F1807) x MGHT	T-550P	20	1
108-004NL	1/2" x 10"	PEX (F1807) x MGHT	T-550PNL	20	1
108-005A	1/2" x 12"	PEX (F1807) x MGHT	T-550P	20	1
108-005NL	1/2" x 12"	PEX (F1807) x MGHT	T-550PNL	20	1
108-006A	1/2" x 14"	PEX (F1807) x MGHT	T-550P	20	1
108-006NL	1/2" x 14"	PEX (F1807) x MGHT	T-550PNL	20	1

P-550NL

LegendPress® No Lead Forged Brass 1/4-Turn Frostfree Sillcock with Softouch Handle & Integrated Anti-Siphon Vacuum Breaker

Third-party tested and certified;
NSF/ANSI 61 (NL only)
ASSE 1019



Press

108-223	1/2" x 8"	Press x MGHT	P-550	20	1
108-223NL	1/2" x 8"	Press x MGHT	P-550NL	20	1
108-224	1/2" x 10"	Press x MGHT	P-550	20	1
108-224NL	1/2" x 10"	Press x MGHT	P-550NL	20	1
108-225	1/2" x 12"	Press x MGHT	P-550	20	1
108-225NL	1/2" x 12"	Press x MGHT	P-550NL	20	1

TM-550NL Multi-Turn Frostfree Sillcocks

TM-550NL / TM-550PNL / TM-550PNL1960

No Lead Forged Brass Multi-Turn Frostfree Sillcocks with Softouch Handle & Integrated Anti-Siphon Vacuum Breaker

Third-party tested and certified;
NSF/ANSI 61 (NL only)
ASSE 1019

TM-550NL 1/2" MNPT & 1/2" Sweat Combination Multi-Turn Frostfree Sillcock

108-021	1/2" x 4"	MNPT/Sweat x MGHT	TM-550	20	1
108-021NL	1/2" x 4"	MNPT/Sweat x MGHT	TM-550NL	20	1
108-022	1/2" x 6"	MNPT/Sweat x MGHT	TM-550	20	1
108-022NL	1/2" x 6"	MNPT/Sweat x MGHT	TM-550NL	20	1
108-023	1/2" x 8"	MNPT/Sweat x MGHT	TM-550	20	1
108-023NL	1/2" x 8"	MNPT/Sweat x MGHT	TM-550NL	20	1
108-024	1/2" x 10"	MNPT/Sweat x MGHT	TM-550	20	1
108-024NL	1/2" x 10"	MNPT/Sweat x MGHT	TM-550NL	20	1
108-025	1/2" x 12"	MNPT/Sweat x MGHT	TM-550	20	1
108-025NL	1/2" x 12"	MNPT/Sweat x MGHT	TM-550NL	20	1

Certifications	Part No.	Size	Configuration	Model	Cs.	Ct.
TM-550NL / TM-550PNL / TM-550PNL1960 ...Continued	108-026	1/2" x 14"	MNPT/Sweat x MGHT	TM-550	20	1
	108-026NL	1/2" x 14"	MNPT/Sweat x MGHT	TM-550NL	20	1
						
						
MNPT/Sweat						
						
MNPT/FNPT						
						
PEX (F1807)						
						
PEX (F1960)						
TM-550NL 3/4" MNPT & 3/4" FNPT Combination Multi-Turn Frostfree Sillcock						
	108-027	3/4" x 4"	MNPT/FNPT x MGHT	TM-550	20	1
	108-027NL	3/4" x 4"	MNPT/FNPT x MGHT	TM-550NL	20	1
	108-028	3/4" x 6"	MNPT/FNPT x MGHT	TM-550	20	1
	108-028NL	3/4" x 6"	MNPT/FNPT x MGHT	TM-550NL	20	1
	108-029	3/4" x 8"	MNPT/FNPT x MGHT	TM-550	20	1
	108-029NL	3/4" x 8"	MNPT/FNPT x MGHT	TM-550NL	20	1
	108-030	3/4" x 10"	MNPT/FNPT x MGHT	TM-550	20	1
	108-030NL	3/4" x 10"	MNPT/FNPT x MGHT	TM-550NL	20	1
	108-031	3/4" x 12"	MNPT/FNPT x MGHT	TM-550	20	1
	108-031NL	3/4" x 12"	MNPT/FNPT x MGHT	TM-550NL	20	1
	108-032	3/4" x 14"	MNPT/FNPT x MGHT	TM-550	20	1
	108-032NL	3/4" x 14"	MNPT/FNPT x MGHT	TM-550NL	20	1
T-550PNL 1/2" Crimp/Cinch PEX Multi-Turn Frostfree Sillcock						
	108-033	1/2" x 4"	PEX (F1807) x MGHT	TM-550P	20	1
	108-033NL	1/2" x 4"	PEX (F1807) x MGHT	TM-550PNL	20	1
	108-034	1/2" x 6"	PEX (F1807) x MGHT	TM-550P	20	1
	108-034NL	1/2" x 6"	PEX (F1807) x MGHT	TM-550PNL	20	1
	108-035	1/2" x 8"	PEX (F1807) x MGHT	TM-550P	20	1
	108-035NL	1/2" x 8"	PEX (F1807) x MGHT	TM-550PNL	20	1
	108-036	1/2" x 10"	PEX (F1807) x MGHT	TM-550P	20	1
	108-036NL	1/2" x 10"	PEX (F1807) x MGHT	TM-550PNL	20	1
	108-037	1/2" x 12"	PEX (F1807) x MGHT	TM-550P	20	1
	108-037NL	1/2" x 12"	PEX (F1807) x MGHT	TM-550PNL	20	1
	108-038	1/2" x 14"	PEX (F1807) x MGHT	TM-550P	20	1
	108-038NL	1/2" x 14"	PEX (F1807) x MGHT	TM-550PNL	20	1
T-550PNL1960 1/2" Cold Expansion PEX Multi-Turn Frostfree Sillcock						
	108-041NL	1/2" x 4"	PEX (F1960) x MGHT	TM-550PNL1960	20	1
	108-042	1/2" x 6"	PEX (F1960) x MGHT	TM-550P1960	20	1
	108-042NL	1/2" x 6"	PEX (F1960) x MGHT	TM-550PNL1960	20	1
	108-043	1/2" x 8"	PEX (F1960) x MGHT	TM-550P1960	20	1
	108-043NL	1/2" x 8"	PEX (F1960) x MGHT	TM-550PNL1960	20	1
	108-044	1/2" x 10"	PEX (F1960) x MGHT	TM-550P1960	20	1
	108-044NL	1/2" x 10"	PEX (F1960) x MGHT	TM-550PNL1960	20	1
	108-045	1/2" x 12"	PEX (F1960) x MGHT	TM-550P1960	20	1
	108-045NL	1/2" x 12"	PEX (F1960) x MGHT	TM-550PNL1960	20	1
	108-046	1/2" x 14"	PEX (F1960) x MGHT	TM-550P1960	20	1
	108-046NL	1/2" x 14"	PEX (F1960) x MGHT	TM-550PNL1960	20	1

Certifications	Part No.	Size	Configuration	Model	Cs.	Ct.
TMP-550NL LegendPress® No Lead Forged Brass Multi-Turn Frostfree Sillcock with Softouch Handle & Integrated Anti-Siphon Vacuum Breaker Third-party tested and certified; NSF/ANSI 61 (NL only) ASSE 1019	108-243	1/2" x 8"	Press x MGHT	TMP-550	20	1
	108-243NL	1/2" x 8"	Press x MGHT	TMP-550NL	20	1
	108-244	1/2" x 10"	Press x MGHT	TMP-550	20	1
	108-244NL	1/2" x 10"	Press x MGHT	TMP-550NL	20	1
	108-245	1/2" x 12"	Press x MGHT	TMP-550	20	1
	108-245NL	1/2" x 12"	Press x MGHT	TMP-550NL	20	1



T-551NL Multi-Turn Frostfree Sillcocks

T-551NL

No Lead Forged Brass Multi-Turn Frostfree Sillcock

Third-party tested and certified;
NSF/ANSI 61 (NL only)
125 CWP



T-551NL 1/2" MNPT & 1/2" Sweat Combination Multi-Turn Frostfree Sillcock

108-101	1/2" x 4"	MNPT/Sweat x MGHT	T-551	60	2
108-101NL	1/2" x 4"	MNPT/Sweat x MGHT	T-551NL	60	2
108-102	1/2" x 6"	MNPT/Sweat x MGHT	T-551	60	2
108-102NL	1/2" x 6"	MNPT/Sweat x MGHT	T-551NL	60	2
108-103	1/2" x 8"	MNPT/Sweat x MGHT	T-551	60	2
108-103NL	1/2" x 8"	MNPT/Sweat x MGHT	T-551NL	60	2
108-104	1/2" x 10"	MNPT/Sweat x MGHT	T-551	60	2
108-104NL	1/2" x 10"	MNPT/Sweat x MGHT	T-551NL	60	2
108-105	1/2" x 12"	MNPT/Sweat x MGHT	T-551	60	2
108-105NL	1/2" x 12"	MNPT/Sweat x MGHT	T-551NL	60	2
108-106	1/2" x 14"	MNPT/Sweat x MGHT	T-551	60	2
108-106NL	1/2" x 14"	MNPT/Sweat x MGHT	T-551NL	60	2

T-551NL 3/4" MNPT & 3/4" FNPT Combination Multi-Turn Frostfree Sillcock

108-113	3/4" x 8"	MNPT/FNPT x MGHT	T-551	60	2
108-113NL	3/4" x 8"	MNPT/FNPT x MGHT	T-551NL	60	2
108-114	3/4" x 10"	MNPT/FNPT x MGHT	T-551	60	2
108-114NL	3/4" x 10"	MNPT/FNPT x MGHT	T-551NL	60	2
108-115	3/4" x 12"	MNPT/FNPT x MGHT	T-551	60	2
108-115NL	3/4" x 12"	MNPT/FNPT x MGHT	T-551NL	60	2

Certifications	Part No.	Size	Configuration	Model	Cs.	Ct.
----------------	----------	------	---------------	-------	-----	-----

T-552NL / T-552PNL / P-552NL

**No Lead Forged Brass
Multi-Turn Frostfree Sillcock
with Integrated Anti-Siphon
Vacuum Breaker**

Third-party tested and certified;
NSF/ANSI 61 (NL only)
ASSE 1019
125 CWP



MNPT/Sweat



MNPT/FNPT



PEX (F1807)



PEX (F1960)

T-552NL 1/2" MNPT & 1/2" Sweat Combination Multi-Turn Frostfree Sillcock

108-120	1/2" x 2-7/8"	MNPT/Sweat x MGHT	T-552	20	1
108-121	1/2" x 4"	MNPT/Sweat x MGHT	T-552	40	10
108-121NL	1/2" x 4"	MNPT/Sweat x MGHT	T-552NL	40	10
108-122	1/2" x 6"	MNPT/Sweat x MGHT	T-552	40	10
108-122NL	1/2" x 6"	MNPT/Sweat x MGHT	T-552NL	40	10
108-123	1/2" x 8"	MNPT/Sweat x MGHT	T-552	40	10
108-123NL	1/2" x 8"	MNPT/Sweat x MGHT	T-552NL	40	10
108-124	1/2" x 10"	MNPT/Sweat x MGHT	T-552	40	10
108-124NL	1/2" x 10"	MNPT/Sweat x MGHT	T-552NL	40	10
108-125	1/2" x 12"	MNPT/Sweat x MGHT	T-552	40	10
108-125NL	1/2" x 12"	MNPT/Sweat x MGHT	T-552NL	40	10
108-126	1/2" x 14"	MNPT/Sweat x MGHT	T-552	40	10
108-126NL	1/2" x 14"	MNPT/Sweat x MGHT	T-552NL	40	10

T-552NL 3/4" MNPT & 3/4" FNPT Combination Multi-Turn Frostfree Sillcock

108-133	3/4" x 8"	MNPT/FNPT x MGHT	T-552	40	10
108-133NL	3/4" x 8"	MNPT/FNPT x MGHT	T-552NL	40	10
108-134	3/4" x 10"	MNPT/FNPT x MGHT	T-552	40	10
108-134NL	3/4" x 10"	MNPT/FNPT x MGHT	T-552NL	40	10
108-135	3/4" x 12"	MNPT/FNPT x MGHT	T-552	40	10
108-135NL	3/4" x 12"	MNPT/FNPT x MGHT	T-552NL	40	10

T-552PNL 1/2" Crimp/Cinch PEX Multi-Turn Frostfree Sillcock

108-141	1/2" x 4"	PEX (F1807) x MGHT	T-552P	40	10
108-141NL	1/2" x 4"	PEX (F1807) x MGHT	T-552PNL	40	10
108-142	1/2" x 6"	PEX (F1807) x MGHT	T-552P	40	10
108-142NL	1/2" x 6"	PEX (F1807) x MGHT	T-552PNL	40	10
108-143	1/2" x 8"	PEX (F1807) x MGHT	T-552P	40	10
108-143NL	1/2" x 8"	PEX (F1807) x MGHT	T-552PNL	40	10
108-144	1/2" x 10"	PEX (F1807) x MGHT	T-552P	40	10
108-144NL	1/2" x 10"	PEX (F1807) x MGHT	T-552PNL	40	10
108-145	1/2" x 12"	PEX (F1807) x MGHT	T-552P	40	10
108-145NL	1/2" x 12"	PEX (F1807) x MGHT	T-552PNL	40	10
108-146	1/2" x 14"	PEX (F1807) x MGHT	T-552P	40	10
108-146NL	1/2" x 14"	PEX (F1807) x MGHT	T-552PNL	40	10

T-552PNL 1/2" Cold Expansion PEX Multi-Turn Frostfree Sillcock

108-061	1/2" x 4"	PEX (F1960) x MGHT	T-552P	40	10
108-061NL	1/2" x 4"	PEX (F1960) x MGHT	T-552PNL	40	10
108-062	1/2" x 6"	PEX (F1960) x MGHT	T-552P	40	10
108-062NL	1/2" x 6"	PEX (F1960) x MGHT	T-552PNL	40	10
108-063	1/2" x 8"	PEX (F1960) x MGHT	T-552P	40	10
108-063NL	1/2" x 8"	PEX (F1960) x MGHT	T-552PNL	40	10
108-064	1/2" x 10"	PEX (F1960) x MGHT	T-552P	40	10
108-064NL	1/2" x 10"	PEX (F1960) x MGHT	T-552PNL	40	10

Certifications	Part No.	Size	Configuration	Model	Cs.	Ct.
T-552NL / T-552PNL / P-552NL ...Continued	108-065	1/2" x 12"	PEX (F1960) x MGHT	T-552P	40	10
	108-065NL	1/2" x 12"	PEX (F1960) x MGHT	T-552PNL	40	10
	108-066	1/2" x 14"	PEX (F1960) x MGHT	T-552P	40	10
	108-066NL	1/2" x 14"	PEX (F1960) x MGHT	T-552PNL	40	10


P-552NL LegendPress® 1/2" Press Multi-Turn Frostfree Sillcock

108-233	1/2" x 8"	Press x MGHT	P-552	40	10
108-233NL	1/2" x 8"	Press x MGHT	P-552NL	40	10
108-234	1/2" x 10"	Press x MGHT	P-552	40	10
108-234NL	1/2" x 10"	Press x MGHT	P-552NL	40	10
108-235	1/2" x 12"	Press x MGHT	P-552	40	10
108-235NL	1/2" x 12"	Press x MGHT	P-552NL	40	10

Frostfree Sillcock Repair Kits and Replacement Parts

Replacement Handle, Screw & Disc for T-550

108-162	One-size	N/A	T-550	100	1
---------	----------	-----	-------	-----	---

Stem Repair Kits for T-550 & T-550NL

108-550	One-size	N/A	T-550	200	50
108-550NL	One-size	N/A	T-550NL	200	50

Replacement Siding Wedge for T-550

108-902	One-size	N/A	T-550	50	1
---------	----------	-----	-------	----	---

Vacuum Breaker Repair Kit for T-550 & TM-550

108-903	One-size	N/A	T-550 & TM-550	100	1
---------	----------	-----	----------------	-----	---

Replacement Lockshield Assembly for T-550 & TM-550

108-904	One-size	N/A	T-550	50	50
---------	----------	-----	-------	----	----

Replacement Cartridge for T-550

108-904A	4"	N/A	T-550	50	10
108-906A	6"	N/A	T-550	50	10
108-908A	8"	N/A	T-550	50	10
108-910A	10"	N/A	T-550	50	10
108-912A	12"	N/A	T-550	50	10
108-914A	14"	N/A	T-550	50	10

Replacement Handle & Screw Kit for T-552

108-137F	One-size	N/A	T-552	100	1
----------	----------	-----	-------	-----	---

Universal Vacuum Breaker Repair Kit for T-552

108-138	One-size	N/A	T-552	100	1
---------	----------	-----	-------	-----	---

Stem Repair Kit for T-552

108-139	One-size	N/A	T-552	100	1
---------	----------	-----	-------	-----	---

Certifications	Part No.	Size	Configuration	Model	Cs.	Ct.
T-541FLG / S-541FLG Forged Brass 1/4-Turn Ball-Type Sillcock with Lever Handle & Flange 125 CWP	107-464	1/2"	FNPT x MGHT	T-541FLG	72	12
	107-465	3/4"	FNPT x MGHT	T-541FLG	72	12
	107-474	1/2"	Sweat x MGHT	S-541FLG	72	12
	107-475	3/4"	Sweat x MGHT	S-541FLG	72	12



T-541CFL / S-541CFL

Chrome-Plated Forged Brass 1/4-Turn Ball-Type Sillcock with Lever Handle & Flange

Third-party tested and certified;
125 CWP



T-545NL / T-546NL

No Lead Chrome-Plated Brass Commercial Sillcocks

Third-party tested and certified;
NSF/ANSI 61 (NL only)
125 CWP



107-403	1/2"	FNPT x MGHT	T-545	144	12
107-403NL	1/2"	FNPT x MGHT	T-545NL	144	12
107-404	3/4"	FNPT x MGHT	T-545	144	12
107-404NL	3/4"	FNPT x MGHT	T-545NL	144	12

T-546 Commercial Sillcock with Lockshield & Key

107-407	1/2"	FNPT x MGHT	T-546	144	12
107-407NL	1/2"	FNPT x MGHT	T-546NL	144	12
107-408	3/4"	FNPT x MGHT	T-546	144	12
107-408NL	3/4"	FNPT x MGHT	T-546NL	144	12

Certifications	Part No.	Size	Configuration	Model	Cs.	Ct.
----------------	----------	------	---------------	-------	-----	-----

T-545VBNL / T-546VBNL

No Lead Chrome-Plated Brass Commercial Sillcock with Vacuum Breaker

Third-party tested and certified;
NSF/ANSI 61 (NL only)
ASSE 1011
125 CWP



T-545VBNL Commercial Sillcock with Vacuum Breaker

107-413	1/2"	FNPT x MGHT	T-545VB	72	12
107-413NL	1/2"	FNPT x MGHT	T-545VBNL	144	12
107-414	3/4"	FNPT x MGHT	T-545VB	72	12
107-414NL	3/4"	FNPT x MGHT	T-545VBNL	72	12

T-546VBNL Commercial Sillcock with Vacuum Breaker, Lockshield, & Key

107-417	1/2"	FNPT x MGHT	T-546VB	72	12
107-417NL	1/2"	FNPT x MGHT	T-546VBNL	72	12
107-418	3/4"	FNPT x MGHT	T-546VB	72	12
107-418NL	3/4"	FNPT x MGHT	T-546VBNL	144	12

Loose Key for T-546 & T-546VBNL Sillcocks

107-410	One-size	N/A	T-545 & T-546	50	10
---------	----------	-----	---------------	----	----

T-547RB / T-548 / T-549CP

Brass 1/4-Turn Ball-Type Commercial Sillcock with Softouch™ Handle, Integral Vacuum Breaker, & Loose Key

Third-party tested and certified;
ASSE 1011



T-547RB Brass Ball-Type Commercial Sillcock

107-431	1/2"	FNPT x MGHT	T-547RB	24	1
107-432	3/4"	FNPT x MGHT	T-547RB	24	1

T-548 Satin-Plated Brass Ball-Type Commercial Sillcock

107-441	1/2"	FNPT x MGHT	T-548	24	1
107-442	3/4"	FNPT x MGHT	T-548	24	1

T-549CP Chrome-Plated Brass Ball-Type Commercial Sillcock

107-451	1/2"	FNPT x MGHT	T-549CP	24	1
107-452	3/4"	FNPT x MGHT	T-549CP	24	1

Brown Softouch™ Handle for T-547RB, T-548, & T-549CP 1/4-Turn Sillcocks


107-430	One-size	For 1/2" to 3/4" Valves		100	1
---------	----------	-------------------------	--	-----	---

Multi-Turn Chrome Supply Stops

T-581NL
OD x OD

Durable, versatile, reliable: chrome stops for a job done right. The T-581NL body made from no lead forged brass barstock, which provides the highest level of durability and strength.

The thermoplastic stems—except for those in sweat configurations—are resistant to scale and debris buildup compared to metallic stems, even against hard water conditions.



Certifications	Part No.	Size	Configuration	Model	X-Ref	Cs.	Ct.
T-581NL / S-581NL No Lead Chrome-Plated Forged Brass Multi-Turn Angle Stop Valve No lead forged brass Third-party tested and certified; NSF/ANSI 61 110 CWP							
T-581NL OD x OD 114-101NL 3/8" x 3/8" Comp. (OD) x Comp. (OD) T-581NL CR-1B 200 10 114-104NL 5/8" x 3/8" Comp. (OD) x Comp. (OD) T-581NL CR-19 200 10 114-124NL 5/8" x 1/2" Comp. (OD) x Comp. (OD) T-581NL CR-39 200 10							
T-581NL OD x OD Icemaker 114-116NL 5/8" x 1/4" Comp. (OD) x Comp. (OD) T-581NL CR-09 200 10							
T-581NL FNPT x OD 114-102NL 3/8" x 3/8" FNPT x Comp. (OD) T-581NL R-15 200 10 114-103NL 1/2" x 3/8" FNPT x Comp. (OD) T-581NL R-17 200 10 114-123NL 1/2" x 1/2" FNPT x Comp. (OD) T-581NL R-37 200 10							
T-581NL CPVC x OD 114-107NL 1/2" x 3/8" CPVC x Comp. (OD) T-581NL R-19 200 10							
T-581PNL F1807 x OD 114-109NL 1/2" x 3/8" PEX (F1807) x Comp. (OD) T-581PNL 200 10							
T-581LSNL OD x OD with Lockshield & Key 114-144NL 5/8" x 3/8" Comp. (OD) x Comp. (OD) T-581LSNL 200 10							
T-581LSNL FNPT x OD with Lockshield & Key 114-143NL 1/2" x 3/8" FNPT x Comp. (OD) T-581LSNL 200 10							
S-581NL Sweat x OD 114-113NL 1/2" x 3/8" Sweat x Comp. (OD) S-581NL R-19 200 10 114-126NL 1/2" x 1/2" Sweat x Comp. (OD) S-581NL R-39 200 10							
S-581LSNL Sweat x OD with Lockshield & Key 114-146NL 1/2" x 3/8" Sweat x Comp. (OD) S-581LSNL 200 10							
S-581ETNL Sweat x OD with 5" Extension Tube & Bell Escutcheon 114-115NL 1/2" x 3/8" Sweat x Comp. (OD) S-581ETNL CS-40B 200 10							



T-581RBNL / S-581RBNL / T-581PBNL

No Lead Forged Brass Multi-Turn Angle Stop Valve

Third-party tested and certified;
NSF/ANSI 61
110 CWP



T-581RBNL OD x OD Rough Brass

114-154NL	5/8" x 3/8"	Comp. (OD) x Comp. (OD)	T-581RBNL	CR-19R	200	10
-----------	-------------	-------------------------	-----------	--------	-----	----

S-581RBNL Sweat x OD Rough Brass

114-163NL	1/2" x 3/8"	Sweat x Comp. (OD)	S-581RBNL	R-19R	200	10
-----------	-------------	--------------------	-----------	-------	-----	----

T-581PBNL OD x OD Polished Brass

114-304NL	5/8" x 3/8"	Comp. (OD) x Comp. (OD)	T-581PBNL		200	10
-----------	-------------	-------------------------	-----------	--	-----	----

T-582NL / S-582NL

No Lead Chrome-Plated Forged Brass Multi-Turn Straight Stop Valve

Third-party tested and certified;
NSF/ANSI 61
110 CWP



T-582NL OD x OD

114-200NL	1/4" x 1/4"	Comp. (OD) x Comp. (OD)	T-582NL		200	10
114-201NL	3/8" x 3/8"	Comp. (OD) x Comp. (OD)	T-582NL	CR-11	200	10
114-204NL	5/8" x 3/8"	Comp. (OD) x Comp. (OD)	T-582NL	CR-14	200	10
114-234NL	5/8" x 1/2"	Comp. (OD) x Comp. (OD)	T-582NL	CR-34	200	10
114-231NL	1/2" x 1/2"	Comp. (OD) x Comp. (OD)	T-582NL	CR-3A	200	10

T-582NL FNPT x OD

114-202NL	3/8" x 3/8"	FNPT x Comp. (OD)	T-582NL	R-10	200	10
114-203NL	1/2" x 3/8"	FNPT x Comp. (OD)	T-582NL	R-12	200	10
114-233NL	1/2" x 1/2"	FNPT x Comp. (OD)	T-582NL	CR-3C	200	10

T-582NL CPVC x OD

114-207NL	1/2" x 3/8"	CPVC x Comp. (OD)	T-582NL	PR-14	200	10
-----------	-------------	-------------------	---------	-------	-----	----

T-582PNL F1807 x OD

114-209NL	1/2" x 3/8"	PEX (F1807) x Comp. (OD)	T-582PNL		200	10
-----------	-------------	--------------------------	----------	--	-----	----

S-582NL Sweat x OD

114-213NL	1/2" x 3/8"	Sweat x Comp. (OD)	S-582NL	R-14	200	10
-----------	-------------	--------------------	---------	------	-----	----

S-582ETNL Sweat x OD with 5" Extension Tube & Bell Escutcheon

114-215NL	1/2" x 3/8"	Sweat x Comp. (OD)	S-582ETNL		200	10
-----------	-------------	--------------------	-----------	--	-----	----

T-591PNL F1807 x F1807

114-513NL	1/2" x 1/2"	PEX (F1807) x PEX (F1807)	T-591PNL		200	10
-----------	-------------	---------------------------	----------	--	-----	----

Certifications	Part No.	Size	Configuration	Model	X-Ref	Cs.	Ct.
----------------	----------	------	---------------	-------	-------	-----	-----

T-583NL

No Lead Chrome-Plated Forged Brass Multi-Turn Angle Stop Valve

Third-party tested and certified;
NSF/ANSI 61
110 CWP



T-583NL
FNPT x SJ

T-583NL FNPT x SJ

114-133NL	1/2"	FNPT x Slip Joint	T-583NL	200	10
-----------	------	-------------------	---------	-----	----

T-583NL OD x SJ

114-134NL	5/8"	Comp. (OD) x Slip Joint	T-583NL	3341	200	10
-----------	------	-------------------------	---------	------	-----	----

T-584NL

No Lead Chrome-Plated Forged Brass Multi-Turn Straight Stop Valve

Third-party tested and certified;
NSF/ANSI 61
110 CWP



T-584NL
FNPT x SJ

T-584NL FNPT x SJ

114-253NL	1/2"	FNPT x Slip Joint	T-584NL	3305	200	10
-----------	------	-------------------	---------	------	-----	----

T-587NL

No Lead Chrome-Plated Forged Brass Multi-Turn Dual Outlet Angle Stop Valve

Third-party tested and certified;
NSF/ANSI 61
110 CWP



T-587NL
FNPT x OD x OD



T-587NL
OD x OD x OD

T-587NL OD x OD x OD

114-404NL	5/8" x 3/8" x 3/8"	Comp. (OD) x Comp. (OD) (2)	T-587NL	CR1901	200	10
114-424NL	5/8" x 3/8" x 1/4"	Comp. (OD) x Comp. (OD) (2)	T-587NL	CR1900	200	10

T-587NL FNPT x OD x OD

114-402NL	3/8" x 3/8" x 3/8"	FNPT x Comp. (OD) (2)	T-587NL	R1501	200	10
114-403NL	1/2" x 3/8" x 3/8"	FNPT x Comp. (OD) (2)	T-587NL	R1701	200	10
114-413NL	1/2" x 3/8" x 1/2"	FNPT x Comp. (OD) (2)	T-587NL	R1703R	200	10
114-423NL	1/2" x 3/8" x 1/4"	FNPT x Comp. (OD) (2)	T-587NL	R1700	200	10

T-587PNL F1807 x OD x OD


114-406NL	1/2" x 3/8" x 3/8"	PEX (F1807) x Comp. (OD) (2)	T-587PNL		200	10
-----------	--------------------	------------------------------	----------	--	-----	----

1/4-Turn Chrome Supply Stops



T-595NL
Rmv. Push x OD

The T-595NL InstaLoc® Push-Fit Supply Stop features quarter-turn operation with a self-cleaning ball, engineered to resist mineral and scale buildup. The design includes a ball-seat operation, and a dual o-ring stem seal, which provides an ideal performance upgrade compared to conventional supply stops. It's versatile InstaLoc push-fitting inlet connection is compatible with copper tube, PEX, and PE-RT.



Certifications	Part No.	Size	Configuration	Model	Cs.	Ct.
----------------	----------	------	---------------	-------	-----	-----

T-595NL

**No Lead Chrome-Plated
Forged Brass 1/4-Turn
Ball-Type Angle Stop Valve**

Third-party tested and certified;
NSF/ANSI 61
125 CWP



T-595NL
OD x OD



T-595NL
FNPT x OD



T-596NL
Sweat x OD



T-595NL
CPVC x OD



T-596NL
F1807 x OD

T-595NL Insta-Loc II Removable Push-to-Connect x OD

114-943NL	1/2" x 3/8"	Rmv. Push x Comp. (OD)	T-595NL	120	5
114-944NL	1/2" x 1/4"	Rmv. Push x Comp. (OD)	T-595NL	120	5
114-943NLB	1/2" x 3/8"	Rmv. Push x Comp. (OD)	T-595NL Bulk	Pack of 60	

T-595NL OD x OD

114-604NL	5/8" x 3/8"	Comp. (OD) x Comp. (OD)	T-595NL	120	5
114-604NLB	5/8" x 3/8"	Comp. (OD) x Comp. (OD)	T-595NL Bulk	Pack of 60	

T-595NL OD x OD Icemaker

114-614NL	5/8" x 1/4"	Comp. (OD) x Comp. (OD)	T-595NL	120	5
-----------	-------------	-------------------------	---------	-----	---

T-595NL OD x OD Polished Brass

114-624NL	5/8" x 3/8"	Comp. (OD) x Comp. (OD)	T-595PBNL	120	5
-----------	-------------	-------------------------	-----------	-----	---

T-595NL FNPT x OD

114-602NL	3/8" x 3/8"	FNPT x Comp. (OD)	T-595NL	120	5
114-603NL	1/2" x 3/8"	FNPT x Comp. (OD)	T-595NL	120	5
114-602NLB	3/8" x 3/8"	FNPT x Comp. (OD)	T-595NL Bulk	Pack of 60	
114-603NLB	1/2" x 3/8"	FNPT x Comp. (OD)	T-595NL Bulk	Pack of 60	

T-595NL Sweat x OD

114-613NL	1/2" x 3/8"	Sweat x Comp. (OD)	T-595NL	120	5
114-613NLB	1/2" x 3/8"	Sweat x Comp. (OD)	T-595NL Bulk	Pack of 60	

T-595NL CPVC x OD

114-607NL	1/2" x 3/8"	CPVC x Comp. (OD)	T-595NL	120	5
114-607NLB	1/2" x 3/8"	CPVC x Comp. (OD)	T-595NL Bulk	Pack of 60	

T-595NL F1807 x OD

114-609NL	1/2" x 3/8"	PEX (F1807) x Comp. (OD)	T-595NL	120	5
114-609NLB	1/2" x 3/8"	PEX (F1807) x Comp. (OD)	T-595NL Bulk	Pack of 60	

Certifications	Part No.	Size	Configuration	Model	Cs.	Ct.
----------------	----------	------	---------------	-------	-----	-----

T-595NL

...Continued



T-595NL F1807 x OD Icemaker

114-615NL	1/2" x 1/4"	PEX (F1807) x Comp. (OD)	T-595NL	120	5
-----------	-------------	--------------------------	---------	-----	---

T-595NL F1960 x OD

114-606NL	1/2" x 3/8"	PEX (F1960) x Comp. (OD)	T-595NL	120	5
114-606NLB	1/2" x 3/8"	PEX (F1960) x Comp. (OD)	T-595NL Bulk	Pack of 60	

T-595NL F1960 x OD Icemaker

114-605NL	1/2" x 1/4"	PEX (F1960) x Comp. (OD)	T-595NL	120	5
-----------	-------------	--------------------------	---------	-----	---

T-595NL Push x OD

114-903NL	1/2" x 3/8"	Push x Comp. (OD)	T-595NL	120	5
114-904NL	1/2" x 1/4"	Push x Comp. (OD)	T-595NL	120	5

P-595NL

**LegendPress® No Lead
Chrome-Plated Forged Brass
1/4-Turn Ball-Type Angle Stop
Valve**

Third-party tested and certified;
NSF/ANSI 61
125 CWP



114-903PNL	1/2" x 3/8"	Press x Comp. (OD)	P-595NL	120	5
114-904PNL	1/2" x 1/4"	Press x Comp. (OD)	P-595NL	120	5

T-596NL

**No Lead Chrome-Plated
Forged Brass 1/4-Turn
Ball-Type Straight Stop Valve**

Third-party tested and certified;
NSF/ANSI 61
125 CWP



T-596NL Insta-Loc II Removable Push-to-Connect x OD

114-953NL	1/2" x 3/8"	Rmv. Push x Comp. (OD)	T-596NL	120	5
114-954NL	1/2" x 1/4"	Rmv. Push x Comp. (OD)	T-596NL	120	5
114-953NLB	1/2" x 3/8"	Rmv. Push x Comp. (OD)	T-596NL Bulk	Pack of 60	

T-596NL OD x OD

114-704NL	5/8" x 3/8"	Comp. (OD) x Comp. (OD)	T-596NL	120	5
114-704NLB	5/8" x 3/8"	Comp. (OD) x Comp. (OD)	T-596NL Bulk	Pack of 60	

T-596NL OD x OD Icemaker

114-714NL	5/8" x 1/4"	Comp. (OD) x Comp. (OD)	T-596NL	120	5
-----------	-------------	-------------------------	---------	-----	---

T-596PBNL OD x OD Polished Brass

114-724NL	5/8" x 3/8"	Comp. (OD) x Comp. (OD)	T-596PBNL	120	5
-----------	-------------	-------------------------	-----------	-----	---

T-596NL

...Continued



T-596NL FNPT x OD

114-702NL	3/8" x 3/8"	FNPT x Comp. (OD)	T-596NL	120	5
114-703NL	1/2" x 3/8"	FNPT x Comp. (OD)	T-596NL	120	5
114-703NLB	1/2" x 3/8"	FNPT x Comp. (OD)	T-596NL Bulk	Pack of 60	

T-596NL Sweat x OD

114-713NL	1/2" x 3/8"	Sweat x Comp. (OD)	T-596NL	120	5
114-713NLB	1/2" x 3/8"	Sweat x Comp. (OD)	T-596NL Bulk	Pack of 60	

T-596NL CPVC x OD

114-707NL	1/2" x 3/8"	CPVC x Comp. (OD)	T-596NL	120	5
114-707NLB	1/2" x 3/8"	CPVC x Comp. (OD)	T-596NL Bulk	Pack of 60	

T-596NL F1807 x OD

114-709NL	1/2" x 3/8"	PEX (F1807) x Comp. (OD)	T-596NL	120	5
114-709NLB	1/2" x 3/8"	PEX (F1807) x Comp. (OD)	T-596NL Bulk	Pack of 60	

T-596NL F1807 x OD Icemaker

114-715NL	1/2" x 1/4"	PEX (F1807) x Comp. (OD)	T-596NL	120	5
-----------	-------------	--------------------------	---------	-----	---

T-596NL F1807 x F1807

114-710NL	1/2" x 1/2"	PEX (F1807) x Comp. (OD)	T-596NL	120	5
-----------	-------------	--------------------------	---------	-----	---

T-596NL F1960 x OD

114-706NL	1/2" x 1/2"	PEX (F1960) x Comp. (OD)	T-596NL	120	5
114-706NLB	1/2" x 3/8"	PEX (F1960) x Comp. (OD)	T-596NL Bulk	Pack of 60	

T-596NL F1960 x OD Icemaker

114-705NL	1/2" x 1/4"	PEX (F1960) x Comp. (OD)	T-596NL	120	5
-----------	-------------	--------------------------	---------	-----	---

T-596NL Push x OD

114-913NL	1/2" x 3/8"	Push x Comp. (OD)	T-596NL	120	5
114-914NL	1/2" x 1/4"	Push x Comp. (OD)	T-596NL	120	5

114-913PNL	1/2" x 3/8"	Press x Comp. (OD)	P-596NL	120	1
114-914PNL	1/2" x 1/4"	Press x Comp. (OD)	P-596NL	120	5

P-596NL

**LegendPress® No Lead
Chrome-Plated Forged Brass
1/4-Turn Ball-Type Angle Stop
Valve**

Third-party tested and certified;
NSF/ANSI 61
125 CWP



Certifications	Part No.	Size	Configuration	Model	Cs.	Ct.
----------------	----------	------	---------------	-------	-----	-----

T-593NL

**No Lead Chrome-Plated
Forged Brass 1/4-Turn
Ball-Type Slip Joint Angle
Stop Valve**

Third-party tested and certified;
NSF/ANSI 61
125 CWP



T-593NL
OD x SJ

T-593NL FNPT x SJ Angle Stop

114-653NL	1/2"	FNPT x Slip Joint	T-593NL	120	5
-----------	------	-------------------	---------	-----	---

T-593NL OD x SJ

114-654NL	5/8"	Comp. (OD) x Slip Joint	T-593NL	120	5
-----------	------	-------------------------	---------	-----	---

T-594NL

**No Lead Chrome-Plated
Forged Brass 1/4-Turn
Ball-Type Slip Joint
Straight Stop Valve**

Third-party tested and certified;
NSF/ANSI 61
125 CWP



T-594NL
FNPT x SJ

T-594NL FNPT x SJ

114-753NL	1/2"	FNPT x Slip Joint	T-594NL	120	5
-----------	------	-------------------	---------	-----	---

T-594NL OD x SJ

114-754NL	5/8"	Comp. (OD) x Slip Joint	T-594NL	120	5
-----------	------	-------------------------	---------	-----	---

T-597NL

**No Lead Chrome-Plated
Forged Brass 1/4-Turn Dual
Outlet Angle Stop Valve**

Third-party tested and certified;
NSF/ANSI 61
125 CWP



T-597NL
FNPT x OD x OD

T-597NL
FNPT x OD x OD



T-597NL
FNPT x OD x OD

T-597NL OD x OD x OD

114-804NL	5/8" x 3/8" x 3/8"	Comp. (OD) x Comp. (OD) (2)	T-597NL	120	5
114-824NL	5/8" x 3/8" x 1/4"	Comp. (OD) x Comp. (OD) (2)	T-597NL	120	5

T-597NL FNPT x OD x OD

114-803NL	1/2" x 3/8" x 3/8"	FNPT x Comp. (OD) (2)	T-597NL	120	5
114-823NL	1/2" x 3/8" x 1/4"	FNPT x Comp. (OD) (2)	T-597NL	120	5

T-597NL F1807 x OD x OD

114-805NL	1/2" x 3/8" x 1/4"	PEX (F1807) x Comp. (OD) (2)	T-597NL	120	5
114-806NL	1/2" x 3/8" x 3/8"	PEX (F1807) x Comp. (OD) (2)	T-597NL	120	5

T-597NL F1960 x OD x OD

114-801NL	1/2" x 3/8" x 3/8"	PEX (F1960) x Comp. (OD) (2)	T-597NL	120	5
114-802NL	1/2" x 3/8" x 1/4"	PEX (F1960) x Comp. (OD) (2)	T-597NL	120	5