

Certifications	Part No.	Size	Configuration	Model	Cs.	Ct.
----------------	----------	------	---------------	-------	-----	-----

P-595NL / P-596NL

No Lead Chrome-Plated Forged Brass 1/4-Turn Ball-Type Stop Valves

Third-party tested and certified;
NSF/ANSI 61
125 CWP



P-595NL Angle Stop Valve

114-903PNL	1/2" x 3/8"	Press x Comp. (OD)	P-595NL	120	5
114-904PNL	1/2" x 1/4"	Press x Comp. (OD)	P-595NL	120	5

P-596NL Straight Stop Valve

114-913PNL	1/2" x 3/8"	Press x Comp. (OD)	P-596NL	120	1
114-914PNL	1/2" x 1/4"	Press x Comp. (OD)	P-596NL	120	5

P-16NL

LegendPress® No Lead Forged Brass Y-Strainer

ANSI/NSF 372
200 CWP, 15 WSP



P-16NL with 20-Mesh Stainless Steel Screen

105-703PNL	1/2"	Press x Press; 20-Mesh Screen	P-16NL	48	12
105-704PNL	3/4"	Press x Press; 20-Mesh Screen	P-16NL	48	8
105-705PNL	1"	Press x Press; 20-Mesh Screen	P-16NL	32	8
105-706PNL	1-1/4"	Press x Press; 20-Mesh Screen	P-16NL	24	6
105-707PNL	1-1/2"	Press x Press; 20-Mesh Screen	P-16NL	16	4
105-708PNL	2"	Press x Press; 20-Mesh Screen	P-16NL	8	2

P-459

Forged Brass Backflow Preventer with Atmospheric Vent

Third-party tested and certified;
ASSE 1012,
CSA B64.3
175 psi @ 210°F



115-112	3/4"	Press x Press	P-459	18	1
---------	------	---------------	-------	----	---

P-571NL

No Lead Forged Brass/Forged Steel Dielectric Union

Third-party tested and certified;
ANSI / ASME B16.51
200 CWP 180°F max temp



P-571NL Press x FNPT

301-103PNL	1/2"	Press x FNPT	P-571NL	108	12
301-104PNL	3/4"	Press x FNPT	P-571NL	96	12
301-105PNL	1"	Press x FNPT	P-571NL	72	12
301-106PNL	1-1/4"	Press x FNPT	P-571NL	48	6
301-107PNL	1-1/2"	Press x FNPT	P-571NL	32	4
301-108PNL	2"	Press x FNPT	P-571NL	16	4
301-123PNL	3/4" x 1/2"	Press x FNPT	P-571NL	96	12

P-571NL Press x MNPT

301-203PNL	1/2"	Press x MNPT	P-571NL	96	12
301-204PNL	3/4"	Press x MNPT	P-571NL	72	12

Certifications	Part No.	Size	Configuration	Cs.	Ct.
----------------	----------	------	---------------	-----	-----

No Lead DZR Forged Brass Press Unions

No Lead/DZR Forged Brass
NSF/ANSI 61



Press x Press



Press x MNPT



Press x FNPT

NL Press Union

450-813P	1/2"	Press x Press	120	10
450-814P	3/4"	Press x Press	100	10
450-815P	1"	Press x Press	60	10
450-816P	1-1/4"	Press x Press	48	6
450-817P	1-1/2"	Press x Press	32	4
450-818P	2"	Press x Press	20	2

NL Press x MNPT Union

450-823P	1/2"	Press x MNPT	120	10
450-824P	3/4"	Press x MNPT	100	10
450-825P	1"	Press x MNPT	60	10
450-826P	1-1/4"	Press x MNPT	48	6
450-827P	1-1/2"	Press x MNPT	32	4
450-828P	2"	Press x MNPT	20	2

NL Press x FNPT Union

450-833P	1/2"	Press x FNPT	120	10
450-834P	3/4"	Press x FNPT	100	10
450-835P	1"	Press x FNPT	60	10
450-836P	1-1/4"	Press x FNPT	48	6
450-837P	1-1/2"	Press x FNPT	32	4
450-838P	2"	Press x FNPT	20	2

No Lead DZR Forged Brass Press x MNPT Adapters

Third-party tested and certified;
NSF/ANSI 61



Press x MNPT



Large Press x MNPT



Reducing
Press x MNPT

450-753P	1/2"	Press x MNPT	300	10
450-754P	3/4"	Press x MNPT	160	10
450-755P	1"	Press x MNPT	160	10
450-756P	1-1/4"	Press x MNPT	100	1
450-757P	1-1/2"	Press x MNPT	50	1
450-758P	2"	Press x MNPT	35	1

NL Large Press x MNPT Adapter

450-759P	2-1/2"	Large Press x MNPT	1	1
450-760P	3"	Large Press x MNPT	18	1
450-761P	4"	Large Press x MNPT	12	1

NL Press x MNPT Reducing Adapter

450-780P	1/2" x 3/4"	Press x MNPT	180	10
450-784P	3/4" x 1/2"	Press x MNPT	180	10
450-785P	3/4" x 1"	Press x MNPT	1	25
450-787P	1" x 3/4"	Press x MNPT	1	10
450-788P	1" x 1-1/4"	Press x MNPT	100	10
450-791P	1-1/4" x 1"	Press x MNPT	95	1
450-792P	1-1/4" x 1-1/2"	Press x MNPT	1	1
450-794P	1-1/2" x 1-1/4"	Press x MNPT	1	1
450-795P	1-1/2" x 2"	Press x MNPT	1	1
450-797P	2" x 1-1/2"	Press x MNPT	1	1

Certifications	Part No.	Size	Configuration	Cs.	Ct.
----------------	----------	------	---------------	-----	-----

No Lead DZR Forged Brass Press x FNPT Adapter

Third-party tested and certified;
NSF/ANSI 61



450-703P	1/2"	Press x FNPT	300	10
450-704P	3/4"	Press x FNPT	150	10
450-705P	1"	Press x FNPT	180	10
450-706P	1-1/4"	Press x FNPT	80	1
450-707P	1-1/2"	Press x FNPT	55	1
450-708P	2"	Press x FNPT	40	1

NL Large Press x FNPT Adapter

450-709P	2-1/2"	Large Press x FNPT	36	1
450-710P	3"	Large Press x FNPT	24	1

NL Press x FNPT Reducing Adapter

450-726P	1/2" x 3/4"	Press x FNPT	180	10
450-731P	3/4" x 1/2"	Press x FNPT	180	10
450-733P	1" x 1/2"	Press x FNPT	120	10
450-734P	1" x 3/4"	Press x FNPT	200	10
450-735P	1" x 1-1/4"	Press x FNPT	1	10
450-737P	1-1/4" x 1"	Press x FNPT	1	1
450-738P	1-1/4" x 1-1/2"	Press x FNPT	1	1
450-739P	1-1/2" x 1-1/4"	Press x FNPT	1	1

No Lead DZR Forged Brass Press x Crimp/Cinch PEX Adapters

Third-party tested and certified;
NSF/ANSI 61 & 14
ASTM F1807



450-853P	1/2"	Press x PEX (F1807)	240	30
450-854P	3/4"	Press x PEX (F1807)	200	25
450-855P	1"	Press x PEX (F1807)	120	30
450-856P	1-1/4"	Press x PEX (F1807)	48	24
450-857P	1-1/2"	Press x PEX (F1807)	32	16
450-858P	2"	Press x PEX (F1807)	20	10

NL Press x F1807 PEX Reducing Adapter

450-851P	3/4" x 1/2"	Press x PEX (F1807)	100	25
450-852P	1" x 3/4"	Press x PEX (F1807)	80	20

No Lead DZR Forged Brass Press x Cold Expansion PEX Adapters

Third-party tested and certified;
NSF/ANSI 61 & 14
ASTM F1960



450-863P	1/2"	Press x PEX (F1960)	240	30
450-864P	3/4"	Press x PEX (F1960)	200	25
450-865P	1"	Press x PEX (F1960)	120	30
450-866P	1-1/4"	Press x PEX (F1960)	48	24
450-867P	1-1/2"	Press x PEX (F1960)	32	16
450-868P	2"	Press x PEX (F1960)	20	10

NL Press x F1960 PEX Reducing Adapter

450-861P	3/4" x 1/2"	Press x PEX (F1960)	100	25
450-862P	1" x 3/4"	Press x PEX (F1960)	80	20

Certifications	Part No.	Size	Configuration	Cs.	Ct.
----------------	----------	------	---------------	-----	-----

No Lead Brass Flange Adapter

Third-party tested and certified;
NSF/ANSI 61 & 14
200 CWP



Large Press x Flange

Press x Flange

450-175P	1"	Press x Flange	14	1
450-176P	1-1/4"	Press x Flange	14	1
450-177P	1-1/2"	Press x Flange	8	1
450-178P	2"	Press x Flange	4	1

NL Large Press x Flange Adapter

450-179P	2-1/2"	Large Press x Flange	4	1
450-180P	3"	Large Press x Flange	3	1
450-181P	4"	Large Press x Flange	2	1

No Lead DZR Forged Brass 90° Press x MNPT Elbow

Third-party tested and certified;
NSF/ANSI 61



450-903P	1/2"	Press x MNPT	180	30
450-904P	3/4"	Press x MNPT	100	25
450-905P	1"	Press x MNPT	80	20
450-906P	1-1/4"	Press x MNPT	40	20
450-907P	1-1/2"	Press x MNPT	30	15
450-908P	2"	Press x MNPT	20	10

No Lead DZR Forged Brass 90° Press x FNPT Elbow

Third-party tested and certified;
NSF/ANSI 61



450-913P	1/2"	Press x FNPT	180	30
450-914P	3/4"	Press x FNPT	100	25
450-915P	1"	Press x FNPT	80	20
450-916P	1-1/4"	Press x FNPT	40	20
450-917P	1-1/2"	Press x FNPT	30	15
450-918P	2"	Press x FNPT	20	10

No Lead DZR Forged Brass 90° Crimp/Cinch PEX x Press Elbow

Third-party tested and certified;
NSF/ANSI 61 & 14
ASTM F1807



450-923P	1/2"	Press x PEX (F1807)	180	20
450-925P	3/4"	Press x PEX (F1807)	100	25
450-927P	1"	Press x PEX (F1807)	80	20
450-928P	1-1/4"	Press x PEX (F1807)	40	20
450-929P	1-1/2"	Press x PEX (F1807)	30	15
450-930P	2"	Press x PEX (F1807)	20	10

NL Press x F1807 PEX Reducing Elbow

450-924P	3/4" x 1/2"	Press x PEX (F1807)	100	25
450-926P	1" x 3/4"	Press x PEX (F1807)	80	20

NL Press x F1807 PEX Elbow Kit with Press Insert Stiffener (450-404P)

450-924PW	3/4" x 1/2"	Press x PEX (F1807)	40	10
450-925PW	3/4"	Press x PEX (F1807)	40	10

No Lead DZR Forged Brass 90° Press x Cold Expansion PEX Elbows

Third-party tested and certified;
NSF/ANSI 61 & 14
ASTM F1960



Certifications	Part No.	Size	Configuration	Cs.	Ct.
	450-933P	1/2"	Press x PEX (F1960)	180	20
	450-935P	3/4"	Press x PEX (F1960)	100	25
	450-937P	1"	Press x PEX (F1960)	80	20
	450-938P	1-1/4"	Press x PEX (F1960)	40	20
	450-939P	1-1/2"	Press x PEX (F1960)	30	15
	450-940P	2"	Press x PEX (F1960)	20	10

NL Press x F1960 PEX Reducing Elbow

450-934P	3/4" x 1/2"	Press x PEX (F1960)	100	25
450-936P	1" x 3/4"	Press x PEX (F1960)	80	20

NL Press x F1960 PEX Elbow Kit with Press Insert Stiffener (450-404P)

450-934PW	3/4" x 1/2"	Press x PEX (F1960)	40	10
450-935PW	3/4"	Press x PEX (F1960)	40	10

No Lead DZR Forged Brass Press x FNPT Drop Ear Elbow

Third-party tested and certified;
NSF/ANSI 61



450-803P	1/2"	Press x FNPT	100	10
450-804P	3/4"	Press x FNPT	100	10

No Lead DZR Forged Brass Press x FNPT Tees

Third-party tested and certified;
NSF/ANSI 61



Press x Press x FNPT

450-373P	1/2"	Press x Press x FNPT	5	5
450-373P	1/2"	Press x Press x FNPT	5	5
450-893P	1/2"	Press x Press x FNPT	180	30
450-377P	3/4"	Press x Press x FNPT	80	5
450-894P	3/4"	Press x Press x FNPT	100	25
450-895P	1"	Press x Press x FNPT	80	20
450-896P	1-1/4"	Press x Press x FNPT	40	20
450-897P	1-1/2"	Press x Press x FNPT	30	15
450-898P	2"	Press x Press x FNPT	20	10

NL Press x FNPT Reducing Tee

450-376P	3/4" x 1/2" x 3/4"	Press x Press x FNPT	1	5
450-899P	3/4" x 3/4" x 1/2"	Press x Press x FNPT	120	20
450-380P	1" x 1/2" x 1"	Press x Press x FNPT	1	5
450-900P	1" x 1" x 3/4"	Press x Press x FNPT	120	20
450-381P	1" x 3/4" x 1"	Press x Press x FNPT	70	5



Reducing
Press x Press x FNPT

Certifications	Part No.	Size	Configuration	Cs.	Ct.
No Lead DZR Forged Brass Press x Crimp/Cinch PEX Reducing Tees Third-party tested and certified; NSF/ANSI 61 & 14 ASTM F1807	450-872P	3/4" x 3/4" x 1/2"	Press x Press x PEX (F1807)	180	30
	450-873P	1" x 1" x 1/2"	Press x Press x PEX (F1807)	150	25
	450-874P	1" x 1" x 3/4"	Press x Press x PEX (F1807)	120	30
	450-875P	1-1/4" x 1-1/4" x 1/2"	Press x Press x PEX (F1807)	96	24
	450-876P	1-1/4" x 1-1/4" x 3/4"	Press x Press x PEX (F1807)	64	16
	450-877P	1-1/2" x 1-1/2" x 1/2"	Press x Press x PEX (F1807)	40	10
	450-878P	1-1/2" x 1-1/2" x 3/4"	Press x Press x PEX (F1807)	40	10
	450-879P	1-1/2" x 1-1/2" x 1"	Press x Press x PEX (F1807)	40	10



No Lead DZR Forged Brass Press x Cold Expansion PEX Reducing Tees

Third-party tested and certified;
 NSF/ANSI 61 & 14
 ASTM F1960



450-882P	3/4" x 3/4" x 1/2"	Press x Press x PEX (F1960)	180	30
450-883P	1" x 1" x 1/2"	Press x Press x PEX (F1960)	150	25
450-884P	1" x 1" x 3/4"	Press x Press x PEX (F1960)	120	15
450-885P	1-1/4" x 1-1/4" x 1/2"	Press x Press x PEX (F1960)	96	24
450-886P	1-1/4" x 1-1/4" x 3/4"	Press x Press x PEX (F1960)	64	16
450-887P	1-1/2" x 1-1/2" x 1/2"	Press x Press x PEX (F1960)	40	20
450-888P	1-1/2" x 1-1/2" x 3/4"	Press x Press x PEX (F1960)	40	20
450-889P	1-1/2" x 1-1/2" x 1"	Press x Press x PEX (F1960)	40	10

Brass **LegendPress®** Fitting Accessories

EPDM O-Rings for Forged Brass Press Fittings & Unions, Pair



450-843P	1/2"	EPDM Press Socket O-Ring; Pair	200	20
450-844P	3/4"	EPDM Press Socket O-Ring; Pair	200	20
450-845P	1"	EPDM Press Socket O-Ring; Pair	200	20
450-846P	1-1/4"	EPDM Press Socket O-Ring; Pair	100	5
450-847P	1-1/2"	EPDM Press Socket O-Ring; Pair	100	5
450-848P	2"	EPDM Press Socket O-Ring; Pair	50	5

EPDM Rubber Gasket for No Lead Brass Unions



450-843PG	1/2"	EPDM Press Union Gasket	1	100
450-844PG	3/4"	EPDM Press Union Gasket	1	100
450-845PG	1"	EPDM Press Union Gasket	1	100
450-846PG	1-1/4"	EPDM Press Union Gasket	100	100
450-847PG	1-1/2"	EPDM Press Union Gasket	1	100
450-848PG	2"	EPDM Press Union Gasket	1	100

Certifications	Part No.	Size	Configuration	Cs.	Ct.
----------------	----------	------	---------------	-----	-----

Copper Press Cap

Third-party tested and certified;
NSF/ANSI 61



Press

Large Press

450-483P	1/2"	Press	450	10
450-484P	3/4"	Press	450	10
450-485P	1"	Press	1	5
450-486P	1-1/4"	Press	100	1
450-487P	1-1/2"	Press	1	1
450-488P	2"	Press	55	1

Large Press Cap

450-489P	2-1/2"	Large Press	1	1
450-490P	3"	Large Press	36	1
450-491P	4"	Large Press	1	1

Copper Press x Fitting Reducer

Third-party tested and certified;
NSF/ANSI 61



Press

Large Press

450-420P	3/4" x 1/2"	Fitting x Press	400	10
450-423P	1" x 1/2"	Fitting x Press	300	10
450-425P	1" x 3/4"	Fitting x Press	240	10
450-426P	1-1/4" x 1/2"	Fitting x Press	1	5
450-427P	1-1/4" x 3/4"	Fitting x Press	170	5
450-428P	1-1/4" x 1"	Fitting x Press	150	5
450-429P	1-1/2" x 1/2"	Fitting x Press	130	5
450-430P	1-1/2" x 3/4"	Fitting x Press	1	1
450-431P	1-1/2" x 1"	Fitting x Press	70	1
450-432P	1-1/2" x 1-1/4"	Fitting x Press	70	1
450-433P	2" x 1/2"	Fitting x Press	1	1
450-434P	2" x 3/4"	Fitting x Press	50	1
450-435P	2" x 1"	Fitting x Press	1	1
450-436P	2" x 1-1/4"	Fitting x Press	1	1
450-437P	2" x 1-1/2"	Fitting x Press	1	1

Lrg. Press x FTG Reducer

450-438P	2-1/2" x 1"	Fitting x Large Press	40	1
450-439P	2-1/2" x 1-1/4"	Fitting x Large Press	40	1
450-440P	2-1/2" x 1-1/2"	Fitting x Large Press	35	1
450-441P	2-1/2" x 2"	Fitting x Large Press	35	1
450-442P	3" x 1-1/4"	Fitting x Large Press	1	1
450-443P	3" x 1-1/2"	Fitting x Large Press	1	1
450-444P	3" x 2"	Fitting x Large Press	1	1
450-445P	3" x 2-1/2"	Fitting x Large Press	1	1
450-447P	4" x 2"	Fitting x Large Press	12	1
450-448P	4" x 2-1/2"	Fitting x Large Press	10	1
450-449P	4" x 3"	Fitting x Large Press	10	1

Certifications	Part No.	Size	Configuration	Cs.	Ct.
Copper Press Coupling with Stop Third-party tested and certified; NSF/ANSI 61  Press  Large Press	450-503P	1/2"	Press x Press	550	10
	450-504P	3/4"	Press x Press	260	10
	450-505P	1"	Press x Press	170	5
	450-506P	1-1/4"	Press x Press	80	1
	450-507P	1-1/2"	Press x Press	50	1
	450-508P	2"	Press x Press	35	1
	Large Press Coupling w/Stop				
450-509P	2-1/2"	Large Press x Large Press	1	1	
450-510P	3"	Large Press x Large Press	18	1	
450-511P	4"	Large Press x Large Press	1	1	

Copper Press Reducing Coupling Third-party tested and certified; NSF/ANSI 61  Press  Large Press	450-529P	3/4" x 1/2"	Press x Press	300	10
	450-532P	1" x 1/2"	Press x Press	200	10
	450-533P	1" x 3/4"	Press x Press	200	10
	450-535P	1-1/4" x 1/2"	Press x Press	100	1
	450-536P	1-1/4" x 3/4"	Press x Press	1	1
	450-537P	1-1/4" x 1"	Press x Press	80	1
	450-540P	1-1/2" x 3/4"	Press x Press	70	1
	450-541P	1-1/2" x 1"	Press x Press	70	1
	450-542P	1-1/2" x 1-1/4"	Press x Press	1	1
	450-545P	2" x 3/4"	Press x Press	50	1
	450-546P	2" x 1"	Press x Press	50	1
	450-547P	2" x 1-1/4"	Press x Press	1	1
	450-548P	2" x 1-1/2"	Press x Press	40	1
	Copper Large Press Reducing Coupling				
	450-549P	2-1/2" x 1"	Large Press x Press	1	1
450-550P	2-1/2" x 1-1/4"	Large Press x Press	1	1	
450-551P	2-1/2" x 1-1/2"	Large Press x Press	1	1	
450-552P	2-1/2" x 2"	Large Press x Press	30	1	
450-553P	3" x 1-1/2"	Large Press x Press	24	1	
450-554P	3" x 2"	Large Press x Press	24	1	
450-555P	3" x 2-1/2"	Large Press x Press	1	1	
450-557P	4" x 2"	Large Press x Press	10	1	
450-558P	4" x 2-1/2"	Large Press x Press	1	1	
450-559P	4" x 3"	Large Press x Press	1	1	

Certifications	Part No.	Size	Configuration	Cs.	Ct.
----------------	----------	------	---------------	-----	-----

Copper Press Repair Coupling

Third-party tested and certified;
NSF/ANSI 61



450-583P	1/2"	Press x Press	450	10
450-584P	3/4"	Press x Press	260	10
450-585P	1"	Press x Press	170	5
450-586P	1-1/4"	Press x Press	80	1
450-587P	1-1/2"	Press x Press	50	1
450-588P	2"	Press x Press	35	1

Large Press Repair Coupling

450-589P	2-1/2"	Large Press x Large Press	1	1
450-590P	3"	Large Press x Large Press	18	1
450-591P	4"	Large Press x Large Press	1	1

Copper Press 45° Elbow

Third-party tested and certified;
NSF/ANSI 61



450-023P	1/2"	Press x Press	400	10
450-024P	3/4"	Press x Press	200	10
450-025P	1"	Press x Press	140	5
450-026P	1-1/4"	Press x Press	70	1
450-027P	1-1/2"	Press x Press	40	1
450-028P	2"	Press x Press	25	1

45° Large Press Elbow

450-029P	2-1/2"	Large Press x Large Press	16	1
450-030P	3"	Large Press x Large Press	12	1
450-031P	4"	Large Press x Large Press	6	1

Copper Press 45° Street Elbow

Third-party tested and certified;
NSF/ANSI 61



450-063P	1/2"	Press x Fitting	450	10
450-064P	3/4"	Press x Fitting	260	10
450-065P	1"	Press x Fitting	140	5
450-066P	1-1/4"	Press x Fitting	70	5
450-067P	1-1/2"	Press x Fitting	40	1
450-068P	2"	Press x Fitting	25	1

45° Large Press Street Elbow

450-069P	2-1/2"	Large Press x Fitting	18	1
450-070P	3"	Large Press x Fitting	12	1
450-071P	4"	Large Press x Fitting	6	1

Certifications	Part No.	Size	Configuration	Cs.	Ct.
Copper Press x FNPT 90° Elbow Third-party tested and certified; NSF/ANSI 61 	450-131P	1/2"	Press x FNPT	1	5
	450-132P	3/4"	Press x FNPT	1	5
	450-133P	1"	Press x FNPT	60	1
	450-134P	1-1/4"	Press x FNPT	1	1
	450-135P	1-1/2"	Press x FNPT	1	1
	450-136P	2"	Press x FNPT	1	1
Copper Press x MNPT 90° Elbow Third-party tested and certified; NSF/ANSI 61 	450-141P	1/2"	Press x MNPT	1	5
	450-142P	3/4"	Press x MNPT	1	5
	450-143P	1"	Press x MNPT	1	1
	450-144P	1-1/4"	Press x MNPT	1	1
	450-145P	1-1/2"	Press x MNPT	1	1
	450-146P	2"	Press x MNPT	15	1
Copper Press 90° Reducing Elbow Third-party tested and certified; NSF/ANSI 61 	450-109P	3/4" x 1/2"	Press x Press	5	15
	450-113P	1" x 3/4"	Press x Press	10	1
Copper Press 90° Long Radius Elbow Third-party tested and certified; NSF/ANSI 61 	450-003P	1/2"	Press x Press	350	10
	450-004P	3/4"	Press x Press	180	10
	450-005P	1"	Press x Press	100	5
	450-006P	1-1/4"	Press x Press	55	1
	450-007P	1-1/2"	Press x Press	35	1
	450-008P	2"	Press x Press	18	1
90° Lrg. Press Long Radius Elbow					
	450-009P	2-1/2"	Large Press x Large Press	12	1
	450-010P	3"	Large Press x Large Press	9	1
	450-011P	4"	Large Press x Large Press	4	1

Large Press

Press

Certifications	Part No.	Size	Configuration	Cs.	Ct.
----------------	----------	------	---------------	-----	-----

Copper Press 90° Long Radius Street Elbow

Third-party tested and certified;
NSF/ANSI 61



Large Press

Press

450-043P	1/2"	Press x Fitting	400	10
450-044P	3/4"	Press x Fitting	200	10
450-045P	1"	Press x Fitting	100	5
450-046P	1-1/4"	Press x Fitting	55	1
450-047P	1-1/2"	Press x Fitting	35	1
450-048P	2"	Press x Fitting	20	1

90° Lrg. Press Long St. Elbow

450-049P	2-1/2"	Large Press x Fitting	14	1
450-050P	3"	Large Press x Fitting	9	1
450-051P	4"	Large Press x Fitting	4	1

Copper Press 90° Short Radius Elbow

Third-party tested and certified;
NSF/ANSI 61



450-084P	3/4"	Press x Press	180	10
450-085P	1"	Press x Press	100	5
450-086P	1-1/4"	Press x Press	55	1
450-087P	1-1/2"	Press x Press	35	1
450-088P	2"	Press x Press	18	1

Copper Press 90° Short Radius Street Elbow

Third-party tested and certified;
NSF/ANSI 61



450-094P	3/4"	Press x Fitting	200	10
450-095P	1"	Press x Fitting	100	5
450-096P	1-1/4"	Press x Fitting	1	1
450-097P	1-1/2"	Press x Fitting	35	1
450-098P	2"	Press x Fitting	20	1

Copper Press Tee

Third-party tested and certified;
NSF/ANSI 61



Press

450-153P	1/2"	Press x Press x Press	200	10
450-154P	3/4"	Press x Press x Press	120	10
450-155P	1"	Press x Press x Press	70	5
450-156P	1-1/4"	Press x Press x Press	45	1
450-157P	1-1/2"	Press x Press x Press	25	1
450-158P	2"	Press x Press x Press	15	1

Certifications	Part No.	Size	Configuration	Cs.	Ct.
----------------	----------	------	---------------	-----	-----

Copper Press Tee

...Continued



Large Press

Large Press Tee

450-159P	2-1/2"	Lg. Press x Lg. Press x Lg. Press	1	1
450-160P	3"	Lg. Press x Lg. Press x Lg. Press	7	1
450-161P	4"	Lg. Press x Lg. Press x Lg. Press	4	1

Copper Press Reducing Tee

Third-party tested and certified;
NSF/ANSI 61



Press

450-259P	1/2" x 1/2" x 3/4"	Press x Press x Press	140	1
450-190P	1/2" x 1/2" x 1"	Press x Press x Press	4	1
450-250P	3/4" x 1/2" x 1/2"	Press x Press x Press	150	10
450-251P	3/4" x 1/2" x 3/4"	Press x Press x Press	120	5
450-208P	3/4" x 3/4" x 1/2"	Press x Press x Press	140	10
450-201P	3/4" x 3/4" x 1"	Press x Press x Press	5	1
450-203P	1" x 1/2" x 3/4"	Press x Press x Press	5	1
450-204P	1" x 1/2" x 1"	Press x Press x Press	5	5
450-205P	1" x 3/4" x 1/2"	Press x Press x Press	5	5
450-206P	1" x 3/4" x 3/4"	Press x Press x Press	100	5
450-207P	1" x 3/4" x 1"	Press x Press x Press	70	5
450-211P	1" x 1" x 1/2"	Press x Press x Press	100	5
450-212P	1" x 1" x 3/4"	Press x Press x Press	80	5
450-217P	1" x 1" x 1-1/4"	Press x Press x Press	35	1
450-231P	1-1/4" x 1/2" x 1-1/4"	Press x Press x Press	40	1
450-232P	1-1/4" x 3/4" x 1/2"	Press x Press x Press	50	1
450-233P	1-1/4" x 3/4" x 3/4"	Press x Press x Press	50	1
450-234P	1-1/4" x 3/4" x 1"	Press x Press x Press	50	1
450-235P	1-1/4" x 3/4" x 1-1/4"	Press x Press x Press	40	1
450-236P	1-1/4" x 1" x 1/2"	Press x Press x Press	50	1
450-237P	1-1/4" x 1" x 3/4"	Press x Press x Press	45	1
450-238P	1-1/4" x 1" x 1"	Press x Press x Press	50	1
450-214P	1-1/4" x 1-1/4" x 1/2"	Press x Press x Press	60	1
450-215P	1-1/4" x 1-1/4" x 3/4"	Press x Press x Press	55	1
450-216P	1-1/4" x 1-1/4" x 1"	Press x Press x Press	1	1
450-253P	1-1/2" x 1" x 3/4"	Press x Press x Press	30	1
450-254P	1-1/2" x 1" x 1"	Press x Press x Press	30	1
450-256P	1-1/2" x 1" x 1-1/2"	Press x Press x Press	25	1
450-258P	1-1/2" x 1-1/4" x 3/4"	Press x Press x Press	35	1
450-260P	1-1/2" x 1-1/4" x 1"	Press x Press x Press	30	1
450-261P	1-1/2" x 1-1/4" x 1-1/4"	Press x Press x Press	30	1
450-218P	1-1/2" x 1-1/2" x 1/2"	Press x Press x Press	40	1
450-219P	1-1/2" x 1-1/2" x 3/4"	Press x Press x Press	35	1
450-220P	1-1/2" x 1-1/2" x 1"	Press x Press x Press	35	1
450-221P	1-1/2" x 1-1/2" x 1-1/4"	Press x Press x Press	30	1
450-273P	2" x 1-1/4" x 1-1/4"	Press x Press x Press	20	1

Certifications	Part No.	Size	Configuration	Cs.	Ct.
----------------	----------	------	---------------	-----	-----

Copper Press Reducing Tee

...Continued



Press

450-277P	2" x 1-1/2" x 3/4"	Press x Press x Press	20	1
450-278P	2" x 1-1/2" x 1"	Press x Press x Press	20	1
450-279P	2" x 1-1/2" x 1-1/4"	Press x Press x Press	20	1
450-280P	2" x 1-1/2" x 1-1/2"	Press x Press x Press	16	1
450-281P	2" x 1-1/2" x 2"	Press x Press x Press	16	20
450-223P	2" x 2" x 1/2"	Press x Press x Press	25	1
450-224P	2" x 2" x 3/4"	Press x Press x Press	25	1
450-225P	2" x 2" x 1"	Press x Press x Press	23	1
450-226P	2" x 2" x 1-1/4"	Press x Press x Press	20	1
450-227P	2" x 2" x 1-1/2"	Press x Press x Press	16	1



Large Press

Large Press Reducing Tee

450-284P	2-1/2" x 3/4" x 2-1/2"	Lg. Press x Press x Lg. Press	10	1
450-285P	2-1/2" x 1" x 2-1/2"	Lg. Press x Press x Lg. Press	10	1
450-288P	2-1/2" x 1-1/4" x 2-1/2"	Lg. Press x Press x Lg. Press	8	1
450-290P	2-1/2" x 1-1/2" x 2-1/2"	Lg. Press x Press x Lg. Press	8	1
450-292P	2-1/2" x 2" x 3/4"	Lg. Press x Lg. Press x Press	15	1
450-293P	2-1/2" x 2" x 1"	Lg. Press x Lg. Press x Press	15	1
450-295P	2-1/2" x 2" x 1-1/2"	Lg. Press x Lg. Press x Press	12	1
450-296P	2-1/2" x 2" x 2"	Lg. Press x Press x Lg. Press	10	1
450-297P	2-1/2" x 2" x 2-1/2"	Lg. Press x Press x Lg. Press	10	1
450-298P	2-1/2" x 2-1/2" x 1/2"	Lg. Press x Lg. Press x Press	18	1
450-299P	2-1/2" x 2-1/2" x 3/4"	Lg. Press x Lg. Press x Press	18	1
450-300P	2-1/2" x 2-1/2" x 1"	Lg. Press x Lg. Press x Press	16	1
450-301P	2-1/2" x 2-1/2" x 1-1/4"	Lg. Press x Lg. Press x Press	15	1
450-302P	2-1/2" x 2-1/2" x 1-1/2"	Lg. Press x Lg. Press x Press	12	1
450-303P	2-1/2" x 2-1/2" x 2"	Lg. Press x Lg. Press x Press	12	1
450-304P	3" x 3/4" x 3"	Lg. Press x Press x Lg. Press	1	1
450-305P	3" x 1" x 3"	Lg. Press x Press x Lg. Press	7	1
450-306P	3" x 1-1/4" x 3"	Lg. Press x Press x Lg. Press	6	1
450-307P	3" x 1-1/2" x 3"	Lg. Press x Press x Lg. Press	6	1
450-309P	3" x 2" x 2"	Lg. Press x Lg. Press x Press	9	1
450-310P	3" x 2" x 2-1/2"	Lg. Press x Lg. Press x Lg. Press	8	1
450-311P	3" x 2" x 3"	Lg. Press x Lg. Press x Lg. Press	6	1
450-316P	3" x 2-1/2" x 2"	Large Press x Large Press x Press	6	1
450-317P	3" x 2-1/2" x 2-1/2"	Lg. Press x Lg. Press x Lg. Press	6	1
450-318P	3" x 2-1/2" x 3"	Lg. Press x Lg. Press x Lg. Press	6	1
450-319P	3" x 3" x 1/2"	Lg. Press x Lg. Press x Press	15	1
450-320P	3" x 3" x 3/4"	Lg. Press x Lg. Press x Press	1	1
450-321P	3" x 3" x 1"	Lg. Press x Lg. Press x Press	12	1
450-322P	3" x 3" x 1-1/4"	Lg. Press x Lg. Press x Press	12	1
450-323P	3" x 3" x 1-1/2"	Lg. Press x Lg. Press x Press	10	1
450-324P	3" x 3" x 2"	Lg. Press x Lg. Press x Press	10	1
450-325P	3" x 3" x 2-1/2"	Lg. Press x Lg. Press x Lg. Press	7	1
450-328P	4" x 3" x 2"	Lg. Press x Lg. Press x Press	4	1
450-330P	4" x 3" x 3"	Lg. Press x Lg. Press x Lg. Press	4	1

Certifications	Part No.	Size	Configuration	Cs.	Ct.
----------------	----------	------	---------------	-----	-----

Copper Press Reducing Tee

...Continued



Large Press

450-332P	4" x 4" x 1/2"	Lg. Press x Lg. Press x Press	6	1
450-333P	4" x 4" x 3/4"	Lg. Press x Lg. Press x Press	6	1
450-334P	4" x 4" x 1"	Lg. Press x Lg. Press x Press	8	1
450-335P	4" x 4" x 1-1/4"	Lg. Press x Lg. Press x Press	5	1
450-336P	4" x 4" x 1-1/2"	Lg. Press x Lg. Press x Press	6	1
450-337P	4" x 4" x 2"	Lg. Press x Lg. Press x Press	6	1
450-338P	4" x 4" x 2-1/2"	Lg. Press x Lg. Press x Lg. Press	4	1
450-339P	4" x 4" x 3"	Lg. Press x Lg. Press x Lg. Press	4	1

Copper Press 90° Extended Street Elbow

Third-party tested and certified;
NSF/ANSI 61



450-034P	3/4"	Press x Fitting	60	5
----------	------	-----------------	----	---

Copper LegendPress® Fitting Accessories

No Lead Bronze Press Socket Insert Stiffener

200 CWP
15 WSP
Max Temp. 250° F



450-404P	3/4"	N/A*	400	100
----------	------	------	-----	-----

*For use in radiator installations with the 450-034P Extended Street Elbow.

EPDM Rubber Socket O-Rings for Copper Press Fittings



450-991P	1/2"	Press Fitting Socket O-Ring; Bag of 3	1	1
450-992P	3/4"	Press Fitting Socket O-Ring; Bag of 3	1	1
450-993P	1"	Press Fitting Socket O-Ring; Bag of 3	1	1
450-994P	1-1/4"	Press Fitting Socket O-Ring; Bag of 3	1	1
450-995P	1-1/2"	Press Fitting Socket O-Ring; Bag of 3	1	1
450-996P	2"	Press Fitting Socket O-Ring; Bag of 3	1	1
450-997P	2-1/2"	Press Fitting Socket O-Ring; Bag of 3	1	1
450-998P	3"	Press Fitting Socket O-Ring; Bag of 3	1	1
450-999P	4"	Press Fitting Socket O-Ring; Bag of 3	1	1