


Pressure Reducing Valves



The T-6802NL series of no lead brass pressure reducing valves are available in multiple configurations: FNPT, PEX, Solder, and CPVC adapters. The inlet and outlet union nuts allow for easy installation and in-line servicing. The pressure reducing valve is packaged as a complete unit, preassembled for immediate installation.

Legend PRVs are specifically engineered for residential plumbing systems. Each is designed to reduce inlet pressure to a more optimal range of 25 to 75 psi in accordance with local codes. These PRVs are factory set at 50 psi and can be easily adjusted to the desired pressure using an open-end wrench.

Reduce your inventory while increasing the breadth of your offering by building your own customized PRV. Select from the four types of connecting adapters and bodies. The adapters are packaged individually with one union nut and washer, (each PRV requires two adapters). If required, select the applicable pressure relief valve size for protection from thermal expansion.

Certifications	Part No.	Size	Configuration	Model	Cs.	Ct.
----------------	----------	------	---------------	-------	-----	-----

T-6802NLS

No Lead Cast Brass Pressure Reducing Valve Kit with Thermoplastic Bonnet & Sweat Union Adapters

Third-party tested and certified;
NSF / ANSI 61
ASSE 1003
CSA B356
CWP 300 psi (max)

T-6802NLS PRV Kit

111-023NLS	1/2"	Sweat Union x Sweat Union	T-6802NLS	24	24
111-024NLS	3/4"	Sweat Union x Sweat Union	T-6802NLS	24	24
111-025NLS	1"	Sweat Union x Sweat Union	T-6802NLS	16	16

T-6802NLRS PRV Kit with MNPT Relief Valve

111-023NLRS	1/2"	Sweat Union x Sweat Union	T-6802NLRS	24	24
111-024NLRS	3/4"	Sweat Union x Sweat Union	T-6802NLRS	24	24
111-025NLRS	1"	Sweat Union x Sweat Union	T-6802NLRS	16	16

T-6802NLCS PRV Kit with Compression Relief Valve

111-023NLCS	1/2"	Sweat Union x Sweat Union	T-6802NLCS	24	24
111-024NLCS	3/4"	Sweat Union x Sweat Union	T-6802NLCS	24	24
111-025NLCS	1"	Sweat Union x Sweat Union	T-6802NLCS	16	16



Certifications	Part No.	Size	Configuration	Model	Cs.	Ct.
----------------	----------	------	---------------	-------	-----	-----

T-6802NLF

No Lead Cast Brass Pressure Reducing Valve Kit with Thermoplastic Bonnet & FNPT Union Adapters

Third-party tested and certified;
NSF / ANSI 61
ASSE 1003
CSA B356
CWP 300 psi (max)



T-6802NLF PRV Kit

111-023NLF	1/2"	FNPT Union x FNPT Union	T-6802NLF	24	24
111-024NLF	3/4"	FNPT Union x FNPT Union	T-6802NLF	1	1
111-025NLF	1"	FNPT Union x FNPT Union	T-6802NLF	16	16

T-6802NLRF PRV Kit with MNPT Relief Valve

111-023NLRF	1/2"	FNPT Union x FNPT Union	T-6802NLRF	24	24
111-024NLRF	3/4"	FNPT Union x FNPT Union	T-6802NLRF	24	24
111-025NLRF	1"	FNPT Union x FNPT Union	T-6802NLRF	16	16

T-6802NLCF with Compression Relief Valve

111-023NLCF	1/2"	FNPT Union x FNPT Union	T-6802NLCF	24	24
111-024NLCF	3/4"	FNPT Union x FNPT Union	T-6802NLCF	24	24
111-025NLCF	1"	FNPT Union x FNPT Union	T-6802NLCF	16	16

T-6802NLV

No Lead Cast Brass Pressure Reducing Valve Kit with Thermoplastic Bonnet & CPVC Union Adapters

Third-party tested and certified;
NSF / ANSI 61
ASSE 1003
CSA B356
CWP 300 psi (max)



T-6802NLV PRV Kit

111-023NLV	1/2"	CPVC Union x CPVC Union	T-6802NLV	24	24
111-024NLV	3/4"	CPVC Union x CPVC Union	T-6802NLV	24	24
111-025NLV	1"	CPVC Union x CPVC Union	T-6802NLV	16	16

T-6802NLRV PRV Kit with MNPT Relief Valve

111-023NLRV	1/2"	CPVC Union x CPVC Union	T-6802NLRV	24	24
111-024NLRV	3/4"	CPVC Union x CPVC Union	T-6802NLRV	24	24
111-025NLRV	1"	CPVC Union x CPVC Union	T-6802NLRV	16	16

T-6802NLCV PRV Kit with Compression Relief Valve

111-023NLCV	1/2"	CPVC Union x CPVC Union	T-6802NLCV	24	24
111-024NLCV	3/4"	CPVC Union x CPVC Union	T-6802NLCV	24	24
111-025NLCV	1"	CPVC Union x CPVC Union	T-6802NLCV	16	16

T-6802NLX

No Lead Cast Brass Pressure Reducing Valve Kit with Thermoplastic Bonnet & Crimp/Cinch PEX Union Adapters

Third-party tested and certified;
NSF / ANSI 61
ASSE 1003
CSA B356
CWP 300 psi (max)



T-6802NLX PRV Kit

111-023NLX	1/2"	PEX (F1807) Union x PEX Union	T-6802NLX	24	24
111-024NLX	3/4"	PEX (F1807) Union x PEX Union	T-6802NLX	24	24
111-025NLX	1"	PEX (F1807) Union x PEX Union	T-6802NLX	16	16

T-6802NLRX PRV Kit with MNPT Relief Valve

111-023NLRX	1/2"	PEX (F1807) Union x PEX Union	T-6802NLRX	24	24
111-024NLRX	3/4"	PEX (F1807) Union x PEX Union	T-6802NLRX	24	24
111-025NLRX	1"	PEX (F1807) Union x PEX Union	T-6802NLRX	16	16

T-6802NLCX PRV Kit with Compression Relief Valve

111-023NLCX	1/2"	PEX (F1807) Union x PEX Union	T-6802NLCX	24	24
111-024NLCX	3/4"	PEX (F1807) Union x PEX Union	T-6802NLCX	24	24
111-025NLCX	1"	PEX (F1807) Union x PEX Union	T-6802NLCX	16	16

T-6802NLS

No Lead Cast Brass Pressure Reducing Valve Kit with Brass Bonnet & Sweat Union Adapters

Third-party tested and certified;
NSF / ANSI 61
ASSE 1003
CSA B356
CWP 300 psi (max)



T-6802NLS PRV Kit

112-023NLS	1/2"	Sweat Union x Sweat Union	T-6802NLS	1	1
112-024NLS	3/4"	Sweat Union x Sweat Union	T-6802NLS	1	1
112-025NLS	1"	Sweat Union x Sweat Union	T-6802NLS	1	1
112-026NLS	1-1/4"	Sweat Union x Sweat Union	T-6802NLS	10	10
112-027NLS	1-1/2"	Sweat Union x Sweat Union	T-6802NLS	8	8
112-028NLS	2"	Sweat Union x Sweat Union	T-6802NLS	6	6

T-6802NLRS PRV Kit with MNPT Relief Valve

112-023NLRS	1/2"	Sweat Union x Sweat Union	T-6802NLRS	24	24
112-024NLRS	3/4"	Sweat Union x Sweat Union	T-6802NLRS	24	24
112-025NLRS	1"	Sweat Union x Sweat Union	T-6802NLRS	16	16

T-6802NLCS PRV Kit with Compression Relief Valve

112-023NLCS	1/2"	Sweat Union x Sweat Union	T-6802NLCS	24	24
112-024NLCS	3/4"	Sweat Union x Sweat Union	T-6802NLCS	24	24
112-025NLCS	1"	Sweat Union x Sweat Union	T-6802NLCS	16	16

Certifications	Part No.	Size	Configuration	Model	Cs.	Ct.
----------------	----------	------	---------------	-------	-----	-----

T-6802NLF

No Lead Cast Brass Pressure Reducing Valve Kit with Brass Bonnet & FNPT Union Adapters

Third-party tested and certified;
NSF / ANSI 61
ASSE 1003
CSA B356
CWP 300 psi (max)



T-6802NLF PRV Kit

112-023NLF	1/2"	FNPT Union x FNPT Union	T-6802NLF	1	1
112-024NLF	3/4"	FNPT Union x FNPT Union	T-6802NLF	1	1
112-025NLF	1"	FNPT Union x FNPT Union	T-6802NLF	1	1
112-026NLF	1-1/4"	FNPT Union x FNPT Union	T-6802NLF	10	10
112-027NLF	1-1/2"	FNPT Union x FNPT Union	T-6802NLF	8	8
112-028NLF	2"	FNPT Union x FNPT Union	T-6802NLF	6	6

T-6802NLRF PRV Kit with MNPT Relief Valve

112-023NLRF	1/2"	FNPT Union x FNPT Union	T-6802NLRF	24	24
112-024NLRF	3/4"	FNPT Union x FNPT Union	T-6802NLRF	24	24
112-025NLRF	1"	FNPT Union x FNPT Union	T-6802NLRF	16	16

T-6802NLCF PRV Kit with Compression Relief Valve

112-023NLCF	1/2"	FNPT Union x FNPT Union	T-6802NLCF	24	24
112-024NLCF	3/4"	FNPT Union x FNPT Union	T-6802NLCF	24	24
112-025NLCF	1"	FNPT Union x FNPT Union	T-6802NLCF	16	16

T-6802NLV

No Lead Cast Brass Pressure Reducing Valve Kit with Brass Bonnet & CPVC Union Adapters

Third-party tested and certified;
NSF / ANSI 61
ASSE 1003
CSA B356
CWP 300 psi (max)



T-6802NLV PRV Kit

112-023NLV	1/2"	CPVC Union x CPVC Union	T-6802NLV	1	1
112-024NLV	3/4"	CPVC Union x CPVC Union	T-6802NLV	1	1
112-025NLV	1"	CPVC Union x CPVC Union	T-6802NLV	1	1

T-6802NLRV PRV Kit with MNPT Relief Valve

112-023NLRV	1/2"	CPVC Union x CPVC Union	T-6802NLRV	24	24
112-024NLRV	3/4"	CPVC Union x CPVC Union	T-6802NLRV	24	24
112-025NLRV	1"	CPVC Union x CPVC Union	T-6802NLRV	16	16

T-6802NLCV PRV Kit with Compression Relief Valve

112-023NLCV	1/2"	CPVC Union x CPVC Union	T-6802NLCV	24	24
112-024NLCV	3/4"	CPVC Union x CPVC Union	T-6802NLCV	24	24
112-025NLCV	1"	CPVC Union x CPVC Union	T-6802NLCV	16	16

Certifications	Part No.	Size	Configuration	Model	Cs.	Ct.
----------------	----------	------	---------------	-------	-----	-----

T-6802NLX

No Lead Cast Brass Pressure Reducing Valve Kit with Brass Bonnet & Crimp/Cinch PEX Union Adapters

Third-party tested and certified;
NSF / ANSI 61
ASSE 1003
CSA B356
CWP 300 psi (max)



T-6802NLX PRV Kit

112-023NLX	1/2"	PEX (F1807) Union x PEX Union	T-6802NLX	1	1
112-024NLX	3/4"	PEX (F1807) Union x PEX Union	T-6802NLX	1	1
112-025NLX	1"	PEX (F1807) Union x PEX Union	T-6802NLX	1	1

T-6802NLRX PRV Kit with MNPT Relief Valve

112-023NLRX	1/2"	PEX (F1807) Union x PEX Union	T-6802NLRX	24	24
112-024NLRX	3/4"	PEX (F1807) Union x PEX Union	T-6802NLRX	24	24
112-025NLRX	1"	PEX (F1807) Union x PEX Union	T-6802NLRX	16	16

T-6802NLCX PRV Kit with Compression Relief Valve

112-023NLCX	1/2"	PEX (F1807) Union x PEX Union	T-6802NLCX	24	24
112-024NLCX	3/4"	PEX (F1807) Union x PEX Union	T-6802NLCX	24	24
112-025NLCX	1"	PEX (F1807) Union x PEX Union	T-6802NLCX	16	16

T-6802NL PRV Bodies

No Lead Cast Brass Pressure Reducing Valve Bodies

Third-party tested and certified;
NSF / ANSI 61
ASSE 1003
CSA B356
CWP 300 psi (max)



T-6802NL PRV Body with Thermoplastic Bonnet

111-023NL	1/2"	Body with Thermoplastic Bonnet	T-6802NL	24	1
111-024NL	3/4"	Body with Thermoplastic Bonnet	T-6802NL	24	1
111-025NL	1"	Body with Thermoplastic Bonnet	T-6802NL	16	1

T-6802NL PRV Body with Brass Bonnet

112-023NL	1/2"	Body with Brass Bonnet	T-6802NL	20	1
112-024NL	3/4"	Body with Brass Bonnet	T-6802NL	24	1
112-025NL	1"	Body with Brass Bonnet	T-6802NL	16	1
112-026NL	1-1/4"	Body with Brass Bonnet	T-6802NL	6	1
112-027NL	1-1/2"	Body with Brass Bonnet	T-6802NL	6	1
112-028NL	2"	Body with Brass Bonnet	T-6802NL	6	1

Certifications	Part No.	Size	Configuration	Model	Cs.	Ct.
----------------	----------	------	---------------	-------	-----	-----

T-6802NL PRV Relief Valves

**No Lead Cast Brass Relief
Valve for T-6802NL Pressure
Reducing Valves**

Third-party tested and certified;
NSF / ANSI 61
ASSE 1003
CSA B356
CWP 300 psi (max)



T-6802 MNPT Union Pressure Relief Valve

333-1RV	1/4"	MNPT x MNPT Union	T-6802NL	200	50
---------	------	-------------------	----------	-----	----

T-6802 Compression Union Pressure Relief Valve

333-2RV	3/8"	MNPT x Compression Union	T-6802NL	100	50
---------	------	--------------------------	----------	-----	----

T-6802NL PRV Union Adapters

**No Lead Cast Brass Relief
Valve for T-6802NL Pressure
Reducing Valves**

Third-party tested and certified;
NSF / ANSI 61
ASSE 1003
CSA B356
CWP 300 psi (max)



T-6802NL Sweat Union Adapter

333-3NLS	1/2"	Sweat Union	T-6802NL	25	1
333-4NLS	3/4"	Sweat Union	T-6802NL	200	10
333-5NLS	1"	Sweat Union	T-6802NL	100	10
333-6NLS	1-1/4"	Sweat Union	T-6802NL	80	10
333-7NLS	1-1/2"	Sweat Union	T-6802NL	80	10
333-8NLS	2"	Sweat Union	T-6802NL	40	10

T-6802NL FNPT Union Adapter

333-3NLF	1/2"	FNPT Union	T-6802NL	25	1
333-4NLF	3/4"	FNPT Union	T-6802NL	200	10
333-5NLF	1"	FNPT Union	T-6802NL	100	10
333-6NLF	1-1/4"	FNPT Union	T-6802NL	80	10
333-7NLF	1-1/2"	FNPT Union	T-6802NL	400	10
333-8NLF	2"	FNPT Union	T-6802NL	40	10

T-6802NL CPVC Union Adapter

333-3NLV	1/2"	CPVC Union	T-6802NL	25	1
333-4NLV	3/4"	CPVC Union	T-6802NL	25	1
333-5NLV	1"	CPVC Union	T-6802NL	80	20

T-6802NL F1807 Union Adapter

333-3NLX	1/2"	PEX (F1807) Union	T-6802NL	25	1
333-4NLX	3/4"	PEX (F1807) Union	T-6802NL	100	1
333-5NLX	1"	PEX (F1807) Union	T-6802NL	80	20

Certifications	Part No.	Size	Configuration	Model	Cs.	Ct.
----------------	----------	------	---------------	-------	-----	-----

T-6800NL

No Lead Cast Brass Pressure Reducing Valve with Serviceable Strainer Screen and Brass Bonnet

Third-party tested and certified;
NSF / ANSI 61
ASSE 1003
CSA B356
CWP 300 psi (max)



111-323NL	1/2"	FNPT Union x FNPT	T-6800NL	16	1
111-324NL	3/4"	FNPT Union x FNPT	T-6800NL	16	1
111-325NL	1"	FNPT Union x FNPT	T-6800NL	12	1

T-6801NL

No Lead Cast Brass FNPT Union x FNPT Compact Pressure Reducing Valve with Thermoplastic Bonnet

Third-party tested and certified;
NSF / ANSI 61
ASSE 1003
CSA B356
CWP 300 psi (max)



111-333NL	1/2"	FNPT Union x FNPT	T-6801NL	24	1
111-334NL	3/4"	FNPT Union x FNPT	T-6801NL	24	1
111-335NL	1"	FNPT Union x FNPT	T-6801NL	16	1

T-6803NL

No Lead Cast Brass FNPT Compact Pressure Reducing Valves

Third-party tested and certified;
NSF / ANSI 61
ASSE 1003
CSA B356
CWP 300 psi (max)



T-6803NL Compact-Pattern PRV with Thermoplastic Bonnet

111-033NL	1/2"	FNPT x FNPT	T-6803NL	24	1
111-034NL	3/4"	FNPT x FNPT	T-6803NL	24	1
111-035NL	1"	FNPT x FNPT	T-6803NL	16	1

T-6803NL Compact-Pattern PRV with Brass Bonnet

112-033NL	1/2"	FNPT x FNPT	T-6803NL	24	1
112-034NL	3/4"	FNPT x FNPT	T-6803NL	24	1
112-035NL	1"	FNPT x FNPT	T-6803NL	16	1