



SPEED SLOT® BI-METAL HOLE SAW

DESIGNED FOR DRILLING WOOD & METAL
WITH T3 TECHNOLOGY®



METAL CUTTING PERFORMANCE

Thick wall design for strength and durability. Optimized tooth design penetrates metal with ease

FAST, EFFICIENT CUTTING IN WOOD

Large, sharper teeth remove wood efficiently for fast cutting

EASY PLUG REMOVAL

SPEED SLOT® staircase design for fast, easy plug ejection

*vs Prior LENOX® Generation




DIAMETER		1 PER BOX	1 PER BLISTER SEAL	1 PACK ARBORED	PIPE TAP		PIPE ENTRANCE		USE ARBOR	
IN	MM	PROD NO	PROD NO	PROD NO	IN	MM	IN	MM	SNAP-BACK™	STANDARD
9/16	14.3	300099L	2079270	1772423	—	—	—	—	5L	1L, 4L OR 5L
5/8	15.9	3001010L	2079269	1772424	—	—	—	—	5L	1L, 4L OR 5L
11/16	17.5	3001111L	2079521	1772425	—	—	—	—	5L	1L, 4L OR 5L
3/4	19.1	3001212L	2060577	1772426	1/2	12.7	3/8	9.5	5L	1L, 4L OR 5L
25/32	19.8	3009820MMHS	2079522	—	—	—	—	—	5L	1L, 4L OR 5L
13/16	20.6	3001313L	2079523	1772428	—	—	—	—	5L	1L, 4L OR 5L
7/8	22.2	3001414L	2060576	1772429	3/4	19.1	1/2	12.7	5L	1L, 4L OR 5L
15/16	23.8	3001515L	2079524	1772430	—	—	—	—	5L	1L, 4L OR 5L
1	25.4	3001616L	2060574	1772481	—	—	—	—	5L	1L, 4L OR 5L
1-1/16	27.0	3001717L	2079525	1772482	—	—	—	—	5L	1L, 4L OR 5L
1-1/8	28.6	3001818L	2060575	1772483	1	25.4	3/4	19.1	5L	1L, 4L OR 5L
1-3/16	30.2	3001919L	2079526	1772474	—	—	—	—	5L	1L, 4L OR 5L
1-1/4	31.8	3002020L	2060573	1772491	—	—	—	—	2L, 6L	2L, 3L OR 6L
1-5/16	33.3	3002121L	2079527	1772492	—	—	—	—	2L, 6L	2L, 3L OR 6L
1-3/8	34.9	3002222L	2060604	1772727	—	—	1	25.4	2L, 6L	2L, 3L OR 6L
1-7/16	36.5	3002323L	2079528	1772728	—	—	—	—	2L, 6L	2L, 3L OR 6L
1-1/2	38.1	3002424L	2060607	1772729	1-1/4	31.8	—	—	2L, 6L	2L, 3L, 6L OR 7L
1-9/16	39.7	3002525L	2079529	1772730	—	—	—	—	2L, 6L	2L, 3L, 6L OR 7L
1-5/8	41.3	3002626L	2060572	1772931	—	—	—	—	2L, 6L	2L, 3L, 6L OR 7L
1-11/16	42.9	3002727L	2079416	1772932	—	—	—	—	2L, 6L	2L, 3L, 6L OR 7L
1-3/4	44.5	3002828L	2060606	1772933	1-1/2	38.1	1-1/4	31.8	2L, 6L	2L, 3L, 6L OR 7L
1-13/16	46.0	3002929L	2079417	1772935	—	—	—	—	2L, 6L	2L, 3L, 6L OR 7L
1-7/8	47.6	3003030L	2079419	1772778	—	—	—	—	2L, 6L	2L, 3L, 6L OR 7L
2	50.8	3003232L	2060601	1772779	—	—	1-1/2	38.1	2L, 6L	2L, 3L, 6L OR 7L
2-1/16	52.4	3003333L	2079418	1772780	—	—	—	—	2L, 6L	2L, 3L, 6L OR 7L
2-1/8	54.0	3003434L	2060603	1772951	—	—	—	—	2L, 6L	2L, 3L, 6L OR 7L
2-1/4	57.2	3003636L	2060608	1772952	2	50.8	—	—	2L, 6L	2L, 3L, 6L OR 7L
2-3/8	60.3	3003838L	2060599	1772953	—	—	—	—	2L, 6L	2L, 3L, 6L OR 7L
2-1/2	63.5	3004040L	2060596	1772954	—	—	2	50.8	2L, 6L	2L, 3L, 6L OR 7L
2-9/16	65.1	3004141L	2079420	1772955	—	—	—	—	2L, 6L	2L, 3L, 6L OR 7L
2-5/8	66.7	3004242L	2060605	1772956	2-1/2	63.5	—	—	2L, 6L	2L, 3L, 6L OR 7L
2-11/16	68.3	3004343L	2079611	—	—	—	—	—	2L, 6L	2L, 3L, 6L OR 7L
2-3/4	69.9	3004444L	2060598	1772961	—	—	—	—	2L, 6L	2L, 3L, 6L OR 7L
2-7/8	73.0	3004646L	2079612	1772962	—	—	—	—	2L, 6L	2L, 3L, 6L OR 7L
3	76.2	3004848L	2060594	1772963	—	—	2-1/2	63.5	2L, 6L	2L, 3L, 6L OR 7L

SPEED SLOT® BI-METAL HOLE SAW WITH T3 TECHNOLOGY®



DIAMETER		1 PER BOX	1 PER BLISTER SEAL	1 PACK ARBORED	PIPE TAP		PIPE ENTRANCE		USE ARBOR	
IN	MM	PROD NO	PROD NO	PROD NO	IN	MM	IN	MM	SNAP-BACK™	STANDARD
3-1/8	79.4	3005050L	2079613	1772964	—	—	—	—	2L, 6L	2L, 3L, 6L OR 7L
3-1/4	82.6	3005252L	2060602	1772966	3	76.2	—	—	2L, 6L	2L, 3L, 6L OR 7L
3-3/8	85.7	3005454L	2079614	1772945	—	—	—	—	2L, 6L	2L, 3L, 6L OR 7L
3-1/2	88.9	3005656L	2060595	1772946	—	—	—	—	2L, 6L	2L, 3L, 6L OR 7L
3-5/8	92.1	3005858L	2060597	1772949	—	—	3	76.2	2L, 6L	2L, 3L, 6L OR 7L
3-3/4	95.3	3006060L	2079615	1772950	3-1/2	85.7	—	—	2L, 6L	2L, 3L, 6L OR 7L
3-7/8	98.4	3006262L	2079616	1773001	—	—	—	—	2L, 6L	2L, 3L, 6L OR 7L
4	101.6	3006464L	2059708	1773002	—	—	—	—	2L, 6L	2L, 3L, 6L OR 7L
4-1/8	104.8	3006666L	2060593	1773003	—	—	3-1/2	85.7	2L, 6L	2L, 3L, 6L OR 7L
4-1/4	108.0	3006868L	2059710	1773004	4	95.3	—	—	2L, 6L	2L, 3L, 6L OR 7L
4-3/8	111.1	3007070L	2079617	1773005	—	—	—	—	2L, 6L	2L, 3L, 6L OR 7L
4-1/2	114.3	3007272L	2059709	1773006	—	—	—	—	2L, 6L	2L, 3L, 6L OR 7L
4-5/8	117.5	3007474L	2079618	—	—	—	4	95.3	2L, 6L	2L, 3L, 6L OR 7L
4-3/4	120.7	3007676L	2079619	1773008	4-1/2	108.0	—	—	2L, 6L	2L, 3L, 6L OR 7L
5	127.0	3008080L	2060591	—	—	—	—	—	2L, 6L	2L, 3L, 6L OR 7L
5-1/2	139.7	3008888L	2079620	—	—	—	—	—	2L, 6L	2L, 3L, 6L OR 7L
6	152.4	3009696L	2059707	—	—	—	—	—	2L, 6L	2L, 3L, 6L OR 7L





LENOX SNAP-BACK™ QUICK CHANGE HOLE SAW ARBORS

TOOL-FREE BIT CHANGE

No allen key required to change LENOX pilot bit*

ANTI-JAM COLLAR

Reinforced collar drives hole saw without jamming or disengaging

UNIVERSAL HOLE SAW COMPATIBILITY

Accepts all threaded hole saws, no adapters required**

SINGLE-HANDED OPERATION

Collar snaps back and stays in position while changing bits



STEP 1

Unlock Hole Saw



STEP 2

Unlock Pilot Bit



*Only applies to LENOX Pilot Drills

**For the Range of Diameters Listed On Packaging

PROD NO	DESCRIPTION	COMPATIBLE HOLE SAW SIZES		SHANK SIZE	
		IN	MM	IN	MM
LXAH9912PBM	2L QC WITH HIGH SPEED STEEL PILOT DRILL	1-1/4" - 6"	31.8 - 152.4	1/2"	12.7
LXAH9938PBM	5L QC WITH HIGH SPEED STEEL PILOT DRILL	9/16" - 1 3/16"	14.3 - 30.2	3/8"	9.5
LXAH9912CPBM	2L QC WITH CARBIDE & SELF-FEED PILOT DRILL	1-1/4" - 6-1/4"	31.8 - 158.8	1/2"	12.7

SNAP-BACK™ QUICK CHANGE EXTENSIONS

DURABILITY AND EXTENDED LIFE

Carbon steel collar and shaft for durability and extended life

ONE-HANDED RELEASE

SNAP-BACK™ Quick Change mechanism for quick and easy release

BIT HELD SECURELY IN PLACE

Holds bits securely on ball detent bits (Quick Change)

1/4" extension works with 1/4" arbors and insert bits.
It is magnetic for additional holding power



Quick Change Shank

PROD NO	CHUCK SIZE		FITS ARBOR			
	IN	MM	IN	MM	SNAP-BACK™	STANDARD
1852050	5-1/2	140	7/16	11	2L	1L, 2L, 3L
1852047	12	305	3/8	9.5	5L, 6L	5L, 6L, 7L
1852048	12	305	7/16	11	2L	1L, 2L, 3L
1852049	18	457	7/16	11	2L	1L, 2L, 3L



STANDARD ARBORS & ACCESSORIES

ARBORS & ACCESSORIES FOR YOUR DRILLING NEEDS

DURABILITY

Hardened carbon steel for strength

STARTS ON CONTACT

Split point pilot drill designed for fast penetration and to reduce walking



LENOX 6L Standard Arbor with quick change feature (1779805)

PROD NO	DESC	FITS HOLE	SIZES		SHANK	SHANK SIZE		PRIMARY FEATURE
		SAWS	IN	MM	TYPE	IN	MM	
1779774	1L	9L-19L	9/16-1-3/16	14.3-30.2	HOLLOW HEX	1/2 & LARGER	12.7 & LARGER	Adjustable pilot bit
1779801	2L	20L-96L	1-1/4-6	31.8-152.4	SOLID HEX	1/2 & LARGER	12.7 & LARGER	Use for enlarging holes
1779802	3L	20L-96L	1-1/4-6	31.8-152.4	SOLID HEX	1/2 & LARGER	12.7 & LARGER	Solid shank
1779803	4L	9L-19L	9/16-1-3/16	14.3-30.2	3 SIDED	1/4 & LARGER	6.4 & LARGER	Adjustable pilot bit, 3 flats on shank
1779804	5L	9L-19L	9/16-1-3/16	14.3-30.2	HEX	3/8 & LARGER	9.5 & LARGER	Use for 9A-19A arbores hole saws
1779805	6L	20L-96L	1-1/4-6	31.8-152.4	HEX	3/8 & LARGER	9.5 & LARGER	Quick change arbor
1779806	7L	24L-96L	1-1/2-6	31.8-152.4	HEX	3/8 & LARGER	9.5 & LARGER	Plug ejection feature

PROD NO	DESCRIPTION	CHUCK SIZE		FITS ARBOR	
		IN	MM	SNAP-BACK™	SOLID HEX
30857AA1	Standard Arbor Adaptor (1 pack)	—	—	5L	1L, 4L, 5L
3084818X	18" Extension (1 pack)	1/2 & LARGER	12.7 & LARGER	2L	1L, 2L, 3L
3084712X	12" Extension (1 pack)	1/2 & LARGER	12.7 & LARGER	2L	1L, 2L, 3L
3084310X*	10" Extension (1 pack)	3/8 & LARGER	9.5 & LARGER	5L, 6L	5L, 6L, 7L
3084655X	5-1/2" Extension (1 pack)	1/2 & LARGER	12.7 & LARGER	2L	1L, 2L, 3L
3087935PD	1/4" Split point stubby pilot bit	—	—	—	—

* Fits arbores hole saws

LENOX HOLE SAW PILOT DRILLS

QUICK CHANGE

For Tool-Free use In LENOX Snap-Back™ Arbors

UNIVERSAL COMPATIBILITY

Fits both quick change and traditional non-quick change arbors†



PROD NO	DESCRIPTION	LENGTH		DIAMETER		COMPATIBLE		PACK SIZE	APP ICON
		IN	MM	IN	MM	SNAP-BACK™ ARBORS	TRADITIONAL ARBORS		
LXAH99314PB	3-1/4" (83MM) PILOT DRILL 1 PK	3-1/4"	82.6	1/4"	6.4	2L QC, 5L QC	1L, 2L, 3L, 4L, 5L, 6L	1	
LXAH99314PB25	3-1/4" (83MM) PILOT DRILL 25 PK	3-1/4"	82.6	1/4"	6.4			25	
LXAH99414PB	4-1/4" (108MM) PILOT DRILL 1 PK	4-1/4"	108.0	1/4"	6.4			1	
LXAH99414PB25	4-1/4" (108MM) PILOT DRILL 25 PK	4-1/4"	108.0	1/4"	6.4			25	
LXAH99314CTPB	3-1/4" (83MM) CARBIDE PILOT DRILL 1PK	3-1/4"	82.6	1/4"	6.4			1	
LXAH9334MMPB	3-3/4" (95MM) CARBIDE PILOT DRILL 1PK	3-3/4"	95.3	1/4"	6.4			1	
LXAH99414CTPB	4-1/4" (108MM) CARBIDE PILOT DRILL 1PK	4-1/4"	108.0	1/4"	6.4			1	
LXAH9334SPB	3-3/4" (95MM) SELF-FEED PILOT DRILL 1PK	3-3/4"	95.3	3/8"	9.5			1	

†Excluding proprietary arbor systems not using standard 1/4" shank pilot drills