

Model 3050 ½" Float Valve

**Max Inlet Water Pressure 50PSI
Max Operating Temperature 300° F**

Bronze Body

Brass Piston

EPDM Disc & O-Ring


***Contains Lead. Not Intend for Use in
Potable Water Systems***

**Available Without Piston Ring as
Part 3050FU**



MATERIAL LIST

NO.	DESCRIPTION	MATERIAL
1	Body	Bronze
2	O-Ring	EPDM
3	Plunger	Brass
4	Disc	EPDM
5	Long Arm	Brass
6	Thumb Screw	Brass
7	Short Arm	Brass
8	Cotter Pin	Brass



Size	½"
A	3.40
B	1.40
Ship Wt. (lbs.)	0.69
Qty. Per Carton	12



UNITED BRASS WORKS, INC.
 714 S. Main St. Randleman, N.C. 27317
 Tel: 800-334-3035 Fax: 800-498-4696 www.ubw.com



Model 3060 3/4" Float Valve

**Max Inlet Water Pressure 50PSI
 Max Operating Temperature 300° F**


Bronze Body

Brass Piston

EPDM Disc & O-Ring

***Contains Lead. Not Intended for Use in
 Potable Water Systems.**


**Available Without Piston O-Ring
 As Part 3060FU**



MATERIAL LIST

NO.	DESCRIPTION	MATERIAL
1	Body	Bronze
2	O-Ring	EPDM
3	Disc	EPDM
4	Cotter Pin	Brass
5	Short Arm	Brass
6	Thumb Screw	Brass
7	Long Arm	Brass
8	Piston	Brass

Size	3/4"
A	3.68
B	1.60
Ship Wt. (lbs.)	0.94
Qty. Per Carton	12





UNITED BRASS WORKS, INC.
714 S. Main St. Randleman, N.C. 27317
Tel: 800-334-3035 Fax: 800-498-4696 www.ubw.com



Model RS45 Float Ball

**4" X 5" Oblong Ball with
1/4" Connection
Spun Copper Construction**

Weight – 0.45 lbs.





UNITED BRASS WORKS, INC.
714 S. Main St. Randleman, N.C. 27317
Tel: 800-334-3035 Fax: 800-498-4696 www.ubw.com



Model RS50 Float Ball

**5" Round Ball with
1/4" Connection
Spun Copper Construction**

Weight – 0.44 lbs.





UNITED BRASS WORKS, INC.
714 S. Main St. Randleman, N.C. 27317
Tel: 800-334-3035 Fax: 800-498-4696 www.ubw.com



Model 3059 Float Ball Rod
1/4" Connection by 10" in Length

**Includes 2 pcs. 1/4" Brass Nuts for
Attaching Rod to Ball**

