

Satterlund

SUPPLY COMPANY

Specializing in Products for the Piping Industry

26277 Sherwood Avenue Warren, Michigan 48091

www.satterlund.com

Phone: (586) 755-9700

Fax: (586) 755-9713

50,000 Square Foot Warehouse

Over 15,000 Items in Stock

Custom Cutting, Threading, Grooving & Fabrication Capabilities



BLK - GALV - MALL - C.I. THRD & FLG - GROOVED
BLK - GALV NIPPLES SCH 40-80-160-XXH



304 - 316 SS - 150 THRD & SW 3M SW-THRD
WELD FTG. S/10-40-FLG 150 & 300 & 600



C.S. WELD FITT. S/40-80-160
FLG #150 - #300 - #600 F.S. 2M 3M 6M



BALL VALVES GATE CHECK GLOBE
SS - BRONZE - CI - STEEL - F.S. - ACTUATORS



PVC - CPVC - S-80 FITTINGS
VALVES & PIPE-S/40 & S/80



COPPER - BRASS - FITTINGS & PIPES - GAUGES
STEAM TRAPS - HANGERS - DOPE - GASKETS

OPEN MONDAY THRU FRIDAY 8:00 - 5:00, SATURDAY 8:00 - 12:00

VISA - MASTERCARD - AMERICAN EXPRESS

PIPE & TUBE

Stainless Steel
 - 304 & 316
 - s/5-10-40-80-160
 - Seamless & Welded
 - Polished Tube
 A106B SMLS
 - 40 - 80 - 160 - XXH
 A53 Welded
 - S/10 A53
 - STD Black S/40
 - XH Black
 - STD & XH Galvanized
 Aluminum
 Brass
 Carbon Steel
 Alloy 20
 Blue Diamond

Chrome Moly
 Copper
 Clear PVC Pipe
 Fuseal
 Hastelloy
 Hydraulic
 Inconel
 Instrumentation
 Kynar
 Monel
 Pickled & Oiled
 Polypropylene
 Pro Seal
 PVC & CPVC
 Titanium
 Hose

MANUFACTURERS

BRISTOL
 HBD THERMOID
 GF HARVEL
 KURIYAMA
 MUELLER BRASS
 NOVAFLEX
 RATH-GIBSON
 SANDVIK
 SHARON - Blue Diamond
 USX
 WEBCO
 WHEATLAND



VALVES & ACTUATORS

Ball
 Ball Checks
 Boiler Drains
 Bronze & Iron
 Butterfly
 Cast Steel
 Check
 Diaphragm
 Electric Actuated
 Float
 Forged Steel
 Fugitive Emission
 Gas Cocks
 Gate
 Globe
 Grooved Valves
 High Pressure
 Knife Gate
 Kynar

Lined
 Lubricated Plug
 Needle
 Pet Cocks
 Pneumatic Actuated
 Pressure Seal
 PVC & CPVC
 Polypropylene
 Safety & Relief
 Sanitary
 Silent Check
 Sillcocks
 Sleeved Plug
 Solenoid
 Stainless Steel
 Steam Cocks
 Tote Tank
 U/L Approved

MANUFACTURERS

ABZ
 APOLLO
 CONBRACO
 CRANE
 DURABLA
 GEMINI
 GOULD
 HAYWARD
 HOMESTEAD
 JOMAR
 LEGEND
 MUELLER STEAM
 NEWCO
 OIC
 ROBERTS
 SHARPE
 STOCKHAM
 VOGT
 WATTS
 WAUKESHA



Immediate State Wide Delivery - Quality Assurance

FITTINGS & FLANGES

Aluminum
Brass
Carpenter 20
Cast Iron
Chrome Moly
Compression
Copper
Couplets
Fernco Couplings
Flanged Cast Steel
Forged Carbon Steel
Fuseal
Grooved Fittings
Hastelloy
Inconel
Kynar
Let Lok Fittings
Long Tangent

Malleable 150# 300#
Monel
Orifice Flanges
Orifice Unions
Polypropylene
Pro-Press
ProSeal
PVC & CPVC
Sanitary
Soc-O-Lets
Special Alloys
Stainless Steel
Swage Nipples
Tank Flanges
Thread-O-Lets
Titanium
Tube O.D.
Weld- O-Lets
Hose

MANUFACTURERS

ALLOY STAINLESS PRODUCTS
ANVIL
APOLLO PRESS
BONNEY FORGE
CHERRY BURRELL
CORE PIPING
DIXON
ELKHART
FLOWLINE
GRUVLOK
LASCO
PENNSYLVANIA MACHINE WORKS
PHOENIX
SPEARS
TY-LOK
WELDBEND

CORE PIPE

WELDBEND

DIXON

SPECIALTY ITEMS

Anerobic Pipe Dope (PST)
Backflow Preventers
Backing Rings
Cutting Oils
Dual Containment
Expansion Joints
Flexible Joints
Flexitallic Gaskets
"Fuseal" Acid Waste
Systems (DWV)
Gaskets & Packing
Gauges
Hangers
Hastelloy
Hose Clamps
Joint Compounds

Nuts & Bolts
Pipe Bending
Pipe Cement
"PRO-SEAL"
Quick Disconnects
Regulators
Repair Clamps
Rotary Joints
Steam Traps
Strainers
Strut
Teflon Tape
Thermometers
Tools
Threading / Grooving
Machines
Hose Fittings

MANUFACTURERS

ARMSTRONG
B-LINE
DIXON
FLEXITALLIC
GEORGE FISHER
GASOLA
JOMAR
KECKLEY
LOCTITE
MUELLER STEAM
OATEY
PRO-PRESS
RIDGID
TERICE
WATTS
WATSON McDANIEL
WEISS GAUGES
WHITLAM

TRERICE
TEMPERATURE • PRESSURE • CONTROL


Watson
McDaniel

Waukesha
Fluid Handling
A United Dominion Company

B-Line

RIDGID

696 E EXIT Ryan/Dequindre
696 W EXIT Van Dyke



Custom Nipples - Sandblasting
Bending - Certs Available

Phone: (586) 755-9700
1 (800) 442-4343
Fax: (586) 755-9713
www.satterlund.com

Providing Outstanding Service Since 1964

Satterlund

SUPPLY COMPANY

www.satterlund.com

Phone: (586) 755-9700 Fax: (586) 755-9713

DIMENSIONS FOR SEAMLESS AND WELDED CARBON & STAINLESS PIPE

Nominal Pipe Size	Outside Diameter	SCHEDULE 5S		SCHEDULE 10S		SCHEDULE 10		SCHEDULE 20		SCHEDULE 30		SCHEDULE 40S AND STANDARS WT. (B)		SCHEDULE 40 (B)		SCHEDULE 60	
		Wall Thick.	Inside Diam.	Wall Thick.	Inside Diam.	Wall Thick.	Inside Diam.	Wall Thick.	Inside Diam.	Wall Thick.	Inside Diam.	Wall Thick.	Inside Diam.	Wall Thick.	Inside Diam.	Wall Thick.	Inside Diam.
1/8	.405			.049	.307							.068	.269	.068	.269		
1/4	.540			.065	.410							.088	.364	.088	.364		
3/8	.675			.065	.545							.091	.493	.091	.493		
1/2	.840	.065	.710	.083	.674							.109	.622	.109	.622		
3/4	1.050	.065	.920	.083	.884							.113	.824	.113	.824		
1	1.315	.065	1.185	.109	1.097							.133	1.049	.133	1.049		
1 1/4	1.660	.065	1.530	.109	1.442							.140	1.380	.140	1.380		
1 1/2	1.900	.065	1.770	.109	1.682							.145	1.610	.145	1.610		
2	2.375	.065	2.245	.109	2.157							.154	2.067	.154	2.067		
2 1/2	2.875	.083	2.709	.120	2.635							.203	2.469	.203	2.469		
3	3.500	.083	3.334	.120	3.260							.216	3.068	.216	3.068		
3 1/2	4.000	.083	3.834	.120	3.760							.226	3.548	.226	3.548		
4	4.500	.083	4.334	.120	4.260							.237	4.026	.237	4.026		
5	5.563	.109	5.345	.134	5.295							.258	5.047	.258	5.047		
6	6.625	.109	6.407	.134	6.357							.280	6.065	.280	6.065		
8	8.625	.109	8.407	.148	8.329			.250	8.125	.277	8.071	.322	7.981	.322	7.981	.406	7.813
10	10.750	.134	10.482	.165	10.420			.250	10.250	.307	10.136	.365	10.020	.365	10.020	.500	9.750
12	12.750	.156 (A)	12.438	.180	12.390			.250	12.250	.330	12.090	.375	12.000	.406	11.938	.562	11.626
14	14.000	.156 (A)	13.688	.188 (A)	13.624	.250	13.500	.312	13.376	.375	13.250	.375 (1)	13.250	.438	13.124	.593	12.814
16	16.000	.165 (A)	15.670	.188 (A)	15.624	.250	15.500	.312	15.376	.375	15.250	.375 (1)	15.250	.500	15.000	.656	14.688
18	18.000	.165 (A)	17.670	.188 (A)	17.624	.250	17.500	.312	17.376	.438	17.124	.375 (1)	17.250	.562	16.876	.750	16.500
20	20.000	.188 (A)	19.624	.218 (A)	19.564	.250	19.500	.375	19.250	.500	19.000	.375 (1)	19.250	.593	18.814	.812	18.376
24	24.000	.218 (A)	23.564	.250 (A)	23.500	.250	23.500	.375	23.250	.562	22.876	.375 (1)	23.250	.687	22.626	.968	22.064
Nominal Pipe Size	Outside Diameter	SCHEDULE 80S AND EXTRA STRONG (S)		SCHEDULE 80 (S)		SCHEDULE 100		SCHEDULE 120		SCHEDULE 140		SCHEDULE 160		DOUBLE X STRONG			
		Wall Thick.	Inside Diam.	Wall Thick.	Inside Diam.	Wall Thick.	Inside Diam.	Wall Thick.	Inside Diam.	Wall Thick.	Inside Diam.	Wall Thick.	Inside Diam.	Wall Thick.	Inside Diam.		
1/8	.405	.095	.215	.095	.215												
1/4	.540	.119	.302	.119	.302												
3/8	.675	.126	.423	.126	.423												
1/2	.840	.147	.546	.147	.546							.187	.466	.294	.252		
3/4	1.050	.154	.742	.154	.742							.218	.614	.308	.434		
1	1.315	.179	.957	.179	.957							.250	.815	.358	.599		
1 1/4	1.660	.191	1.278	.191	1.278							.250	1.160	.382	.896		
1 1/2	1.900	.200	1.500	.200	1.500							.281	1.338	.400	1.100		
2	2.375	.218	1.939	.218	1.939							.343	1.689	.436	1.503		
2 1/2	2.875	.276	2.323	.276	2.323							.375	2.125	.552	1.771		
3	3.500	.300	2.900	.300	2.900							.438	2.624	.600	2.300		
3 1/2	4.000	.318	3.364	.318	3.364												
4	4.500	.337	3.826	.337	3.826			.438	3.624			.531	3.438	.674	3.152		
5	5.563	.375	4.813	.375	4.813			.500	4.563			.625	4.313	.750	4.063		
6	6.625	.432	5.761	.432	5.761			.562	5.501			.718	5.189	.864	4.897		
8	8.625	.500	7.625	.500	7.625	.593	7.439	.718	7.189	.812	7.001	.906	6.813	.875	6.875		
10	10.750	.500	9.750	.593	9.564	.718	9.314	.843	9.064	1.000	8.750	1.125	8.500				
12	12.750	.500	11.750	.687	11.376	.843	11.064	1.000	10.750	1.125	10.500	1.312	10.126				
14	14.000	.500 (2)	13.000	.750	12.500	.937	12.126	1.093	11.814	1.250	11.500	1.406	11.188				
16	16.000	.500 (2)	15.000	.843	14.314	1.031	13.938	1.218	13.564	1.438	13.124	1.593	12.814				
18	18.000	.500 (2)	17.000	.937	16.126	1.156	15.688	1.375	15.250	1.562	14.876	1.781	14.438				
20	20.000	.500 (2)	19.000	1.031	17.938	1.281	17.438	1.500	17.000	1.750	16.500	1.968	16.064				
24	24.000	.500 (2)	23.000	1.218	21.564	1.531	20.938	1.812	20.376	2.062	19.876	2.343	19.314				



Thread Engagement (in inches)
Normal for Tight Joint

PIPE SIZE	1/8	1/4	3/8	1/2	3/4	1	1 1/4	1 1/2	2	2 1/2	3	3 1/2	4	5	6
LENGTH	1/4	3/8	3/8	1/2	9/16	11/16	11/16	11/16	3/4	15/16	1	1 1/16	1 1/8	1 1/4	1 5/16